

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Acura</b>	Integra, Legend, NSX, Vigor	25000	<b>25000</b>	
<b>Alfa Romeo</b>	33, 145, 146, 164 (from '88), Arna, Sprint	27170	<b>27169/27185</b>	3
	75, 90, 1600, Alfa, Alfetta, Berlina, Giulia, GTV, GTV6, Spider (till '94)	24157/24012	<b>24157/24012</b>	2
	147, 156 (from '02), 166, Cross Wagon, Mito, Sport Wagon	27216	<b>27216</b>	
	155, 156 (till '02), GT, Spider (from '95)	27169	<b>27169/27185</b>	3
	159, Brera, Giuletta, Spider (from '06)	27184	<b>27184</b>	
	Alfasud	27170	<b>27170</b>	
<b>Aston Martin</b>	DB7, Vanquish	24157/24012		2
	DB9, V8 Vantage	24205/24024	<b>24205/24024</b>	2
<b>Audi</b>	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A1, A2 (15" + 16" wheels), A3, A4, A5, A6, A7, A8, Cabrio, Q5, S2, S4, S6, S8, V8, TT, TT Roadster	28018	<b>28018</b>	
	A2 (14" wheels)	28028	<b>28028</b>	
	Q7	28044	<b>28044</b>	3
	RS2	25167	<b>25167</b>	
<b>BMW</b>	1-series, 3-series, 5-series (till '09), 6-series, 7-series (till '01), 8-series, X1, Z1, Z3, Z4, Z8	27179	<b>27179</b>	
	7-series (from '02 - '07), X3 (till '09), X5 (till 12/'06)	27205	<b>27205</b>	
	5 serie-GT, 5 serie (from '10), X5 (from 01/'07), X3 (from '10), X6, 7-series (from 10/'08)	27226	<b>27226</b>	
<b>Buick</b>	Apollo, Century (till '81), Electra (till '85)	24132/24011	<b>24132/24011</b>	2
	Century (from '82), Electra (FWD), Le Sabre (FWD), Opel/Vauxhall, Park Avenue, Reatta, Regal, Riviera, Roadmaster, Skyhawk, Skylark, Somerset	24157/24012	<b>24157/24012</b>	2
<b>Cadillac</b>	Allanté, Brougham (from '91), Cimarron, CTS, De Ville (FWD), Eldorado (from '79), Fleetwood (FWD), Seville (from '80), SRX, STS, XLR	24137/24012	<b>24137/24012</b>	2
	Calais, Fleetwood (till '79)	24130/24010		2
	Catera (1997 - 2000)	27204/27179	<b>27204/27179</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Chevrolet</b>	Alero, APV, Beretta, Blazer S, Camaro (from '82), Caprice (from '91), Cavalier, Celebrity, Chevette, Citation, Corsica, Corvette (from '84), El Camino (from '82), Eurosport, IROC, Laguna, Lumina, Luv, Malibu (from '82), Monte Carlo (from '82), Nova, S10, S15, Sierra, Sonoma, Spectrum, Trailblazer, Trans Sport, ZR1, Z28	24157/24012	<b>24157/24012</b>	2
	Astro (from 2003)		<b>24210/24019</b>	
	Astro (till 2002), Blazer 5-H, Safari, Suburban 5-H	24130/24010	<b>24130/24010</b>	2
	Aveo, Captiva, Evanda, Kalos, Lacetti, Matiz, Nubira, Rezzo	24157/24012	<b>24157/24012</b>	2
	Bel Air, Biscayne (from '77), Camaro (till '81), Caprice ('77-'90), Chevelle, Chevy II, Corvair, Corvette (till '83), Impala (till '84), Malibu (till '81), Monte Carlo (till '81), Monza, Vega	24132/24011		2
	Blazer (from '92), Pickup 5-H, 8-H, Suburban (from '92), Tahoe, Yukon	24018	<b>24018</b>	
	Blazer 6-H, El Camino (till '81), Suburban 6-H	24132/24011	<b>24132/24011</b>	2
	Caprice ('71-'76), Impala (till '76), Station Wagon	24130/24010		2
<b>Chrysler</b>	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	24157/24012	<b>24157/24012</b>	2
	Crossfire		<b>28023</b>	
	all other models	24138/24010	<b>24138/24010</b>	2
	300C	24214/24019	<b>24214/24019</b>	2
<b>Citroën</b>	2CV, Ami, Chrono, GS, GSA, LN, LNA, Visa II		<b>24200</b>	
	AX, Axel, Berlingo, C15, Saxo, Xantia, XM, Xsara, ZX	27170/27216	<b>26001/26002</b>	5
	BX, BX 14, CX, Visa D	27170	<b>26000</b>	
	C2, C3, C4, C5, C6, Nemo	27216	<b>26002</b>	
	C8	27184	<b>27184</b>	
	C-Crosser	24195/24012	<b>21156</b>	2
	Evasion, Jumpy	27000	<b>27000</b>	
	Picasso	27170	<b>26000</b>	
	Visa Gti		<b>26001</b>	
	DS3	27216	<b>26002/27216</b>	3
<b>Dacia</b>	Duster, Logan	27204	<b>27204</b>	
	Sandero	27204	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Daewoo</b>	Aranos, Cielo, Espero, Lanos, Leganza (till '99), Nexia, Nubira (till '99), Prince, Tico	27203	<b>27203</b>	
	Evanda, Kalos, Korrando, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Rezzo	24157/24012	<b>24157/24012</b>	2
	Matiz	24154/24013	<b>24154/24013</b>	2
<b>Daihatsu</b>	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	24157/24012	<b>24157/24012</b>	2
<b>Dodge</b>	400, 600, Aries K, Caravan, Colt, Conquest, D50, Daytona, Dynasty, Intrepid, Lancer, Maxi Van, Monaco (from '90), Neon, Omni, Raider, Rampage, Shadow, Shelby, Spirit, Stratus, Stealth, Viper, Vista (from '84)	24157/24012	<b>24157/24012</b>	2
	Ram1500	24138	<b>24138</b>	3
<b>Ferrari</b>	208/308 GTB/GTS, 300 GTB/GTS, 328, 348, 456 GT, 400512 TR, 550 Maranello, F50, F355, F550, GTD, Modena, Mondial 8, Testarossa		<b>27183</b>	
<b>Fiat</b>	124, 125, 127, 128, 131, 132, X1/9, Argenta, Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma, Duna, Idea, Marea, Multipla, Palio, Panda (till '04), Punto, Regata, Ritmo, Seicento, Spider, Strada, Tempra, Tipo, Uno	27170/27216	<b>27169/27185/27216</b>	3;5
	130 Abarth, Ritmo 125 TC	24154	<b>24154</b>	
	238, Campagnolo, Talento	27000	<b>27184</b>	
	Croma (from '05), Grande Punto, Sedici	27204	<b>27204</b>	
	500 (from '07), Doblo, Panda (from '04), Panda 4x4, Scudo, Stilo	27216	<b>27216</b>	
	Ulysse	27184	<b>27184</b>	
	Ducato (M14)	27265	<b>27265</b>	
	Ducato (M16)	27266	<b>27266</b>	
<b>Ford</b>	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	24157/24012	<b>24212/24012</b>	2
	Escort III (till 6/'90), Fiesta I (till 3/'89), Orion I (till 6/'90), XR3, XR4	27179	<b>27179</b>	
	Galaxy (till '05)	28032/28044	<b>28032/28044</b>	3
	Galaxy (from '06), S-Max	24214/24019	<b>24214/24019</b>	2; 4
	Maverick (from '01)	24137/24012	<b>24137/24012</b>	2
	Maverick 4x4	24152/24013	<b>24152/24013</b>	2
	Ka (from '09)	27216	<b>27216</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Ford USA</b>	Aerostar, Bronco I/II, Econoline 5-H, Elite, Mustang, Pickup, Ranchero, Ranger, Torino, Van	24130/24010	<b>24130/24010</b>	2
	Contour, Courier (from '77), Escort (from 7/'83), EXP (from 7/'83), Explorer, Probe, Taurus, Tempo, T-Bird (from '89), Windstar (from '94)	24157/24012	<b>24157/24012</b>	2
	Explorer	24193/24010	<b>24193/24010</b>	2
	Fiesta	27179	<b>27179</b>	
<b>GMC - USA</b>	Caballro (from '82), S15, S15 Jimmy, Sonoma	24157/24012	<b>24157/24012</b>	2
	Jimmy (5-H till '70), Jimmy (6-H from '71), Pickup (6-H till '87), Suburban (5-H till '70), Suburban (6-H from '71), Van (6-H from '71)	24132/24011	<b>24132/24011</b>	2
	Jimmy (5-H from '71), Pickup (5-H, 8-H till '87), Safari (till '02), Suburban (5-H from '71), Van (5-H from '71)	24130/24010	<b>24130/24010</b>	2
	Pickup (5-H, 6-H '82), Savannah, Suburban (from '92), Yukon	24018	<b>24018</b>	
	Safari (from 2003)		<b>24210/24019</b>	
<b>Honda</b>	Acclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, CRZ, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	25000	<b>25000</b>	
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Getz, H1-Starex, i10, Lantra, Matrix, Pony, S-Coupé, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	24137/24012	<b>24137/24012</b>	2
	i20 van, i30, iX35, Genesis, Grandeur, Santa Fe	24137/24012	<b>24137/24012</b>	2
<b>Infiniti</b>	EX	24157/24012	<b>24157/24012</b>	2
	G35	all	<b>21153</b>	
<b>Isuzu</b>	Amigo, Aska, Campo, Gemini, I-Mark, Impulse, Nero, Piazza, Pickup, Rodeo, Stylus, Trooper (4x4)	24157/24012	<b>24157/24012</b>	2
<b>Jaguar</b>	Daimler, Sovereign, X100, X200, X300, XJ, XJ40, XJR-S 6.0, XJS, XK8, XKE, XKR	24130/24010	<b>21120</b>	2
	E-Type, S-Type, X-Type	24157/24012	<b>20116</b>	2
<b>Jeep</b>	all models with 5-hole-wheels	24138/24010	<b>24138/24010</b>	2
	Campus	24157/24012	<b>24157/24012</b>	
<b>Kia</b>	Carens, Carnival, Pro Cee'd, Cerato, Clarus, Credo, Leo, Magentis, Opirus, Picanto, Retona, Rio (from '02), Sephia, Shuma, Soul, Sorento, Sportage, Venga	24137/24012	<b>24137/24012</b>	2
	Rio (till '01)	27015	<b>27015</b>	
<b>Lada</b>	1102 Tawrija, 2101, 2108, Aleko, Forma, Nova, Samara	27170	<b>27169</b>	
	2121 Niva (4x4)	24154	<b>24154</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Lancia</b>	A112, Beta, Dedra, Delta, Gamma, Integrale, Kappa, Lybra, Monte Carlo, Prisma, Thema, Trevi	27170	<b>27169/27185</b>	3
	Musa, Ypsilon	27216	<b>27216</b>	
	Thesis, Zeta		<b>27000</b>	
<b>Land Rover</b>	Freelander I	25000	<b>25000</b>	
	Freelander II	24214/24019	<b>24214/24019</b>	2
<b>Lexus</b>	all models	24195/24012	<b>24195/24012/21156</b>	2; 3
	600LS	24214/24019	<b>24214/24019</b>	2
<b>Lincoln - USA</b>	Continental (till '87), LSC, Mark (till '92), Town Car, Versailles	24130/24010	<b>24130/24010</b>	2
	Continental (from '88), Mark (from '93)	24157	<b>24157</b>	
<b>Lotus</b>	7 Eclat, Excel	24132		
	Eclat XL, Esprit (from '91), Esprit 3, S3	24157	<b>24157</b>	
	Esprit 2.2 Turbo SE		<b>27181</b>	
<b>Maserati</b>	228, 425, 428, 430, Biturbo, Kharif, Quattroporte Shamal		<b>27112</b>	
<b>Mazda</b>	121 (DA till '90)	27203		
	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	24195/24012	<b>24195/24012</b>	2
	Mazda 2	24212/24012	<b>24212/24012</b>	2
	Tribute	24137/24012	<b>24137/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Mercedes-Benz</b>	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	28176	<b>28023</b>	
	A-Class (from '05) (W169), B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C218, C219), E-Class (from '02) (W211/S211, W212), E-Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	28018	<b>28018</b>	
	CLK (A208, C209), SLK (with 7 hole wheels)	28176	<b>28176/28023</b>	3
	CL (C215), GLK, Maybach, S-Class (W140, W220), SLS, R-Class (FL)	28018	<b>28018/28017</b>	3
	Vito (638)		<b>28023</b>	
	Sprinter		<b>28043</b>	
	M-Class (from '07)			<b>28018/28017</b>
<b>Mercury</b>	Bobcat, Capri ('78-'86), Comet, Cougar (till '89), Cyclone, LN7 (till '83), Lynx (till '83), Marquis, Monarch, Montclair, Montego, Monterey, Pick Up (from '93), Zephyr Navajo (4x4)	24130/24010	<b>24130/24010</b>	2
	Capri ('76-'77), Cougar (from '89), LN7 (from 7/'83), Lynx (from 7/'83), Merkur, Sable, Scorpio, Topaz, Tracer, XR4	24157/24012	<b>24157/24012</b>	2
<b>MG Rover</b>	25, 45, MG-ZR, MG-ZS	25000	<b>25000</b>	
	75, MG-ZT		<b>27184</b>	
	100, 200, 400, 600, 800, 820, 825, 827 Sterling	25000	<b>24028</b>	
	111, 114, 213, 214, 216, Maestro, Montego, Sprint	24157	<b>24028</b>	
	1100, 1300, 2000, 2500, Allegro, Princess, Maxi	24132		
	1800, 2200, MG	24130		
	MG-B, MG-C, MG-F (1/2")	24130/24010	<b>24130/24010</b>	2
	MG-F (M12x1.5), MG-TF		<b>24137</b>	
<b>Mini</b>	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	27179	<b>27179</b>	
	Cabriolet (R50 from 04/'06), Countryman, Clubman, Cross Over, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06), SAV	27226	<b>27226</b>	
<b>Mitsubishi</b>	3000GT, Carisma, Diamante (from '92), Eclipse, Galant 1.8, Galant 2.0 (from '88), SpaceStar	24195/24012	<b>21156</b>	2
	ASX, Celeste, Colt, Cordia, ESI-R, Galant, Grandis, I-car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia		<b>21156</b>	3
		24195/24012	<b>24195/24012</b>	2
	Galloper, L300, Montero, Pajero (4x4), Shogun		<b>21156</b>	
	24195/24012	<b>24195/24012</b>	2	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Nissan</b>	100NX, 200SX, 300ZX, 370Z, Bluebird, Cedric, Cefiro, Cherry, Fair-lady Z, Laurel, Leopard, Micra (till '02), Prairie, QX, Silvia, Stanza, Sunny, Turbo	24154/24013	<b>24154/24013/21153</b>	2
	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Maxima, Murano, Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai, Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	24154/24013	<b>24154/24013</b>	2
	Micra (from '03 = K12), Note	27207	<b>27207</b>	
	Pathfinder (till '87), Patrol (till '02), Pickup, Terrano (till '87), Vanette (4x4)	21153	<b>21153</b>	3
	Primastar	24154/24013	<b>24154/24013</b>	2; 3
	Cube, Juke	27181	<b>27181</b>	4
<b>Opel</b>	Agila	24154	<b>24154</b>	
	Ascona A/B, Campo, Commodore A/B, Frontera, GT, Manta A/B, Monterey (4x4), Monza A/B, Rekord D/E, Senator A	24157	<b>24157</b>	
	Ascona C, Astra (till '08), Calibra, Combo, Corsa, Kadett D/E, Meriva A, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	27204	<b>27204</b>	
	Movano, Vivaro	27181	<b>27181</b>	4
	Antara, Astra (from 11/'09), Meriva B (from '10), Sintra	24157/24012	<b>24157/24012</b>	2
	Insignia	24019	<b>24019</b>	
<b>Peugeot</b>	104, 204, 304, 404, 504, 505	21153	<b>24154/24013</b>	2
	106, 205, 205 GTi, 206, 305 (from '82), 306, 309 GTi, 405, 405 MI16, 405 SRi, 406, 506, 605, 607, CC	27169	<b>26001</b>	
	206, 307, 308, 308CC, 607, 3008, RCZ	27170/27216	<b>26001/26002</b>	5
	207, 407, 1007	27216	<b>26002</b>	
	504 V6, 604 Gti	25167		
	806	27184	<b>27184</b>	4
	807	27184	<b>27184</b>	
	4007	24195/24012	<b>21156</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Plymouth-USA</b>	Acclaim, Arrow, Breeze, Caravelle, Champ, Colt, Conquest, Horizon, Neon, Reliant, Sapporo, Scamp, Sundance, TC3, Turismo, Voyager	24157/24012	<b>24157/24012</b>	2
	Barracuda, Duster, Valiant (with drum brakes)	24132/24011		2
	Cricket	24154/24013		2
	Laser	24157/24012		2
<b>Pontiac - USA</b>	6000, Bonneville (from '82), Fire/Sunbird, Fiero, Grand Am, Grand Prix, J2000, Phoenix, T1000, Tempest (from '91), Trans Am, TransPort	24157/24012		2
	Astre, Bonneville ('77-'81), Catalina ('77-'81), Firebird ('67-'81), Grand Am (till '80), Grand Prix (till '81), GTO, Le Mans (till '81), Sunbird (till '81), Tempest, Ventura	24132/24011		2
	Le Mans ('88-'90)	27101	<b>27101</b>	
<b>Porsche</b>	911 Carrera, 911 Carrera RS, 911 C/T, 912, 916, 924 Carrera GT, 924 S, 928 GT, 928 S, 930 T, 944, 944 S2, 944 T, 968	25167	<b>25167</b>	
	911 (996), Boxster, Carrera S4, Cayman	28020/28177	<b>28020/28177</b>	3
	914/4, 924 (till '85)	28174	<b>28174</b>	
	Cayenne, GT2, GT3, Panamera	28044	<b>28044</b>	
<b>Renault</b>	A110, A310, A610, Alpine, R5 Turbo, R8, R10, R12, R14, R16, R17, R18, R20, R30	24152		
	Avantime, Laguna (from 04/'08), Vel Satis,		<b>27222</b>	
	Clio, Clio II, Express, Fuego, Kangoo (till '07), Laguna □ (till '05), Mégane (till '05), Nevada, R5 (from '85), R9, R11, R18 D/TD, R19, R20 D, R21 RX, R25 (4-H), R30 TD, Safrane, Scénic (till '05)	27207	<b>27207</b>	
	Clio III, Clio (from '08), Fluence, Grand Modus, Grand Scénic (from '05), Kangoo (from '08), Laguna (from '05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	27204	<b>27204</b>	
	Espace, Grand Espace		<b>27181</b>	
	R21 Turbo, R25 TD V6, R25 V6i, Safrane V6		<b>27000</b>	
	Trafic	27181	<b>27181</b>	4
	Koleos	24157/24012	<b>24157/24012</b>	2
<b>Saab</b>	900 (till 5/'86)	24193/24010	<b>24193/24010</b>	2
	900 (from 6/'86 till 6/'93), 9000, 9000T	27000	<b>27000</b>	
	9.3, 9.5, 900 S, SE (from 07/'93)	27204	<b>27204</b>	
	9.5 (from '10)	24214/24019	<b>24214/24019</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Seat</b>	Alhambra	28020	<b>28020</b>	
	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	28018	<b>28018</b>	
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	28028	<b>28028</b>	
	Furu, Malaga, Marbella, Ronda, Terra	27169	<b>27169</b>	
<b>Skoda</b>	105 L/LS, 120 L, 130 LX, 135 GL, 130/135 Coupé	24157	<b>24157</b>	
	Fabia, Octavia, Roomster, Superb, Yeti	28018	<b>28018</b>	
	Favorit (till 12/92)	27169		
	Favorit LX/GLX, Felicia, Forman, Pick Up (all from 01/93)	28028	<b>28028</b>	
<b>Smart</b>	Fortwo, Roadster	28028	<b>28028</b>	4
	Forfour	24195	<b>24195</b>	
<b>Ssang Yong</b>	Actyon, Rexton I	24137	<b>24137</b>	4
	Rexton II	24214	<b>24214</b>	3
	Rodius	27184	<b>27184</b>	
<b>Subaru</b>	Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	24152/24013	<b>24152/24013</b>	2
	Justy G3X	27179	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Splash, Sprint, Swift from '90, Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	24152/24013	<b>24152/24013</b>	2
	Ignis (from '05), Swift (from '05)		<b>27204</b>	
<b>Talbot</b>	1307, 1308, 1309, 1510, Horizon, Matra, Murena, Rancho, Solara, SX	27179	<b>27179</b>	
	Avenger, Samba, Togara	24154	<b>24154</b>	
<b>Toyota</b>	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	24195/24012	<b>24195/24012/21156</b>	2; 3
	Landcruiser ('98-'00), Landcruiser 100	24210/24019	<b>24210/24019</b>	2
<b>Triumph</b>	2000, 2300, Stag, TR4, TR5, TR6	24132/24011	<b>24132/24011</b>	2
	Acclaim, TR7, TR8	24157	<b>24157</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Original Equipment

Car Manufacturer	Model	Steel Wheel	OE Alloy Wheel	
<b>Volkswagen</b>	Bora, Caddy, Corrado VR6, Eos, Golf III Gti, Golf III VR6, Golf IV, Golf V, Golf VI, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran (all models with 5-hole-wheels)	28018	<b>28018</b>	
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	28028	<b>28028</b>	
	Sharan, T5, Touareg	28032/28044	<b>28032/28044</b>	3
	Taro	24157	<b>24157</b>	
	VW-Bus (from 8/'90) Type T4	28020	<b>28020</b>	
	Crafter		<b>28043</b>	
<b>Volvo</b>	140, 160, 240, 242, 244, 245, 260, 264, 265, 270	24193/24010	<b>24193/24010</b>	2
	340, 343, 345, 360	24154/24013	<b>24154/24013</b>	2
	440, 460, 480 ES	27170	<b>27170</b>	
	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	24157/24012	<b>24157/24012</b>	2
	850, 850 Turbo, S70, V70 (till '99), V70 Cross Country	27186	<b>27186</b>	
	C70 (from '00 till 12/'05), C80, S60, S80, V70 (from '00), XC70, XC60, XC90	27000	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, GT Coupé, GTV, Spider (from '95)	all	<b>27169/27215/ 27562*</b>	5
	159, 159SW, Brera, Spider 939 (from '06)	all	<b>27222</b>	
<b>Audi</b>	A2, A3, A4, A5, A6, A8, Allroad, RS4, RS6, S3, S4, S6, S8, TT	all	<b>27222</b>	
		except: Dezent A	<b>27181/28018</b>	
		Dezent D	<b>28018</b>	
		Dezent G	<b>28018</b>	
		Enzo H	<b>27222</b>	
	Q7	all	<b>28032/27000</b>	3
<b>Bentley</b>	Continental GT, Flying Spur	all	<b>27222</b>	
<b>BMW</b>	1-series, 3-series, 5-series (5/D, 560), 6-series, 7-series (7/1, 7/G), 8-series, Z3, Z4, Z8	all	<b>27179</b>	
	7-series (765), X3	all	<b>27205</b>	
	X5 (till 12/'06)	all	<b>27000</b>	
	X5 (from '07)	all	<b>27226</b>	
<b>Chevrolet</b>	Aveo, Captiva, Evanda, Kalos, Korrando, Lacetti, Leganza, Musso, Nubira (till '00), Rexton, Tacuma	all	<b>24157/24012</b>	2
	Lanos (KLAT, SUPT), Nubira (from middle of '00)	all	<b>27179</b>	
	Matiz	all	<b>24152/24013</b>	2
	Tahoe	all	<b>24214/24210/ 24019</b>	2; 3
<b>Chrysler</b>	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27179</b>	
	300C	all	<b>24214/24019</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Citroën</b>	AX, C2, C3, C4, C5, Jumpy (X, G9), Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27215/ 27562*</b>	5
	Berlingo	all	<b>27170/27216</b>	5
	C1	all	<b>27179</b>	
	C8, Evasion, Jumpy	all	<b>27222</b>	
	Jumper	all	<b>27205</b>	
	C-Crosser	all	<b>24157/24012</b>	
<b>Dacia</b>	Logan, Sandero	all	<b>27179</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Copen, Cuore, Feroza, Grand Move, Materia, Move, Rocky, Sirion, Terios, Trevis, X-over, YRV	all	<b>24157/24012</b>	2
<b>Dodge</b>	Avenger (JS), Caliber	all	<b>24157/24012</b>	2
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Cargo, Cinquecento, Coupé, Croma, Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Scudo (270), Seicento, Stilo, Stilo Wagon, Tempra, Tipo, Uno	all	<b>27169/27215/ 27562*</b>	5
	Grande Punto (199), Sedici	all	<b>27179</b>	
	Daily, Ducato (with Thread M14)	all	<b>27205</b>	
	Scudo (220,270), Ulysse	all	<b>27222</b>	
	Croma (194)	all	<b>27179/27221/ 27563*</b>	
<b>Ford</b>	C-Max, Cougar, Escort, Fiesta, Focus, Fusion, Ka (RBT), Maverick, Mondeo, Orion, Probe, Puma, Ranger, Sierra, Scorpio, ST200, Tourneo Connect, Windstar	all	<b>24157/24012</b>	2; 5
	Explorer	all	<b>24193/24010</b>	2
	Galaxy	all	<b>27205</b>	
	Galaxy II, S-max	all	<b>24214/24019</b>	2; 3
	Maverick 4x4	all	<b>24152/24013</b>	
	Transit	all	<b>24205</b>	
<b>Honda</b>	Accord, Civic, Coupé, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Logo, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Galleoper, Getz, Grandeur, I30, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG25, XG250, XG30, XG300, XG350	all	<b>24157/24012</b>	2
<b>Isuzu</b>	Campo, Trooper	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Cherokee, Comander, Grand Cherokee, Wrangler	all	<b>24193/24010</b>	2
	Compass	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage,	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lada</b>	Niva	all	<b>24152/24013</b>	2
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon	all	<b>27169/27562*</b>	
	Phedra, Zeta	all	<b>27222</b>	
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
	Freelander II	all	<b>24214/24019</b>	2
<b>Lexus</b>	GS300, GS430, IS200, IS220d, IS250, IS300, LS400, LS430, RX300, RX350, RX400, SC 430	all	<b>24195/24012</b>	2
<b>Maserati</b>	Quattroporte (M139)	all	<b>27205</b>	
<b>Mazda</b>	121, 323, 626, B-series, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9,	all	<b>24195/24012</b>	2; 5
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203 till 03/'07), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	<b>27204</b>	
	A-Class (169), B-Class (245), C-Class (204), CLK (215), M-Class (163, 164), SL (230), Viano (639), Vito (638)	all	<b>27222</b>	
	CL (215), CLS (219), E-Class (211), M-Class (164), R-Class, S-Class (220), Sprinter I, Viano (639), Vito (638,639), V-Class (638)	all	<b>27205</b>	3
	M-Class (164), S-Class (221), V-Class (108, 110, 113, 114)	all	<b>27222</b>	
	Sprinter II	all	<b>28044</b>	
<b>Mini</b>	Mini One (R50), Cabriolet, Mini Cooper, Mini Cooper S (all till 03/'06)	all	<b>27179</b>	
	Mini One (R50), Cabriolet, Mini Cooper, Mini Cooper S (all from 04/'07)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, L200, Lancer, Outlander, Pajero, Sigma, Space-Runner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, 350Z, Almera, Maxima, Micra (K10, K11), Murano, Navara, Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai, Sunny, Terrano, X-Trail	all	<b>24154/24013</b>	2
	Kubistar, Micra (K12), Note	all	<b>27207</b>	
	Primastar, Interstar	all	<b>27205/27264*</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2; 5
	Agila (from '04), Calibra, Combo, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27179/27221/ 27563*</b>	
	Astra (till '08) Combo, Meriva, Signum, Vectra, Zafira	all	<b>27179/27221</b>	3
	Antara, Astra (from '09) Campo, Frontera, Monterey, Sintra	all	<b>24157/24012</b>	2; 5
	Movano, Vivaro	all	<b>27205/27564*</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, 1007, Expert (X/G9)	all	<b>27169/27215/ 27562*</b>	5
	107	all	<b>27179</b>	
	806, 807, Expert (B/BH/22/224)	all	<b>27222</b>	
	Boxer	all	<b>27205</b>	
	Partner	all	<b>27170/27216</b>	5
	4007	all	<b>24157/24012</b>	2
<b>Porsche</b>	911 (993)	all	<b>25167</b>	
	911 (996), Boxster (986), Cayman (987)	all	<b>28020</b>	
	Cayenne, GT2, GT3	all	<b>28032</b>	
<b>Renault</b>	Grandtour, Safrane, Scénic, Vel Satis	all	<b>27181</b>	
	Clio, Grandtour, Kangoo, Laguna (B56, K56), Mégane I, Megane II, Megane Scenic I, Megane Scenic II, Modus, R5, R19, Safrane, Scénic, Twingo	all	<b>27207/27179</b>	5
	Laguna (G)	all	<b>27179</b>	
	Master, Trafic	all	<b>27205/27564*</b>	
	Avantime, Grand Espace (JE, K), Espace, Laguna (T), Megane Scenic RX4, Vel Satis	all	<b>27222</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, Streetwise	all	<b>24157/24012</b>	2
	75, MG ZT, MG ZT-T	all	<b>27222</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27179/27221/ 27563*</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Altea, Cordoba (6L), Cupra (1M), Ibiza (6L), Toledo (1M, II), Leon (all models with 5-hole-wheels)	all	<b>27222</b>	
		except: Dezent A	<b>28018/27222</b>	2
		Dezent D	<b>28018</b>	
		Dezent F	<b>28018</b>	
		Dezent G	<b>28018</b>	
		Dezent Y	<b>28018</b>	
		Enzo H	<b>27222</b>	
	Arosa, Cordoba (6K), Inca, Ibiza (6K) (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Skoda</b>	Fabia, Oktavia, Roomster, Sedan, Superb (all models with 5-hole-wheels)	all	<b>27222</b>	
		except:		
		Dezent F	<b>28018</b>	
		Dezent G	<b>28018</b>	
		Enzo H	<b>27222</b>	
<b>Smart</b>	Forfour (454)	all	<b>24157/24012</b>	2
<b>Ssang Yong</b>	Korando, Musso, Rexton I	all	<b>24195/24012</b>	2
	Actyon, Kyron (DJ), Rexton II	all	<b>24214</b>	3
<b>Subaru</b>	Forester, Impreza, Justy, Legacy	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Ignis (FH), Jimny, Liana, Samurai, Swift (EA/MA), Vitara, Wagon R (EM)	all	<b>24152/24013</b>	2
	Ignis (MH); SX4 (EY)	all	<b>27179</b>	
	Swift (EZ/MZ), Wagon R (MM)	all	<b>27179/ 24152</b>	3
<b>Toyota</b>	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, Hiace, Hilux, IS200, Landcruiser, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## AEZ / Dezent / Dotz / Enzo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo (9N), Touran, Vento (all models with 5-hole-wheels)	all	<b>27222</b>	
		except:		
		Dezent A	<b>27222/28018</b>	3
		Dezent D	<b>27222/28018</b>	3
		Dezent F	<b>27222/28018</b>	3
		Dezent G	<b>27222/28018</b>	3
	Enzo H	<b>27222</b>		
	Caddy, Corrado, Golf, Jetta, Lupo, Pickup, Polo, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	LT, Sharan, T4, Transporter	all	<b>27205</b>	
		except:		
		Dezent D	<b>28032</b>	
		Dezent F	<b>28032</b>	
		Dezent G	<b>28032</b>	
	Crafter, T5, Touareg	all	<b>28032/28044</b>	5
<b>Volvo</b>	850, S70 (L), V70 (L)	all	<b>27186</b>	
	960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2
	S60, S70, S80 (K/KV/T), V70 (S/J/JV), V70XC, XC90	all	<b>27222</b>	
	C70 (from '00- 12/'05), S80 (A)	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Aluett / Atura / Lenso / Rondell / Speeds / Titan

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	166	all	<b>27170/27216</b>	5
	159, Brera	all	<b>27222</b>	
<b>Audi</b>	80 (85, 89), 90, 100, 200, A2, A3, A4, A5, A6, A8, B4, RS4, RS6, S3 (8L, 8P), S4, S6, S8, TT (8N, 8J), V8	all	<b>27222</b>	
	Q7	all	<b>28032</b>	
	Allroad	F0045 706 18 R	<b>27222</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (till '01), 8-series, Z3, Z4	all	<b>27204</b>	
	7-series (from '02 E65), X3	all	<b>27222</b>	
	X5 (till 12/'06)	all	<b>27181</b>	
	X5 (from 01/'07)	all	<b>27226</b>	3
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	<b>27204</b>	
	Captiva, Epica, Evanda, Kalos, Lacetti, Leganza, Nubira (from '99), Rezzo, Tacuma	all	<b>24157/24012</b>	2
<b>Chrysler</b>	Crossfire	all	<b>27204</b>	
	300M, Neon, Neon II, LeBaron, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	AX, Berlingo, C2, C3, C4, C5, C6, Pluriel, Saxo, Xantia, XM, Xsara, Xsara Picasso, ZX	all	<b>27170/27216</b>	5
	C1	all	<b>27204</b>	
	C8, Evasion, Jumpy	all	<b>27222</b>	
	C- Crosser	all	<b>24195/24012</b>	2
	Jumper	all	<b>27000</b>	
<b>Dacia</b>	Logan	all	<b>27204</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Caliber, Charade, Copen, Cuore, Grand Move, Materia, Move, Sirion, Trevis, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Coupé, Croma (till 12/'04), Marea, Multipla, Palio, Panda, Punto (176, 188), Regata, Ritmo, Stilo, Strada, Tempra, Tipo, Uno	all	<b>27170/27216</b>	5
	Croma (from '05), Punto Grande (from '05), Sedici	all	<b>27204</b>	
	Scudo, Ulysse	all	<b>27222</b>	
	Ducato	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Aluett / Atura / Lenso / Rondell / Speeds / Titan

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	C-Max, Cougar, Escort (from 07/'90), Fiesta, Focus, Fusion, Ka, Mondeo, Orion (from 07/'90), Probe, Puma, Scorpio, Sierra, Tourneo, Transit (till '07)	all	<b>24157/24012</b>	2
	Escort (till 06/'90), Orion (till 06/'90)	all	<b>27204</b>	
	Galaxy (WGR)	all	<b>27205</b>	
	Galaxy (WA6), S-Max	all	<b>24214/24019</b>	2; 3
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Amico, Atos, Coupé, Elantra, Getz, Grandeur, I30, Joice, Lantra, Matrix, Pony, Santa Fé, S-Coupé, Sonata, Starex, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, XK (from '02), X-Type	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Carstar, Cee'd, Cerato, Clarus, Cremos, Joice, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Spectra, Sportage	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27204</b>	
<b>Lancia</b>	Dedra, Delta, Lybra, Musa, Prisma, Thema, Thesis, Ypsilon, Y10	all	<b>27170/27216</b>	5
	Kappa, K	all	<b>27169</b>	
	Zeta	all	<b>27222</b>	
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, 929, CX7, 2(DE), Demio, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	<b>27204</b>	
	A-Class (169), B-Class (245), C-Class (204), CLS (219), E-Class (211), M-Class (163, 164), R-Class, S-Class (221), SL (230), Vaneo	all	<b>27222</b>	
	CL (215), GL-Class (164G), S-Class (140, 220), V-Class (638), Vito	all	<b>27181</b>	
<b>Mini</b>	Mini One (R50) (till 08/'06)	all	<b>27204</b>	
	Minis (from '07)	all	<b>27226</b>	3
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, EVO8Galant, Grandis, I-car, Lancer, L200, Outlander, Pajero, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Aluett / Atura / Lenso / Rondell / Speeds / Titan

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Nissan</b>	100NX, 200SX, 300ZK, 350Z, Almera, Bluebird, Maxima, Micra (K10, K11), Murano, Navara, Pathfinder, Prairie Pro, Primera, Qashqai, Serena, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Primastar	all	<b>27181</b>	
	Micra (K12), Note	all	<b>27204</b>	4
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Antara	all	<b>24157/24012</b>	
	Vivaro	all	<b>27181</b>	
	Agila (from '04), Ascona, Astra, Calibra, Corsa, Kadett, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27204</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 308, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27170/27216</b>	5
	Boxer	all	<b>27181</b>	
	107	all	<b>27204</b>	
	806, 807, Expert	all	<b>27222</b>	
<b>Porsche</b>	Boxster, Cayman	all	<b>28020</b>	
	Cayenne	all	<b>28032</b>	
<b>Proton</b>	all	all	<b>24157/24012</b>	2
<b>Renault</b>	Avantime, Espace, Laguna (T), Safrane, Vel Satis (from '03)	all	<b>27222</b>	
	Clio, Kangoo, Laguna (B56, K56), Mégane, Modus, R5, R19, R21, Scénic, Super 5, Twingo, Vel Satis ('03)	all	<b>27204</b>	
	Traffic	all	<b>27181</b>	
	Laguna (G)	all	<b>27204</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 800-series, Freelander	all	<b>24157/24012</b>	2
	75, MG-ZT	all	<b>27222</b>	
<b>Saab</b>	900 (from 09/'93), 9.3, 9.5	all	<b>27204</b>	
<b>Seat</b>	Alhambra, Altea, Cordoba (6L), Ibiza (6L), León, Toledo (1M, 5P) (all models with 5-hole-wheels)	all	<b>27222/27205</b>	3
	Arosa, Cordoba, Ibiza (6K, 6KC), Inca, Toledo (1L) (all models with 4-hole-wheels)	all	<b>27204</b>	
	Ibiza (21), Malaga, Marbella, Ronda	all	<b>27169</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27222</b>	
	Favorit, Felicia, Forman	all	<b>27204</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Aluett / Atura / Lenso / Rondell / Speeds / Titan

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Smart</b>	ForTwo	all	<b>27204</b>	
	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	B9, Tribeca, Forester, Impreza, Justy (KAD, JMA, MS), Outback, Legacy	all	<b>24152/24013</b>	2
	Justy (M3)	all	<b>24157/24012</b>	2
	Justy G3X	all	<b>27204</b>	
<b>Suzuki</b>	Alto (FF), Baleno, Grand Vitara, Ignis (FH), Liana, Swift (EA, MA), SX4 (GY), Wagon R (EM MM)	all	<b>24152/24013</b>	2
	Swift (EZ)	all	<b>24195/24012</b>	2
	Ignis (MH), Swift (MZ), SX4, Wagon R (MM, H00)	all	<b>27204</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, Hiace, Landcruiser, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Supra, Tercel, Verso, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27204</b>	
<b>Volkswagen</b>	Bora, Caddy (2K/2KN), Corrado, Eos, Fox, Golf (III, IV, V), Jetta, New Beetle, Passat (35i, 3B, 3BG, 3C), Phaeton, Polo (9N), Touran, Vento (all models with 5-hole-wheels)	all	<b>27222</b>	
	Caddy (9.), Corrado, Golf (I, II, III), Jetta, Lupo, Passat (32., 35.), Polo (6N, 86), Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27204</b>	
	Sharan, T4	all	<b>27181</b>	
	Touareg, T5	all	<b>28032/28044</b>	3
<b>Volvo</b>	850, C70 (N), S70, V70 (till '99)	all	<b>27186</b>	
	940, 960, C30, C70 (M), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2
	XC90	all	<b>27179</b>	
	S60, S80, V70 (B, S, J) (from '00), XC70 (B, S)	all	<b>27222</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	66, 145, 146, 147, 155, 156, 164, Brera, GT, GTV, Spider	all	<b>27169/27215</b>	5
	159, Brera (939), Spider (939 from '07)	all	<b>27181</b>	
<b>Audi</b>	80, 90, S2, 100, 200, A2, A3, A4, A5, A6, A8, S2, S3, S4, S6, S8, TT, V8	all	<b>27181</b>	
	A3, A4, A5, A6, A8, S3, S4, S6, S8, TT	all	<b>28018</b>	
		except: Dynamite	<b>28018</b>	
		Helix	<b>28018/27181</b>	3
		Lazor	<b>28018</b>	
		Spkye	<b>28018/27181</b>	
	Q7	all	<b>28032/28044</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (till '01), Z3, Z4, Z8	all	<b>27221</b>	
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27205</b>	
	X5 (from '07)	all	<b>27226</b>	
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	<b>27221</b>	
	Captiva, Epica, Evanda, Kalos (KLAS), Korrando, Lacetti, Lanos (KLAS), Leganza, Musso, Nubira (from '00), Rezzo	all	<b>24157/24012</b>	2; 3
<b>Chrysler</b>	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2; 3
	300C (LX)	all	<b>24214/24019</b>	3
	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	AX, Berlingo, BX, C2, C3, C4, C5, C-Crosser, Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	C1	all	<b>27221</b>	
	C8, Evasion, Jumpy	all	<b>27181</b>	
	Jumper (15")	all	<b>27205</b>	
<b>Dacia</b>	Logan	all	<b>27221</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Copen, Cuore, Feroza, Grand Move, Materia, Sirion, Terios, YRV	all	<b>24157/24012</b>	2; 3
<b>Dodge</b>	Caliber	all	<b>24157/24012</b>	2; 3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Fiat</b>	500, Barchetta, Brava, Bravo (182), Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Punto (176, 188), Regata, Ritmo, Seicento, Strada, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
	Croma (194), Sedici 4x4	all	<b>27221</b>	
	Ducato (15" series)	all	<b>27205</b>	
	Bravo (from '07), Idea, Panda, Stilo	all	<b>27170</b>	
	Punto (199)	all	<b>27179</b>	
	Scudo, Ulysse I + II	all	<b>27181</b>	
<b>Ford</b>	Cougar, Courier, C-Max, Escort, Fiesta, Focus, Fusion, Ka (till '08), Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Tourneo Connect, Transit Connect	all	<b>24157/24012</b>	2; 3
	Galaxy (till '05)	all	<b>27181</b>	
	Galaxy (from '06), S-max	all	<b>24214/24019</b>	2
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2; 3
<b>Hyundai</b>	Accent, Amica, Atos, Carstar, Coupé, Elantra, Excel, Getz, I30, Joice, Landra, Matrix, Pony, Santa Fe, S-Coupé, Sonata, Starex, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2; 3
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2; 3
<b>Kia</b>	Carens, Carnival, Carstar, Cerato, Clarus, Cremos, Magentis, Opirus, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sorento, Spectra, Sportage	all	<b>24157/24012</b>	2; 3
	Rio (till '01)	all	<b>27221</b>	
<b>Lancia</b>	Dedra, Delta, Lybra, Thema, Ypsilon, Y (840)	all	<b>27169/27215</b>	5
	Musa, Ypsilon (843)	all	<b>27170/27216</b>	5
	Phedra, Zeta	all	<b>27181</b>	
<b>Land Rover</b>	Freelander II	all	<b>24214/24019</b>	2
	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, SC430	all	<b>27157/24012</b>	2; 4
<b>Mazda</b>	121, 323, 626, 929, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24157/24012</b>	2; 4

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	<b>27179/27207</b>	
	A-Class (169), B-Class (245), CL (215), CLS (219), GLK, E-Class (211), M-Class (163, 164), S-Class (140, 220, 221), Viano (639), Vito (638, 639), V-Class (638, 639)	all	<b>27181</b>	
	Sprinter	all	<b>27205</b>	
<b>Mini</b>	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27221</b>	
<b>Mitsubishi</b>	Carisma, Colt, Corolla, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero, Pajero Pinin, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	<b>24157/24012</b>	2; 4
<b>Nissan</b>	100NX, 200SX, 300ZX, Almera, Almera Tino, Bluebird, Interstar, Maxima, Micra (K10, K11), Pathfinder, Patrol, Prairie, Primastar, Primera, Qashqai, Serena, Sunny, Terrano, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12)	all	<b>27221</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Agila (from '04), Ascona, Astra, Calibra, Corsa, Kadett, Meriva, Movano, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Antara, Campo, Frontera, Monterey, Sintra	all	<b>24157/24012</b>	2; 5
	Movano, Vivaro	all	<b>27205</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27221</b>	
	806, 807, Expert	all	<b>27181</b>	
	Boxer (15" series)	all	<b>27205</b>	
	4007	all	<b>27157/24012</b>	2
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Proton</b>	300-series, 400-series	all	<b>24157/24012</b>	2; 5
<b>Renault</b>	Clio, Espace, Kangoo, Laguna (B56, K56), Mégane, Modus (Type P), R5, R9, R11, R19, R21, R25, Safrane, Scénic, Twingo	all	<b>27221</b>	
	Espace, Laguna (B56, K56), Safrane, Vel Satis (from '03) (all models with 5 hole wheels)	all	<b>27181</b>	
	Laguna (G), Vel Satis (till '02)	all	<b>27179</b>	
	Master, Trafic	all	<b>27205</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 800-series, Freelander, ZR, ZS	all	<b>24157/24012</b>	2; 5
	75, ZT, ZT-T	all	<b>27181</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27221</b>	
<b>Seat</b>	Alhambra, Altea, Ibiza, León, Toledo (all models with 5 hole wheels)	all	<b>27181</b>	
		except: Cult	<b>28018/27181</b>	3
		Dynamite	<b>28018/27181</b>	3
		Spyke	<b>28018/28020/ 27181</b>	3
	Arosa, Cordoba (6K), Ibiza (6K), Inca, Toledo (all models with 4 hole wheels)	all	<b>27179</b>	
	Ibiza (021-A), Malaga (023A)	all	<b>27215</b>	
<b>Skoda</b>	Fabia, Felicia, Octavia, Roomster, Superb (all models with 5 hole wheels)	all	<b>27181</b>	
		except: Cult 8,5 x 18	<b>28018/27181</b>	
		Spyke 6,0 x 14	<b>28018</b>	
	Favorit, Felicia, Forman, Pick-Up (all models with 4 hole wheels)	all	<b>27179</b>	
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2; 5
	Fortwo	all	<b>28028</b>	
<b>Subaru</b>	Forester, Impreza, Justy, Legacy, Tribeca	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27221</b>	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Ignis (FH), Liana, Swift (EA, MA), Vitara, Wagon R (till '03)	all	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), SX4, Wagon R (from '04)	all	<b>27221</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Prius, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	<b>24157/24012</b>	2; 5
	Aygo	all	<b>27221</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Alutec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Bora, Caddy (2K, 2KN), Corrado, Eos, Fox, Golf, New Beetle, Passat, Phaeton, Polo, Sharan, T4, Touran, Tiguan, Vento (all models with 5-hole-wheels)	all	<b>27181/28018</b>	3
	Caddy (9KV, 9KVF), Corrado, Golf, Jetta, Lupo, Passat, Pick Up, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	LT	all	<b>27205</b>	
	Touareg, T5	all	<b>28032</b>	
<b>Volvo</b>	440, 460, 480	all	<b>27169</b>	
	850, S70, V70 (till '99)	all	<b>27186</b>	
	960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2; 5
	C70 (from '00- 12/'05), S80 (Typ A), XC90	all	<b>27000</b>	
	S60, S80 (Typ T, K), V70 (S, J), V70XC, XC70	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	66, 145, 146, 147, 155, 156, 164, Brera, GT, GTV, Spider	all	<b>27169/27196</b>	3
	159, Brera	all	<b>27201</b>	
<b>Audi</b>	A2, A3, A4, A5, A6, A8, TT (till '05)	329-349	<b>27205</b>	
		343-363	<b>27201</b>	
	TT (from '06)	349 - 369	<b>27205</b>	
	Q7	all	<b>28032</b>	
<b>Bentley</b>	Continental GT	363-365	<b>27201</b>	
<b>BMW</b>	3-series	349-369	<b>27179</b>	
		363-383	<b>27191</b>	
	5-series, 6-series, 8-series	349-365	<b>27191</b>	
		363	<b>27221</b>	
	5/D	343, 349	<b>27191</b>	
	7-series (765)	349 - 369	<b>27205</b>	
		363 - 365	<b>27205</b>	
	X3, X5 (till 12/'06)	all	<b>27205</b>	
X5 (from '07)	all	<b>27226</b>		
<b>Chevrolet</b>	Captiva	all	<b>24028</b>	
	Corvette C6	369	<b>24020</b>	
<b>Chrysler</b>	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>25257/24028</b>	3
	300C	all	<b>24211/24018</b>	2; 5
	Compass	all	<b>24028/24020</b>	3
<b>Citroën</b>	AX, C2, C3, C4, C5, Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	C8, Evasion, Jumper, Jumpy	all	<b>27201</b>	
	C-Crosser	all	<b>24195/24012</b>	2
<b>Daihatsu</b>	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	<b>24028</b>	
<b>Dodge</b>	Magnum	all	<b>24211</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma, Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Seicento, Stilo, Tempra, Tipo, Uno	329	<b>27169/27215</b>	5
	Croma, Sedici	329-349	<b>27179</b>	
		363	<b>27221</b>	
	Ulysse	all	<b>27205</b>	
<b>Ford</b>	C-Max, Cougar, Escort, Fiesta, Focus, Fusion, Ka (till '08), Maverick, Mondeo, Orion, Probe, Puma, Ranger, Scorpio, Sierra, Tourneo Connect, Windstar	329-343, 349	<b>24028</b>	
	Galaxy (from '06), S-Max	all	<b>24214/24211</b>	3
	Galaxy WGR (till '05)	363, 349 - 369	<b>27205</b>	
	Maverick	all	<b>24137/24012</b>	2
	Mustang	all	<b>25230</b>	
<b>Honda</b>	Accord, Civic, Coupé, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Logo, Prelude, Shuttle, Stream	all	<b>24028</b>	
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Galloper, Getz, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG25, XG30, XG350	all	<b>24028</b>	
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24028</b>	
<b>Jeep</b>	Cherokee, Grand Cherokee, Wrangler	all	<b>25230</b>	
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage	all	<b>24028</b>	
	Rio (till '01)	329-349	<b>27221</b>	
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon	all	<b>27196</b>	
	Phedra	329-343-349	<b>27205/27000</b>	5
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24028</b>	
<b>Maserati</b>	all models	all	<b>27201</b>	
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Xedos 6, Xedos 9	all	<b>24028</b>	
	Tribute	all	<b>24137</b>	
<b>Mercedes-Benz</b>	A-Class (168), C-Class (202, 203, 204), CLK (208, 209), E-Class (210), SLK (170, 171), Vaneo (414)	329-349	<b>27192</b>	
		363-383	<b>27221</b>	
	A-Class (169), CL (215), GL (164G), E-Class (211), M-Class (163, 164), S-Class (220), SL (230), V-Class (638, 639)	325, 329, 341, 343, 345, 349, 361, 363, 365	<b>27205/27201</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mini</b>	Cabriolet (R50) (till 08/'06), Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	349	<b>27179</b>	
	Cabriolet (R50) (from 09/'06), Mini Cooper (R56) (from 09/'06), Mini One (R56) (from 09/'06)	349	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, I-car, L200, Lancer, Outlander, Pajero, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24028</b>	
<b>Nissan</b>	100NX, 200SX, 350Z, Almera, Maxima, Micra (K10, K11), Murano, Novara, Pathfinder, Patrol, Pick up, Prairie, Primera, Sunny, Terrano, X-Trail	all	<b>24200</b>	
	Micra (K12), Note	349	<b>24028</b>	
<b>Opel</b>	Agila (from '04), Astra, Calibra, Combo, Corsa, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	349 - 369	<b>27179</b>	
		363	<b>27221</b>	
	Antara	all	<b>24028</b>	
	Frontera	345 - 361	<b>24028</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, 1007	all	<b>27169/27196/ 27215</b>	3; 5
	806, 807	363, 349 - 369	<b>27201</b>	
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Avantime, Espace, Grandtour, Safrane, Trafic, Vel Satis	all	<b>27201</b>	
	Clio, Espace, Grandtour, Kangoo, Laguna (B56, G, K56), Mégane, Modus, R5, R19, Safrane, Scénic, Vel Satis (all models with 4-hole-wheels)	349	<b>27179</b>	
	Laguna (G)	all	<b>27179</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, Freelander	349	<b>24028</b>	
	75	329-349	<b>27181</b>	
		343-363	<b>27201</b>	
	Freelander II, Range Rover	345 - 361 - 365 - 381	<b>24211/24214</b>	3
<b>Saab</b>	900, 9.3, 9.5, SE (from 07/'93)	349-369	<b>27179</b>	
		363-383	<b>27221</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Antera / Valbrem

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Altea, Cordoba, Ibiza, Leon, Toledo (all models with 5-hole-wheels)	329-349	<b>27205</b>	
		363	<b>27201</b>	
	Arosa, Cordoba, Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	329-349	<b>27179</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	349 - 369	<b>27181/27205</b>	
		363	<b>27201</b>	
<b>Subaru</b>	Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Tribeca, Turismo, Vivo, XT	all	<b>24200</b>	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara (till 12/'05), Ignis (FH), Liana, Swift (EA, MA), Vitara, Wagon R (till '03)	349	<b>24200</b>	
	Swift MZ	all	<b>27179</b>	
	SX4, Swift Sport	349 - 369	<b>27179</b>	
		363	<b>27221</b>	
	Vitara (from '06)	all	<b>24200</b>	
<b>Toyota</b>	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, Hiace, Hilux, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Yaris	all	<b>24028</b>	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Touran, Vento (all models with 5-hole-wheels)	349 - 369	<b>27205</b>	
		363 - 365	<b>27205</b>	
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Vento (all models with 4-hole-wheels)	349	<b>27179</b>	
	Touareg	345 - 361 - 365 - 381	<b>28032</b>	
	Touareg, T5	9,5 x 20/40	<b>27205</b>	
<b>Volvo</b>	S40, V50	349 - 363 - 369	<b>24028</b>	
	850, 850 Turbo, S70, S80, V70 (till '99), V70 Cross Country	349 - 363 - 369	<b>27186</b>	3
	C70 (from '00- 12/'05), S60, S80, V70 (from '00)', XC70,	349 - 363 - 369	<b>27201</b>	3
	S80 (A)	all	<b>27201</b>	
	XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 166, GT, Spider (till '98)	all	<b>27169/27215/ 27562*</b>	3; 5
	159, Spider (from '06)	all	<b>27184/ 27222</b>	
<b>Audi</b>	80, 90 (85, 89, Q, B4), 100, 200 (44, Q, C4), A2, A4, A6, A8, Cabriolet, RS6, S2, S3, S4, S5, S6, S8, TT, V8	all	<b>27222/27205</b>	3
	Q7	all	<b>28032</b>	3
<b>Bentley</b>	Continental	all	<b>27222</b>	
<b>BMW</b>	1-series (182, 187), 3-series, 5-series, 6-series, 7-series (till '01), 8-series, Z3, Z4, Z8	all	<b>27221/27179</b>	3
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27222/27205</b>	3
	X5 (from '07)	all	<b>27226</b>	
<b>Cadillac</b>	BLS	all	<b>27221/27563*</b>	3
<b>Chevrolet</b>	Captiva, Corvette, Evanda, Kalos, Lacetti, Nubira, Rezzo	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300M, Dodge Caliber, Grand Voyager, Jeep Compass, LeBaron, Neon, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2; 3
	300C	all	<b>24214/24019</b>	2; 3
	Crossfire	all	<b>27203/27221</b>	3
<b>Citroën</b>	AX, BX, Berlingo, C2, C3, C5, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	3
	C1	all	<b>27221</b>	
	Evasion, Jumpy	all	<b>27222</b>	
<b>Daewoo</b>	15, 1500, Aranos, Cielo, Espero, J100, K44, K55, Lanos, Nexia, Nubira (till '99), Racer, Sertio, Trexio, Zentra	all except:AG Cup 7x15	<b>27203/27221</b>	3
	Evanda, K70, Kalos, Lacetti, Leganza, Nubira (from '00), Rezzo, Tacuma, V100	all	<b>24157/24012</b>	2
	Matiz	all	<b>24152/24013</b>	2
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Sirion, Valera, YRV	all	<b>24157/24012</b>	2
<b>Ferrari</b>	348, 360 Modena, 456 M, 550 Maranello	all	<b>24184</b>	
<b>Fiat</b>	Barchetta, Brava, Bravo, Coupé, Croma (till 12/'04), Marea, Multipla, Palio, Panda (till '04), Punto (176, 188), Stilo, Strada, Tempra, Tipo, Uno	all	<b>27169/27215/ 27170/27216</b>	3
	Croma (from '05), Punto Grande (199), Sedici	all	<b>27221</b>	3
	Scudo, Ulysse	all	<b>27184/27222</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	Cougar, C-Max, Escort/GAL, Fiesta, Focus, Fusion, Ka (till '08), Kuga, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Sintra, Tourneo, Transit (till '05), Windstar		<b>27203</b>	3
		all	<b>24157/24012</b>	2
	Escort III (till 6/90), Orion I (till 6/90)	all	<b>27221</b>	
	Explorer, Maverick (4x4)	all	<b>24152/24013</b>	2
	Galaxy (till '05)	all	<b>27222/27205</b>	3
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	2; 3
<b>GM</b>	Corvette, Pontiac, Trans Sport	all	<b>24157/24012</b>	2
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FRV, Integra, Jazz, Logo, Prelude, Shuttle, Stream, S2000	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Getz, Grandeur, Lantra, Matrix, Pony, Santa Fe, Sonata, S-Coupé, Starex, Trajet, Tucson, XG	all	<b>24157/24012</b>	2
<b>Isuzu</b>	Campo, Trooper	all	<b>24154/24013</b>	2
<b>Jaguar</b>	S-Type, XJ, XK8, XKR, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Cherokee, Grand Cherokee, Wrangler	all	<b>24193/24010</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Clarus, Cremos, Joice, Kia , Magentis, Opirus, Picanto, Pride, Rio (from '02), Sephia, Shuma, Sportage	all	<b>24157/24012</b>	2
	Pride, Rio (till '01)	all	<b>27221</b>	
<b>Lada</b>	Forman, Samara	all	<b>27169</b>	
<b>Lancia</b>	Kappa, Lybra, Y-Type, Ypsilon	all	<b>27169/27215</b>	3
	Phedra, T-Type,	all	<b>27222/ 27184</b>	3
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Xedos	all	<b>24195/24012</b>	2; 3
	Tribute	all	<b>24195/24012/ 24137</b>	2; 3
<b>Mercedes-Benz</b>	190 (W201), A-Class (168), C-Class (202, 203, HO), CLK (208), E-Class (till '01) (W124, W210) )	all	<b>27179/27203/ 27221</b>	3
	A-Class (169), B-Class, C-Class (204), CLS (219), E-Class (W-211), G-Class, M-Class (163, 164), S-Class (140, W215, 220, 221), SL-Class (from '02), SLK (170, 171)	all	<b>27184/27222/ 27205</b>	3
	CL-Class (W216)	all	<b>27222</b>	
<b>MG</b>	MGF	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mini</b>	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06)	all	<b>27221</b>	
	Cabrio (R50 from 04/'06), Mini Cooper (from 09/'06), Mini Cooper S (from 09/'06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, L200, L300, L400, Lancer, Outlander, Pajero (4x4), Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, 3000 GT	all	<b>24195/24012</b>	2; 3
<b>Nissan</b>	100NX, 200SX, 300ZX, 350Z, Almera, Bluebird, Maxima, Micra (K11), Murano, Pathfinder, Prairie, Primera, Qashqai, Serena, Stanza, Sunny, Terrano (4x4), X-Trail	all	<b>24152/24013</b>	2
	Micra (K12), Note	all	<b>27221/27203/ 27204</b>	3
<b>Opel</b>	Agila (till '03)	all	<b>24152/24013</b>	2
	Agila (from '04), Astra, Calibra, Combo 4, Corsa, Kadett, Meriva, Omega (A, B, V94), Seator (B), Signum, Speedster, Tigra, Twingo, Vectra, Zafira	all	<b>27221/27203/ 27563*</b>	3
	Antara, GT, Manta, Sintra	all	<b>24157/24012</b>	2
<b>Peugeot</b>	1007, 106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, Partner	all	<b>27169/27215/ 27216/27170</b>	5
	107	all	<b>27221</b>	
	806, 807, Expert	all	<b>27184/27222/ 27181</b>	3
<b>Porsche</b>	911, 928, 944, 968, Boxster, Cayman	all	<b>27184/25167/ 28020</b>	3
	Cayenne	all	<b>28032</b>	
<b>Proton</b>	413, 415, 416, Persona	all	<b>24157/24012</b>	2
<b>Renault</b>	Clio (57, B, C57, R ), Kangoo, Laguna (till 12/'06), Modus, R5, R19, R21, Safrane	all	<b>27221/27203</b>	3
	Avantime, Espace, Laguna (from '07), Safrane, Scenic (RX4),	all	<b>27184/27222/ 27205</b>	3
	Vel Satis	all	<b>27221/27203/ 27184/27222</b>	3
<b>Rover</b>	75	all	<b>27184/27222</b>	3
	200-series, 400-series, 600-series, 800-series, Concerto, Freelander, MGF,	all	<b>24157/24012</b>	2
	Discovery 3, Range Rover	all	<b>24214/24019</b>	2; 3
<b>Saab</b>	900, 9.3, 9.5	all	<b>27221/27203/ 27563*</b>	3
		except:ZZ*ZV Design 7,5 x 16	<b>27015</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



## Artec / RH

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra, Altea, Cordoba (6L), Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	<b>27205/27184/ 27222</b>	3
	Arosa, Cordoba (6K), Ibiza (6K), Inca (9KS), Toledo (all models with 4-hole-wheels)	all	<b>27203/27221</b>	3
	Ibiza (021)	all	<b>27169/27215</b>	5
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27205/27184/ 27222</b>	3
	Favorit (from '93), Felicia, Forman, Pickup,	all	<b>27203/27221</b>	3
<b>Smart</b>	Forfour	all	<b>24195/24012</b>	2
<b>Subaru</b>	1800, 2200, Forester, Impreza, Justy, Legacy, Station, Vivio	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27221</b>	3
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Swift (EA, MA), Vitara (4x4), Wagon R (EM,MM)	all	<b>24152/24013</b>	2
	Aerio, Swift (MZ), SX4	all	<b>27203/27221</b>	3
	Ignis, Liana	all	<b>24152/24013/ 27221/27203</b>	2; 3
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27221</b>	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf III GTI, Golf III VR6, Golf IV, Golf V, Jetta (from '05), New Beetle, Pheaton, Passat, Polo (from '02), Scirocco, Sharan, Tiguan, Touran, Vento (all models with 5-hole-wheels)	all	<b>27205/27184/ 27222</b>	3
	Caddy (14D), Corrado, Derby, Golf, Jetta (I, II), Käfer, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179/27203/ 27221</b>	3
	Sharan, Touareg	all	<b>27222/27205/ 27184</b>	3
<b>Volvo</b>	440, 460, 480,	all	<b>27169/27215</b>	5
	960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2; 3
	C70 (from '00 till 12/'05)	all	<b>27000/27184</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	33, 75,145, 146,147, 155, 156(97,98,00), 164, 166 ('98), GTV 16V, Spider (from '95 till '05), Sport Wagon	all	<b>27170/27216</b>	5
	159, Brera	all	<b>27184</b>	
<b>Audi</b>	80, 90 (85, 89, Q, B4), 100, 200 (44, Q, C4), A2, A3, A4, A5, A6, A8, allroad, Cabriolet, Coupé, Quattro, S3, S4, S6, S8, V8, TT	all	<b>27181/27184/ 28018/27222</b>	3
<b>BMW</b>	1-series, 3-series, 5-series, 7-series (till '01), Z3, Z4	all	<b>27204/27221</b>	3
	7-series (from '02), 8-series, X3 ('04)	all	<b>27184</b>	
	X5 (till 12/'06)	all	<b>27181</b>	
<b>Chevrolet</b>	Cielo, Racer, Sertio	all	<b>27204</b>	
	Espero, Lanos, Nexia, Nubira	all	<b>27204/27207</b>	3
	Trailblazer	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300M, Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	AX, BX, C3, C5, Saxo, Xantia, XM, Xsara, ZX	all	<b>27170/27216</b>	5
	Evasion	all	<b>27181</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Grand Move, Sirion, YRV	all	<b>24157/24012</b>	2
	Feroza, Rocky (4x4)	all	<b>24157/24012/ 24028</b>	2; 3
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquecento, Coupe, Croma (till '04), Marea, Multipla, Palio, Weekend, Punto, Stilo, Tempra, Tipo, Uno	all	<b>27170/27216</b>	5
	Scudo, Ulysse	all	<b>27181</b>	
	Stilo	all	<b>27216</b>	
	Croma (from '05)	all	<b>27205</b>	
<b>Ford</b>	Cougar, C-Max, Escort (I, II, GAL), Fiesta (GJF), Focus, Granada, KA, Mondeo, Orion, Probe, Puma, Scorpio, Sierra	all	<b>24157/24012</b>	2
	Explorer (4x4)	all	<b>24020</b>	
	Galaxy (till '05)	all	<b>27000/27181/ 28018</b>	3
	Maverick (4x4)	all	<b>24152/24013/ 24200</b>	2; 3
<b>Honda</b>	Accord, Civic, Coupe, CR-V, CRX, HR-V, Integra R, Jazz, Legend, Prelude, S2000, Shuttle, Stream	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupe, Elantra, Getz, Lantra, Matrix, Pony, Santa Fe, S-Coupe, Sonata, Trajet, XG25, XG30	all	<b>24157/24012</b>	2
<b>Isuzu</b>	Campo (4X4), D-Max, Rodeo, Trooper (4X4)	all	<b>24028</b>	
<b>Jaguar</b>	S-Type, X-Type	all	<b>24157/24012</b>	2
	XJR, XJS, XJ6, XJ8, XK8	all	<b>24193/24010</b>	2
<b>Jeep</b>	Cherokee, Grand Cherokee	all	<b>24193/24010</b>	2
<b>Kia</b>	Carens, Carnival, Clarus, Credos, Opirus, Rio (from '02), Sephia, Shuma	all	<b>24157/24012</b>	2
	Sorento	all	<b>24157/24012/ 24028</b>	2; 3
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Prisma, Thesis, Thema, Ypsilon	all	<b>27170/27216</b>	5
	Z	all	<b>27184</b>	
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	IS200, IS300, LS400, RX300, GS300	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (DB from '91), 323, 626, 929, Demio, Acura Moy, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Xedos 6, Xedos 9, Mazda 6	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (202,203, H0), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170)	all	<b>27204</b>	
	E-Class (211), M-Class (163), S-Class (140, 220), SL (230), Vito (638), V-Class (638)	all	<b>27184/27000/ 27222</b>	3
<b>Mini</b>	Mini One (R50) (till 08/'06)	all	<b>27204</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, Lancer, Pajero Pinin, Sapporo, Sigma, SpaceRunner, SpaceWagon, Outlander	all	<b>24195/24012</b>	2
	L200, L300, Pajero (4x4)	all	<b>24195/24012/ 24028</b>	2; 3
<b>Nissan</b>	100NX, 200SX, Almera, Bluebird, Cherry, Maxima, Micra (K11), Prairie, Primera, Stanza, Sunny, Vanette, X-Trail	all	<b>24154/24013</b>	2
	Patrol GR, Terrano (4x4)	all	<b>24200/ 24154/24013</b>	2; 3
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Ascona C, Astra, Calibra, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27204</b>	
	Campo, Frontera (4x4), Monterey	all	<b>24028/24157/ 24012</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Peugeot</b>	106, 205, 206, 306, 307, 309, 405, 406, 407, 605, 607, Partner	all	<b>27170/27216</b>	5
	806	all	<b>27184</b>	
<b>Porsche</b>	911, 944, Boxster, Cayman	all	<b>28020</b>	
	Cayenne, GT3	all	<b>28032</b>	
<b>Renault</b>	Cabriolet, Clio, Espace, Laguna (B56/K56) (till '05), Kangoo, Mégane, R5, R9, R11, R19, Safrane, Scénic, Twingo	all	<b>27207/27179</b>	5
	Espace, Laguna (B56, K56) (from '05 till '07), R21, Safrane	all	<b>27184</b>	
<b>Rover</b>	25, 45, 200er-Serie, 400er-Serie, 620, 623, Concerto	all	<b>24157/24012</b>	2
	75	all	<b>27184</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27204</b>	
<b>Seat</b>	Alhambra, Altea, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27222/27184/28018</b>	3
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27204</b>	
	Ibiza (021A), Malaga, Ronda	all	<b>27170</b>	
<b>Skoda</b>	Fabia, Octavia (all models with 5-hole-wheels)	all	<b>27184</b>	
	Favorit, Felicia, Forman, PickUp (from 01/'93) (all models with 4-hole-wheels)	all	<b>27204</b>	
	Superb ('02)	all	<b>27222</b>	
<b>Ssangyong</b>	Rodius-Stavic	all	<b>27222</b>	
	Musso	all	<b>24028</b>	
<b>Subaru</b>	Impreza, Justy, Legacy, Tribeca	all	<b>24152/24013</b>	2
<b>Suzuki</b>	Alto, Baleno, Ignis (FH), Liana, Swift (EA, MA), Wagon R (EM)	all	<b>24152/24013</b>	2
	Grand Vitara, Jimny, Rocsta, Samurai, SJ410, SJ 413, Vitara, X-90	all	<b>24200</b>	
<b>Toyota</b>	4-Runner (4x4), Hiace, Hilux (4x4), Landcruiser, Taro (4x4)	all	<b>24028</b>	2
	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Tercel, Yaris	all	<b>24195/24012</b>	2
<b>Volkswagen</b>	Bora, Corrado, Eos, Golf, Jetta, Multivan, New Beetle, Passat, Phaeton, Polo, Sharan, Touran, Transporter, T4, Vento, VW-Bus (all models with 5-hole-wheels)	all	<b>27222/27184/28018</b>	3
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27204</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATP

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volvo</b>	340, 360	all	<b>24152/24013</b>	2
	440, 460, 480	all	<b>27170</b>	
	740, 760, 940, 960, C30, S40, S90, V40, V90	all	<b>24157/24012</b>	2
	850, S70, V70 (till '99)	all	<b>27186</b>	
	S60, S80 (from '98), V70 (from '00), XC70, XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 156, Crosswagen Q4, GT, Sportwagen Q4	all  except:  DTM 75713.38.03F (I)  DTM 80816.30.03F  DTM 80817.27.03F (I)  DTM 80817.35.03F (I)	<b>26001</b>  <b>27216/27170</b>  <b>27216/27170</b>  <b>27216/27170</b>	5
	155	all	<b>26000</b>	5
	159, Brera, Spyder (939)	all  except:  80816.38.09M	<b>27181</b>	
	166	all  except:  DTM 80816.30.08F	<b>27216/27170</b>	5
<b>Audi</b>	80, 100, 200, A2, A3, A4, A6, A8, RS6, S3, S4, TT,	all  except:  80816.42.10.E  DTM 80816.35.05.E  DTM 80816.35.10.E  DTM 80816.42.10.E  DTM 9582.25.05.E  DTM 9582.35.10 (5)  DTM 9582.35.10. E (4)  Pegasus 90203.40.10	<b>27181/27222</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (till '01), 8-series, Z3, Z4, Z8	all  except: A 705.1M.25 A707.1M.25 DTM 80816.15.14.W DTM 80816.15.14.Y DTM 80816.15.14.Y DTM 80816.30.14.Y DTM 9582.38.14. Y (2)	<b>27179/27221</b>	
	7-series (from '02)	all  except: 80816.15.14.Y 90203.15.14.Y	<b>27181</b>	
<b>Chevrolet/</b>	Captiva, Cielo, Evanda, Nexia, Nubira, Racer, Rezzo, Tacuma, Zespi,	all	<b>24157/24012</b>	
	Lanos (Klat Supt)	all	<b>27179</b>	
	Lanos/Kalos (KLAS)	all	<b>28172/24157/24012</b>	2; 3
<b>Chrysler</b>	Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all  except: DTM 80816.35.05.E	<b>24157/24012</b>	2
	Crossfire	all	<b>27204</b>	
	300C	all	<b>24214</b>	3
<b>Citroën</b>	Berlingo, C2, C3, C4, C5, Saxo, Xantia, Xsara, ZX	all	<b>27169/27215</b>	5
	C1	all	<b>27179</b>	
	Evasion, Jumpy	all	<b>27222</b>	
	XM	all	<b>27216</b>	
<b>Dacia</b>	Logan	all	<b>27221/27204</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Daewoo/</b>	Captiva, Cielo, Evanda, Nexia, Nubira, Racer, Rezzo, Tacuma, Zespi,	all	<b>24157/24012</b>	
	Lanos (Klat Supt)	all	<b>27179</b>	
	Lanos/Kalos (KLAS)	all	<b>28172/24157/ 24012</b>	2; 3
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Materia, Sirion, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	Brava, Bravo (182), Coupe, Doblo, Idea, Marea, Palio, Panda, Punto (176, 188, 199), Stilo, Strada	all	<b>26001/26002</b>	5
	Croma (Typ 194), Sedici	all	<b>27221/27179</b>	3
<b>Ford</b>	Cougar, C-Max, Escort, Escape, Fiesta, Focus, Fusion, Ka (RBT, RL2), Maverick, Mondeo, Orion, Puma, Probe, Tourneo	all  except: DTM 80816.35.12.P DTM 80816.40.08.X	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27181</b>	
	Galaxy (from '06), S-Max	all	<b>24214</b>	3
<b>Honda</b>	Accord, Civic, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
	S200	all	<b>2011</b>	
<b>Hyundai</b>	Accent, Amica, Atos, Coupé, Elantra, Excel, Getz, Grandeur, Joice, Lantra, Matrix, Pony, Prime, Santa Fe, S-Coupé, Sonata, Trajet, Tucson, XG25, XG30	all  except: 80816.35.12.P	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, X-Type	all  except: 80816.40.08.X	<b>24157/24012</b>	2
	XJ8, XK8, XKR	all	<b>24193/24010</b>	2
<b>Kia</b>	Carens, Carnival, Carstar, Cee'd, Cerato, Clarus, Credos, Magentis, Mentor, Opirus, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sportage	all  except: DTM 80816.35.12.P	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



## ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Lancia</b>	Dedra, Delta, Lybra, Musa, Thesis, Ypsilon	all	<b>26001/26002</b>	5
<b>Lexus</b>	GS300, GS430, IS200, IS220d/250, IS300, LS400, LS430, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all  except:  80816.35.12.P	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (168), 190er, C-Class (till 03/'07), CLK, (208,209), E-Class (till '01), SL (129), SLK, Vaneo	all  except:  80816.35.10.O  9582.25.10.O (2)	<b>27204</b>	
	A-Class (169), B-Class (Typ 245), CL (215), CLS (219), E-Class (from '02), GL- Class, M-Class, S-Class (220), SL (230), V-Class, Viano,	all  except:  80816.35.10.O  80816.40.10.O  9582.25.10.O (1)  9582.25.10.O (2)	<b>27181</b>	
	S-Class (221)	all	<b>27222</b>	
<b>Mini</b>	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27179</b>	
	Mini Cooper (R50) (from 09/'06), Mini One (R50) (from 09/'06)	all	<b>27226</b>	
<b>Mitsubishi</b>	3000GT, Carisma, Colt, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero Pinin, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all  except:  DTM 80816.35.12.P  DTM 9582.33.12.P (2)  DTM 9582.38.12.P (1)	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Nissan</b>	100NX, 200SX, 300ZX, Almera, Maxima, Micra (K11), Murano, Primera, Qashqai, Serena, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note,	all	<b>27179</b>	
		except: 70555.35.52 75714.40.52	<b>27221</b> <b>27221</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24012</b>	2
	Astra, Calibra, Corsa A/B/C, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	<b>27179/27221</b>	
		except: DTC 70555.35.52	<b>27221</b>	
	Antara	all	<b>24157/24012</b>	2
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27179</b>	
	407	all	<b>27216</b>	
		except: 80816.35.08.M		
<b>Proton</b>	300, 400	all	<b>24157/24012</b>	2
<b>Renault</b>	Clio, Espace, Kangoo, Laguna (B56, K56), Mégane, Modus, Safrane, Scénic (JA), Twingo (C06, C06/06)	all	<b>27179</b>	
		except: 70555.35.52 80816.35.08.J	<b>27221</b>	
	Laguna (Typ G)	all	<b>27221</b>	
		except: 80816.35.08.J		
	Scenic II	all	<b>27204</b>	
	Espace, Laguna, Safrane, Vel Satis	all	<b>27181</b>	
<b>Rover</b>	25, 45, 200, 400, 600, 800, MG ZR, MG ZS	all	<b>24157/24012</b>	2
	75, MG ZT, ZT-T	all	<b>27181</b>	
<b>Saab</b>	900/II, 9/3, 9/5 (only for wheels with cone seat)	all	<b>27179/27221</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra (7MS), Altea, Ibiza (6L), Leon, Toledo (all models with 5-hole wheels)	all  except: DTM 80816.35.10.E DTM 80816.42.10.E	<b>27222/27181</b>	3
	Arosa, Cordoba, Ibiza (all models with 4-hole-wheels)	all  except: A 705.1M.25	<b>27221</b>	
<b>Skoda</b>	Felicia (791, 795) (all models with 4-hole-wheels)	all  except: A705.1M.25	<b>27179</b>	
	Fabia, Felicia, Roomster, Octavia, Superb	all  except: 80816.35.10.E 80816.35.42.10.E	<b>27222/27181</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Legacy, Outback	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Grand Vitara, Ignis (FH), Liana, Wagon R (MM) (till '03)	all  except: 80816.35.12.J	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), Wagon R (MM) (from '04)	all	<b>27179</b>	
	SX4	all  80816.35.12.J	<b>27221</b>	
<b>Toyota</b>	Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Supra, Verso, Yaris	all  except: 80816.35.12.J	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## ATS / Alustar

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Corrado, Golf, Jetta, Lupo (Typ 6x, 6E), Passat, Polo (86C, 9NF, 6N, 6KV)	all  except: 7059.28.04 (1) A 705.1M.25	<b>27179</b>  <b>28172</b>	
	Caddy, Eos, Fox, Phaeton, Polo (9N), Golf, Jetta, New Beetle, Passat, Sharan, Transporter, Touran	all  except: 80816.35.05.E 80816.42.10.E DTM 9582.25.05.E (1)	<b>27222/27181</b>	
<b>Volvo</b>	960 (from '95), C30, C70, S40, , S90, V40, V50, V70, V90	all  except: 80816.40.08.X	<b>24157/24012</b>	2
	S80 (Typ A), XC90 (Typ C)	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock		
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, Coupé, Crosswagon Q4, GT, GTV, Spider (till '05), Sportwagon Q4	all	<b>27169/27215</b>	5	
	159, Brera, Spider (939)	all	<b>27181</b>		
<b>Audi</b>	80, 100, 200, A4, A5, A6 (320KW), A8 (D2), TT (8J)	all	<b>27181/28018</b>	3	
	A2, A3, A4, A5, A6 (till 257KW), A8 (4E), RS4, RS6, S3, S4, S6, S8, TT (8N)	all	<b>27222/28018</b>	3	
	Q7	all	<b>28032</b>		
<b>BMW</b>	1-series, 3-series, Z3, Z4	all  except:  A706205112918  A757205112918  A807205112918  B706205112918  B807205112918	<b>27221</b>  <b>27013</b>  <b>27013</b>  <b>27013</b>  <b>27013</b>  <b>27013</b>		
	5-series (E34, E39), 6-series, 7-series (E38), Z8	all	<b>27013</b>		
	5-series (E60)	all  except:  A756155112918  B70620512918	<b>27221</b>  <b>27013</b>  <b>27013</b>		
	7-series (E65)	all	<b>27221/27013</b>	3	
	X3, X5 (till 12/06)	all	<b>27205</b>		
	X5 ( from 01/07)	all	<b>27226</b>		
	<b>Chevrolet</b>	Epica (Klal), Evanda (Klal), Kalos (Klas), Lacetti (Klan), Leganza (Klav, Supv), Nubira (Klan, Klaj, Subj, UU6J), Rezzo (Klau), Tacuma (Klau)	all	<b>24157/24012</b>	2
		Lanos	all	<b>27221</b>	
	<b>Chrysler</b>	LeBaron, Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all	<b>24157/24012</b>	2
		Crossfire	all	<b>27179</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Citroën</b>	AX, Berlingo, C2, C3, C4, C5, Saxo, Xantia, XM, Xsara, Xsara Picasso, ZX	all	<b>27169/27215</b>	5
	C1	all	<b>27179</b>	
	C8	all	<b>27181</b>	
	Evasion, Jumpy	all	<b>27222</b>	
	C-Crosser	all	<b>24157/24012</b>	2
<b>Dacia</b>	Logan	all	<b>27221</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Cuore, Grand Move, Sirion, Terios, YRV	all	<b>24157/24012</b>	2
<b>Dodge</b>	Caliber	all	<b>24157/24012</b>	
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Cinquecento, Coupé, Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (188), Seicento, Stilo, Strada, Temptra, Tipo, Uno	all	<b>27169/27215</b>	5
	Croma, Sedici	all	<b>27221</b>	
	Grande Punto (199)	all	<b>27179</b>	
	Scudo, Ulysse I	all	<b>27222</b>	
	Ulysse II	all	<b>27181</b>	
<b>Ford</b>	Cougar, C-Max, Escape, Escort, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe (GT), Puma, Scorpio, Street Ka, Tourneo	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27181</b>	
	Galaxy (from '06), S-Max	all	<b>27214/24019</b>	2; 3
<b>Honda</b>	Accord, Civic, Concerto, CR-V, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Amica, Atos, Coupé, Elantra, Excel, Getz, Grandeur, I30, Joice, Lantra, Matrix, Pony, Prime, Santa Fe, Sonata, S-Coupé, Trajet, Tucson	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Compass	all	<b>24157/24012</b>	2
<b>Kia</b>	Carnival, Carstar, Carens, Ceed, Cerato, Clarus, Cremos, Magentis, Opirus, Optima, Picanto, Rio (from 10/'02), Sportage	all	<b>24157/24012</b>	
	Rio (till 09/'02)	all	<b>27179</b>	2
<b>Lancia</b>	Dedra, Delta, Lybra, Musa, Thesis, Ypsilon, Y10	all	<b>27169/27215</b>	5
	Phedra	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Lexus</b>	GS300, GS430, GS450h, IS200, IS220d, ID250, IS300, LS400, LS430, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (from '91), 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX5, MX6, Premacy, RX8, Tribute	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190er (201), A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208, 209), E-Class (210), SLK (170, 171), Vaneo (414)	all	<b>27179</b>	
	A-Class (169), B-Class (245), C-Class (W204), CL (216), CLS (219), E-Class (211),	all	<b>27222</b>	
	M-Class (163), S-Class (221), SL (230)			
	CL (215), M-Class (164), S-Class (220), R-Class (251), V-Class (638, 639)	all	<b>27205</b>	
	SL (129)	all	<b>27221</b>	
<b>Mini</b>	Mini R50 (till 03/'06)	all	<b>27221</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, Lancer, Outlander, Pajero, Pajero Pinin, SpaceRunner, SpaceStar, SpaceWagon, StationWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	Almera, Maxima, Micra (K11), Murano, Primera, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27221</b>	
	Primastar	all	<b>27181</b>	
	Antara	all	<b>24157/24012</b>	2
<b>Opel</b>	Agila (till '03)	all	<b>24152/24013</b>	2
	Agila (from '04)	all	<b>27179</b>	
	Astra, Calibra, Corsa A/B/C/D, Kadett E, Meriva, Omega B, Signum, Tigra, Vectra B/C, Zafira A/B	all	<b>27221</b>	
	Vivaro	all	<b>27181</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 308, 406, 407, 605, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27179</b>	
	806, Expert	all	<b>27222</b>	
	807	all	<b>27181</b>	
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Clio, Grandtour, Kangoo, Laguna (G), Mégane, Modus, R19, Safrane, Scénic, Twingo	all	<b>27221</b>	
	Espace, Grand Espace, Grandtour, Laguna (T), Safrane, Vel Satis (from '03), Trafic	all	<b>27181</b>	
<b>Rover</b>	75, Freelander, MG-ZT	all	<b>24157/24012</b>	2
	Freelander II	all	<b>24214/24019</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Autec

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27221</b>	
<b>Seat</b>	Alhambra	all	<b>27181</b>	
	Altea, Cordoba (6L), Cupra, Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	<b>27222/28018</b>	3
	Arosa, Cordoba (6K), Ibiza (6K), Toledo (all models with 4-hole-wheels)	all	<b>27221</b>	
<b>Skoda</b>	Fabia, Felicia, Octavia, Praktik, Roomster, Superb (all models with 5-hole-wheels)	all	<b>27222/28018</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Justy, Legacy, Tribeca	all	<b>24152/24013</b>	2
	Justy GX3	all	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Ignis (FH), Gran Vitara, Liana, Swift (EA, MA), Wagon R (EM)	all	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), Wagon R (MM)	all	<b>27179</b>	
	SX4	all	<b>27221</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Celica, Corolla, MR2, Picnic, Previa, Prius, RAV4, Supra, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	
<b>Volkswagen</b>	Golf I, Golf II, Jetta II, Golf III, Lupo, Polo (6KV, 6N, 6NF), Vento	all	<b>27221</b>	
	Fox, Bora, Caddy, Golf V, Golf IV, Golf Plus, Jetta (1KM), New Beetle, Passat (3B, 3BG, 3BS, 3C), Phaeton (3D), Polo (9N), R32, Touran (1T)	all	<b>27222</b>	
	Eos, Golf III, Sharan (7M), T4, Vento,	all	<b>27181</b>	
	T5, Touareg	all	<b>28032/28044</b>	5
	Tiguan	all	<b>27205/28018</b>	3
<b>Volvo</b>	C30, C70 (M), S40, V40	all	<b>24157/24012</b>	2
	S60, S80 V70 (from '00), XC70	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	Spider (115), 75/90 (162B)	all	<b>24157/24012</b>	2
	33 (907/A/B), 145/146 (930), 147 (937), 155 (167), 156 (932) 164, 166 (936), Coupe (916), GT (937), Spider (916),	all	<b>27215/27169</b>	5
	159, Brera, Spider (939)	all	<b>27181</b>	
<b>Aston Martin</b>	DB7	all	<b>24130/24010</b>	3; 5
<b>Audi</b>	80/90, 200, A2, A3, A6 (C4, 4F), A8 (4E, D2), RS4, (B5), S2 (89Q, B4), S3, S4 (C4), S6 (C4, 4F), S8 (D2), TT, V8	all	<b>27205/27000</b>	3
	A4/S4 (B5, 8E, 8H, QB6), A6 (4B), RS4 (QB6), RS6 (4B)	all	<b>27222</b>	
	A4 (B8), A5, S5	all	<b>27181</b>	
	Q7	all	<b>28032</b>	
<b>Bentley</b>	Continental (3W)	all	<b>27181</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (7/I, 7/G), Z1, Z4, Z8	all	<b>27221</b>	
	7-series (765), X5 (till 12/06)	all	<b>27205</b>	
	X3	all	<b>27181</b>	
	X5 ( from 01/07)	all	<b>27226</b>	
<b>Cadillac</b>	Allanté, Eldorado, Escalade, Northstar, Seville, SRX V8	all	<b>24157/24012</b>	2
<b>Chevrolet/</b>	AstroVan, Baretta, Blazer, Camaro, Captiva (Klac), Cavalier, Corvette, Impella, Lumina, Matiz (Klak), Tahoe, Trail Blazer	all	<b>24157/24012</b>	2
	Cielo, Espero (Klej), Lanos (Klat), Nexia, Racer	all	<b>27221</b>	
	Lacetti, Leganza, Nubira	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300C	all	<b>24214/24019</b>	2; 5
	300M, Le Baron, Neon, PT Cruiser, Saratoga, Stratus, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	Berlingo 2, C2, C3, C4, C5, C6, C-Crosser, CX, Xantia, Xsara, ZX	all	<b>27169/27215</b>	5
	C8	all	<b>27181</b>	
	Evasion	all	<b>27222</b>	
	Jumper	all	<b>27205</b>	
	XM	all	<b>24152/24012</b>	2
<b>Daewoo</b>	see Chevrolet			

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Daihatsu</b>	Applause, Charade, Copen, Cuore, Feroza, Rocky (4x4), Sirion, Terios, Wildcat	all	<b>24157/24012</b>	2
<b>Dodge</b>	Caliber	all	<b>24157/24012</b>	2
	Dakota, Durango, Ram	all	<b>24193/24010</b>	2
<b>Ferrari</b>	328, 348, 355, Mondial, Testarossa	all	<b>27000/27205</b>	5
<b>Fiat</b>	Abarth, Bravo (198), Doblo (223), Fiat 500, Marea (185), Multipla (186), Palio (178), Strada (178E)	all	<b>27169/27215</b>	5
	Idea, Linea, Panda (169), Stilo (192)	all	<b>27216/27170</b>	5
	Abarth	all	<b>24157/24012</b>	2
	Croma (194), Grande Punto, Sedici	all	<b>27221</b>	
	Ducato Maxi	all	<b>27183</b>	
	Ducato	all	<b>27000</b>	3
	Scudo, Ulysse	all	<b>27222</b>	
	Ulysse II	all	<b>27181</b>	
<b>Ford</b>	C-Max, Cougar (BCV), Escort, Fiesta, Focus, Fusion (JU2), KA (RBT, RL2), Mondeo, Orion, Puma, Probe (GT, ECP), Scorpio (GGR/GFR, GAE/GGE), Sierra, Taunus, Taurus, Thunderbird, Tourneo, Transit Connect, Windstar	all	<b>24157/24012</b>	2
	Explorer, Mustang, Topas	all	<b>24193/24010</b>	2
	Galaxy (WGR)	all	<b>27205</b>	
	S-Max	all	<b>24214/24019</b>	2
	Maverick	all	<b>24152/24013</b>	2
<b>Honda</b>	Accord, Acura, Civic, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Logo, NS-X, Prelude, S2000, Shuttle	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Getz, Grandeur, Lantra, Santa Fe, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG30	all	<b>24157/24012</b>	2
<b>Infinity</b>	Infinity	all	<b>24157/24012</b>	2
<b>Isuzu</b>	Campo 4x4, Isuzu, Trooper	all	<b>24157/24012</b>	2
<b>Jaguar</b>	NAW, NBW, XJ-40, XJR, XJS, X300,	all	<b>24193/24010</b>	2
	S-Type, XJ, XK, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Cherokee, Grand Cherokee, Wrangler	all	<b>24193/24010</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Elan, Magentis, Opirus, Picanto, Rio (DE), Sephia, Shuma, Sorento, Sportage	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Lancia</b>	Dedra, Delta, Delta Integrale, Kappa, Lybra, Thema, Thesis, Ypsilon, Y10	all	<b>27169/27215</b>	5
	Phedra	all	<b>27181</b>	
	Ypsilon (843), Musa (350)	all	<b>27170</b>	
	Zeta	all	<b>27222</b>	
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24195/24012</b>	2
<b>Lotus</b>	Elise	all	<b>24157/24012</b>	2
	Elise MK II	all	<b>27221</b>	
	Esprit	all	<b>27205</b>	
<b>Maserati</b>	3200GT, Grand Turismo 2007, Quattroporte, Spyder	all	<b>27205</b>	
	Barchetta	all	<b>24157/24012</b>	2
	Bi Turbo	all	<b>27015</b>	
	Ghibli	all	<b>27169</b>	
	Karif Spider	all	<b>27221</b>	
<b>Mazda</b>	121 (from '91), 323, 626, 929, CX7, Mazda 3, Mazda 5, Mazda 6, Demio, MX3, MX5, MX6, Premio, R-8, RX7, RX8, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190er (W201), C-Class (W202), E-Class (W124), SL- Class (R129), W107, W116, W123, W126,	all	<b>27221</b>	
	CL-Class (W215), CLS (W219), E-Class (W211), G-Class, R-Class (251), S-Class (W140, W220), SL-Class (R230), M-Class (W163), Vito (638), V-Class (638)	all	<b>27205</b>	
	A-Class (W168), C-Class (W203), CLK (W208, W209), E-Class (W210), SLK (W170, W171), Vaneo (414)	all	<b>27179</b>	
	A-Class (W169), B-Class (245), M-Class (W164), S-Class (W221)	all	<b>27181</b>	
<b>Mitsubishi</b>	3000GT, Carisma, Colt, Eclipse, Galant, Grandis, L040, L200, L300, Lancer, Outlander, Pajero, Sigma, Starion	all	<b>24195/24012</b>	2
<b>Nissan</b>	160, 100NX, 200SX, 300ZX, 350Z, Almera, Bluebird, GK, Maxima, Micra (K11), Murano, Patrol, Pick Up, Primera, Qashqai, Serena, Skyline, Sunny, Terrano	all	<b>24154/24013</b>	2
	Micra (K12)	all	<b>27207</b>	
	Primastar	all	<b>27205</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Ascona, Astra, Calibra, Corsa, Kadett, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Antara, Ascona B, Frontera, GT, Manta, Monterey, Monza, Senator, Sintra	all	<b>24157/24012</b>	2
	Vivaro	all	<b>27205</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 308, 405, 406, 407, 605, 607, 1007, Partner,	all	<b>27169/27215</b>	5
	107	all	<b>27221</b>	
	806	all	<b>27222</b>	
	807	all	<b>27181</b>	
	4007	all	<b>24157/24012</b>	2
	Boxer	all	<b>27205</b>	
<b>Pontiac</b>	Fiero, Firebird old, TransSport	all	<b>24157/24012</b>	2
<b>Porsche</b>	911, 928, 944, 964, 968, 993, Carrera 2+4	all	<b>24214/24018</b>	3; 5
	924	all	<b>27205</b>	
	996, Boxster, Cayman	all	<b>28020</b>	
	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Alpine, Clio, Espace, Kangoo, Laguna (B56, K56), Mégane, Modus, R19, Safrane, Scenic, Twingo, Vel Satis	all	<b>27221</b>	
	Alpine	all	<b>24152/24013</b>	2
	Alpine V6, Espace V6, Laguna (B56, K56), R21 Turbo, Safrane, Scénic, Spider, Trafic	all	<b>27000</b>	
	Espace K (108R)	all	<b>27181</b>	
	Laguna G	all	<b>27221</b>	
<b>Rover</b>	200-420, 600-623, Concerto, Freelander, MG-F	all	<b>24157/24012</b>	2
	75	all	<b>27205</b>	
	Freelander II	all	<b>24214/24019</b>	2; 3
<b>Saab</b>	900	all	<b>24157/24012</b>	2
	9.3, 9.5, 900 II, 900 II Cabriolet	all	<b>27221</b>	
	9000	all	<b>27205</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# AZEV

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra, Altea, Ibiza (6L), León, Toledo (1L, 1M) (all models with 5-hole-wheels)	all	<b>27205</b>	
	Arosa, Cordoba (6K/C), Ibiza (6/K), Inca 9KS, Toledo (all models with 4-hole-wheels)	all	<b>27221</b>	
	Ibiza (021A), Malaga (023A)	all	<b>27169</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster	all	<b>27205</b>	
	Favorit (781), Felicia (791, 795), Foreman, Pickup	all	<b>27221</b>	
	Superb	all	<b>27222</b>	
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
	Roadster	all	<b>27221</b>	
<b>Ssangyong</b>	Kyron	all	<b>24214/24018</b>	2; 3
	Rodius	all	<b>27205</b>	
<b>Subaru</b>	Forester, Impreza, Justy GX3, Legacy, SVX	all	<b>24152/24013</b>	2
	Justy	all	<b>24157/24012</b>	2
	Justy GX3	all	<b>27221</b>	
<b>Suzuki</b>	Baleno, Grand Vitara, Liana, Samurai, Swift (EA, MA), Vitara, X90	all	<b>24152/24013</b>	2
	Aygo, Ignis (MH), SX4	all	<b>27221</b>	
<b>Toyota</b>	100, J100, Land Cruiser	all	<b>24214/24019</b>	2; 3
	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, Hilux, MR2, Paseo, Picnic, Prius, RAV-4, Starlet, Supra, T15, T17, Tercel, Yaris, XA	all	<b>24195/24012</b>	2
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, Käfer, New Beetle, Passat, Phaeton, Polo (9N), Sharan, Vento, VW-Bus, T4 (not Facelift), Tiguan, Touran (all models with 5-hole-wheels)	all	<b>27205</b>	
	Caddy, Corrado, Golf, Golf IV Cabriolet, Jetta, Lupo 6X, Passat, Polo (6N, 86C), Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27221</b>	
	T5, Touareg	all	<b>28032</b>	
	Touran, Passat (3B, 3BG, 3BS), Phaeton	all	<b>27181</b>	
<b>Volvo</b>	440, 460, 480, 850old	all	<b>24152/24013</b>	2
	740, 940, 960, S40, V40, V50	all	<b>24157/24012</b>	2
	850 new, C70, S70, TypS, V70 (from '00)	all	<b>27186</b>	
	S60, S80, V70 (till '99), XC70, XC90	all	<b>27205</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	147 (937), GT	all	<b>27169/27215</b>	
<b>Audi</b>	A2, A3 (8L), TT (8N), S3 (8L)	all	<b>27181/28018</b>	3
	A3 (8P), A4 (8E,8H), A6(4B, 4F), A8, RS4 (B5), S4 (B5), S6 (4B, 4F), S8 (D2), TT (8J),	all	<b>27181/27183</b>	3
	Q7	all	<b>28032</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (till '01), 8-series, Z3, Z4, Z8	all	<b>27221/27013</b>	3
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27181/27205</b>	3
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia	all	<b>27221</b>	
	Kalos (KLAS), Nubira (KLAJ, UU6J, SUPT)	all	<b>24157/24012</b>	2
<b>Chrysler</b>	Avenger, Neon, PT Cruiser, Sebring, Stealth (ES,RT), Stratus, Talon,	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27015</b>	
<b>Citroën</b>	C1	all	<b>27221</b>	5
<b>Daewoo</b>	Espero, Lanos, Nexia, Nubira (till '99)	all	<b>27221</b>	
	Nubira (from '00), Kalos	all	<b>24157/24012</b>	2
<b>Daihatsu</b>	Charade, Grand Move, Sirion, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	Croma (194), Punto (199)	all	<b>27221</b>	
<b>Ford</b>	Cougar, C-Max, Fiesta, Focus, Fusion, Ka, Mondeo, Probe, Puma, Transit Connect	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27181</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, FR-V, Integra, Jazz, Prelude, Shuttle, S2000	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Getz, Sonata, Trajet, XG 250, XG 300, XG 350	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, X-Type	all	<b>24157/24012</b>	2
<b>Kia</b>	Opirus, Magentis, Picanto, Rio (from '02), Shuma	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27221</b>	
<b>Lexus</b>	GS300, GS430, IS200, IS250/IS250d, IS300, LS400, LS430, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	323, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MX5, Premacy, RX7, RX8, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	A-Class (168) (till '04), C-Class (HO, 202, 203, 203K, 203CL), CLK (208, 209), E-Class (210, 210K) (till '01), SLK (170, 171)	all	<b>27221/27015</b>	3
	A-Class (169), B-Class (245), CL (215), CLS (219 AMG) E-Class (211, 211K), S-Class (220, 221), SL (230), M-Class (163, 164)	all	<b>27181/27183</b>	3
	CLS (219)	all	<b>27183</b>	
<b>Mini</b>	Mini One (R50) (till 08/'06)	all	<b>27221/27179</b>	3
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Grandis, Lancer, Sigma	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 350Z, Almera, Maxima, Micra (K11), Murano, Primera, Sunny	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27221</b>	
<b>Opel</b>	Astra, Combo (C), Corsa (B, C), Omega, Meriva, Signum, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Agila	all	<b>24154/24013</b>	2
<b>Peugeot</b>	107	all	<b>27221</b>	5
	407, 607	all	<b>27169/27215</b>	5
<b>Porsche</b>	911 (993)	RS II	<b>25167</b>	
	911 (996), Boxster (986)	RS II	<b>28020</b>	
	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Avantime, Espace (K, JE), Laguna (B56, K56), Mégane, Safrane, Vel Satis	all	<b>27181</b>	
	Clio, Kangoo, Laguna (B56, G, K56), Mégane, Modus, R19, Safrane, Scénic (all models with 4-hole-wheels)	all	<b>27221/27207</b>	5
<b>Rover</b>	75, MG ZT, MG ZT-T	all	<b>27222/27181</b>	3
	200-series, 400-series, 600-series	all	<b>24157/24012</b>	2
<b>Saab</b>	900 II, 9.3, 9.5	all	<b>27221/27014</b>	3
<b>Seat</b>	Alhambra, Altea, Cordoba (6L), Cupra, Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	<b>27181/28018</b>	3
	Arosa, Cordoba (6K/C), Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27221</b>	
<b>Skoda</b>	Fabia, Octavia (1U), Roomster, Superb (all models with 5-hole-wheels)	all	<b>27181/28018</b>	3
	Felicia (all models with 4-hole-wheels)	all	<b>27221</b>	3
<b>Subaru</b>	Forester, Impreza, Legacy	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27221</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# BBS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Suzuki</b>	Baleno, Grand Viatara, Ignis (FH), Liana, Wagon R (MM)	all	<b>24152/24013</b>	2
	Ignis (MH)	all	<b>27221</b>	
<b>Toyota</b>	Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Prius, RAV4, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27221</b>	
<b>Volkswagen</b>	Bora, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo (9N), Touran (all models with 5-hole-wheels)	all	<b>27181/28018</b>	3
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Polo (6N) (all models with 4-hole-wheels)	all	<b>27221</b>	
	Sharan, T4, Touareg	all	<b>27181/28032</b>	3
<b>Volvo</b>	S40, S90, V50, V90	all	<b>24157/24012</b>	2
	C70, S70, V70 (L) (till '99)	all	<b>27186</b>	
	S60, S80, V70(J, JV, S) (from '00)	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



## Binno / Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	33, 145, 146, 147 GT, 155, 156, 164, 166, GT, Spider	all	<b>27169/27215</b>	5
	75, GTV	all	<b>24157/24012</b>	2
	159	all	<b>27222</b>	
<b>Audi</b>	80, 90, 100,	all	<b>27205</b>	
	100, 200, A2, A3 (8L, 8P), A4, A5, A6, A8, TT	all	<b>27222/27000</b>	3
	Q5	all	<b>27205/2700</b>	3
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (till '01), 8-series, Z3, Z4	all	<b>27221</b>	
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27205/27000</b>	3
	X5 ( from 01/'07)	all	<b>27226</b>	
<b>Cadillac</b>	BLS	all	<b>27221</b>	
<b>Chevrolet</b>	Aranos, Espero, K55, Kalos (KLAS), Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J)	all	<b>27221</b>	
	Captiva, Evanda, Lacetti, Leganza, Nubira (KLAN), Rezzo, Tacuma	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300M, Grand Voyager, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	AX, Berlingo, BX, C2, C3, C4, C5, C6, Nemo, Picasso, Saxo, SX, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	Evasion, Jumpy	all	<b>27222</b>	
	C1	all	<b>27221</b>	
	C-Crosser	all	<b>24157/24012</b>	2
<b>Dacia</b>	Logan	all	<b>27221</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Terios, YRV	all	<b>24157/24012</b>	2
<b>Dodge</b>	Caliber	all	<b>24157/24012</b>	2
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma (154), Doblo, Marea, Multipla, Palio Weekend, Panda, Punto (176, 188), Regata, Ritmo, Temptra, Tipo, Uno	all	<b>27169/27215</b>	5
	Croma (194), Punto (199), Sedici	all	<b>27221</b>	
	Scudo, Ulysse	all	<b>27184</b>	
	500, Fiorino, Idea, Stilo	all	<b>27216/27170</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Binno / Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	Cougar, C-Max, Escort, Fiesta, Focus, Fusion, Granada, Ka (till '08), Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Taurus, Thunderbird, Transit, Windstar	all	<b>24157/24012</b>	2
	Galaxy	all	<b>27205</b>	
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	2; 3
	Ka (from '09)	all	<b>27216/27170</b>	3
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FRV, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Grandeur, Getz, Lantra, Matrix, Pony, Santa Fe, S-Coupé, Sonata, Starex, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Compass, Patriot	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Cremos, Joice, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Soul, Sportage	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27221</b>	
<b>Lada</b>	Samara, Forma	all	<b>27169/27215</b>	3
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Musa, Thema, Thesis, Ypsilon, Y10, Z	all	<b>27169/27215</b>	5
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
	Freelander II	all	<b>24214/24019</b>	2; 3
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, 929, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo	all	<b>27221</b>	
	A-Class (169), B-Class (245), C-Class (215), CL (215), CLS (219), E-Class (211), M-Class (163), S-Class (140, 220), SL (230), Vaneo (414), Viano (639), Vito (638, 639), V-Class (638)	all	<b>27222</b>	
	CLS (219), M-Class, S-Class (140), Vito (638)	all	<b>27000/27205</b>	3
<b>Mini</b>	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	<b>27221</b>	
	Cabriolet (R50 from 04/'06), Clubman, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06)	all	<b>27229</b>	
<b>Mitsubishi</b>	Carisma, Colt, Cordia, Eclipse, Galant, Grandis, I-car, L300, L400, Lacer, Lancer, Outlander, Pajero, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Binno / Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Nissan</b>	100NX, 200SX, 300ZX, Almera, Maxima, Micra (K10, K11), Murano, Prairie, Primera, Serena, Stanza, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27221</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Agila (from NT '08), Ascona, Astra, Calibra, Combo, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Manta	all	<b>24157/24012</b>	2
<b>Peugeot</b>	106, 205, 206, 306, 307, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27221</b>	
	806	all	<b>27222</b>	
<b>Proton</b>	all models	all	<b>24157/24012</b>	2
<b>Renault</b>	Avantime, Espace, Laguna (B56), Safrane, Scénic, Vel Satis	all	<b>27000</b>	
	Clio, Espace, Kangoo, Laguna (B56, K56), Mégane, Modus, R5, R9, R11, R19, R21, R25, Safrane, Scénic, Twingo (all models with 4-hole-wheels)	all	<b>27221</b>	
	Laguna (G)	all	<b>27221</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 800-series, Concerto	all	<b>24157/24012</b>	2
	75	all	<b>27222</b>	
<b>Saab</b>	900 S/SE (from 07/'93), 9.3, 9.5	all	<b>27221</b>	
	9000	all	<b>27205</b>	
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Ibiza (021A), Marbella	all	<b>27169</b>	
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27221</b>	
	Altea, Cordoba, Ibiza (6L), León, Toledo (all models with 5-hole-wheels)	all	<b>27222</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27222</b>	
	Favorit (till 12/'92)	all	<b>27215/27169</b>	3
	Favorit (from '93), Felicia, Forman, Pick up	all	<b>27221</b>	
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Justy (KAD), Legacy	all	<b>24152/24013</b>	2
	Justy (NH)	all	<b>27221</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Binno / Borbet / CW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Ignis (MH), Liana, Swift (EA, MA), Wagon R+ (EM)	all	<b>24152/24013</b>	2
	Swift (MZ), SX4	all	<b>27221</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, Hiace, MR2, Paseo, Picnic, Previa, Prius, RAV4, Starlet, Supra, Tercel, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27221</b>	
<b>Volkswagen</b>	Bora, Caddy, Fox, Golf, Jetta, New Beetle, Passat, Polo, Touran (all models with 5-hole-wheels)	all	<b>27222</b>	
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Scirocco (all models with 4-hole-wheels)	all	<b>27221</b>	
	Caravelle, Corrado, Golf VR6, Multivan, Passat VR6, Phaeton, Sharan, T5 (all models with 5-hole-wheels)	all	<b>27205</b>	
	Touareg	all	<b>28032</b>	
<b>Volvo</b>	440, 460, 480	all	<b>27215</b>	
	740, 760, 940, 960, V40, V50	all	<b>24157/24012</b>	2
	850, V70 (N+L), S70 (N+L)	all	<b>27186</b>	
	XC90	all	<b>27000</b>	
	S80 (T), S60, V70 (S), S70 (S)	all	<b>27222</b>	
	S80 (A), V70 (B)	all	<b>27205/27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Brock/RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, GT, Mito, Spyder	all	<b>27169/27215</b>	3
	159, Brera	all	<b>27222/27201</b>	3
<b>Audi</b>	A2, A3, A4, A5, A6, TT, Q5	all	<b>27222/27201</b>	3
	Q7	all	<b>27222/27201</b>	3
<b>BMW</b>	3 series, 5 series (till '09), 7 series(till '01)	all	<b>27179/27191</b>	3
	X3	all	<b>27222/27201</b>	3
	X5 (X53)	all	<b>27205</b>	
	X5 (X70), X6 (X70)	all	<b>27229/27226</b>	3
<b>Chevrolet/</b>	Espero, Lanos, Nexia, Nubira (till '98)	all	<b>27179</b>	
	Kalos, Nubira (from '99)	all	<b>24157/24012</b>	2
	Captiva, Evanda, Epica, Lacetti, Leganza, Tacuma	all	<b>24157/24012</b>	2
	Matiz	all	<b>24152/24012</b>	2
<b>Chrysler</b>	300M, Grand Voyager, Neon, PT Cruiser, Stratus, Sebring, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27204</b>	
	300C	all	<b>24214/24019</b>	2
	Cherokee, XJ, KJ, TJ	all	<b>24138/24010</b>	2
<b>Citroën</b>	C1	all	<b>27179</b>	
	Berlingo, C2, C3, C4, C5, C6, Nemo, PT Cruiser, Stratus, Sebring, Voyager	all	<b>27169/27215</b>	5
	Evasion, C8, Jumpy	all	<b>27222</b>	
	C-Crosser	all	<b>24157/24012</b>	2
<b>Dacia</b>	Logan, Sandero	all	<b>27179/27192</b>	5
<b>Daihatsu</b>	Applaus, Charade, Copen, Cuore, Grand Move G3, Materia, Terios, Sirion, YRV	all	<b>24157/24012</b>	2
<b>Dodge</b>	Avenger, Caliber, Jeep Compass, Patriot PK	all	<b>24157/24012</b>	2
	Nitro	all	<b>24138/24010</b>	2
<b>Fiat</b>	Bravo, Idea, Linea, Panda, Punto, Scudo (270), Stilo, 500	all	<b>27216/27215</b>	3
	Croma (194), Grande Punto	all	<b>27179</b>	
	Scudo, Ulysse	all	<b>27222</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Brock/RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	Ka (from '09)	all	<b>27170/27216</b>	5
	Fiesta, Focus, Focus C-max, Ka (till '08), Maverick, Mondeo, Puma, Tourneo Connect	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27205</b>	
	S-max, Galaxy (from '06)	all	<b>24214/24019</b>	2
<b>Honda</b>	Acclaim, Accord (from '82), Aerodeck, Balleade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (ab '83), Quintet, S2000, Sedan, Shuttle, Stream	all	<b>24157/24012</b>	2
	Legend	all	<b>24214/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Carstar, Elantra, Getz, i10, i20, Lantra, Matrix, Sonata	all	<b>24137/24012</b>	2
	Santa Fe	all	<b>24012</b>	
<b>Jaguar</b>	X-Type, S-Type, XJ (from '09)	all	<b>24157/24012</b>	2
	XK8, XKR, XJ (till '03)	all	<b>24138</b>	
<b>Kia</b>	Carens, Carnival, Pro Ceed, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Picanto, Retona, Rio (from '02), Sephia, Shuma, Sorento, sportage, Venga	all	<b>24137/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Kappa, Musa, Thesis, Ypsilon	all	<b>27169/27215</b>	5
	Phedra, Zeta	all	<b>27222</b>	
<b>Lexus</b>	all modells	all	<b>24157/24012</b>	2
	LS	all	<b>24214/24019</b>	2
<b>Mazda</b>	121, 323, 626, 929, Cx7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, Mx3, MX5, MX6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24157/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (from '05) (W169), B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C219), E-Class (from '02) (W211/S211, W212), M-Class	all	<b>27222</b>	
	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), CLC, E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	<b>27204</b>	
	V-Klasse, Vito, Viano	all	<b>27205/27000/ 27222</b>	3
<b>Mitsubishi</b>	3000GT, Carisma, Celeste, Colt, Cordia, Diamante (from '92), Eclipse, Galant 1.8, Galant 2.0 (from '88), SpaceStar, ES1-R, Galant, Grandis, I-Car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia	all	<b>24195</b>	
		all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Brock/RC

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Nissan</b>	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Maxima, Murano, Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai, Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	<b>24154/24013</b>	2
	Primastar	all	<b>27205/27000</b>	3
	Micra K12, Note	all	<b>27179</b>	
<b>Opel/Vauxhall</b>	Agila (from '04), Astra, Corsa, Kadett, Vectra, Meriva	all	<b>27179</b>	
	Agila (till '03)	all	<b>24154/24013</b>	2
	Antara, GT, Sintra	all	<b>24157/24012</b>	
	Vivaro	all	<b>27000/27205</b>	3
	Insignia	all	<b>24019</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	33, 147, 155, 156, 164, 166, GTV, Spider	all	<b>27169/27215</b>	5
	75, 90	all	<b>24157/24012</b>	2
	145, 146, 164	all	<b>27216/27215</b>	
	159	all	<b>27170/27169</b>	5
<b>Audi</b>	A2, A3, A4, A6	all	<b>27181/28018</b>	3
	A8	all	<b>27181/27000/ 27205</b>	3
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (7/G) (till '01), Z3, Z4	all	<b>27221</b>	
		except:		
		C4 809 4016	<b>27179/27015/ 27112/27013</b>	
		C6 8520 3516	<b>27179/27015/ 27112/27013</b>	
		C6 859 4016	<b>27014/27179/ 27015</b>	
		C6 9520 3516	<b>27014/27179/ 27015</b>	
		C6 959 4516	<b>27112/27013/ 27014</b>	
		C8 809 4016	<b>27112/27013/ 27014</b>	
	C8 959 4016	<b>27179/27015/ 27112/27013/ 27014</b>		
	7-series (765)	all	<b>27181/27205</b>	5
		except:		
		C6 859 4016	<b>27208</b>	
		C6 959 4516	<b>27208</b>	
	X3, X5 (till 12/'06)	all	<b>27205</b>	
		except:		
		C6 959 4516	<b>27183</b>	
<b>Chevrolet</b>	Evanda, Kalos, Korrando, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Sertio, Tacuma, Rezzo	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Chrysler</b>	Neon, PT Cruiser, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	C8, Evasion, Jumpy	all	<b>27181</b>	5
	AX, Saxo, Xania, Xsara, XM, ZX,	all	<b>27216/27170</b>	5
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Move, Sirion	all	<b>24157/24012</b>	2
<b>Fiat</b>	500, Brava, Bravo, Coupé, Croma (till '04), Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto (176), Seicento, Stilo, Tempra, Tipo, Uno	all	<b>27216/27215</b>	3
	Scudo, Ulysse	all	<b>27181</b>	
<b>Ford</b>	C-Max, Cougar, Escape/Maverick, Escort/GAL, Fiesta, Focus, Fusion, Ka, Mondeo, Orion II, Probe, Puma, Scorpio, Sierra, Transit (Typ E), Turneo Connect, Windstar	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all except: C1 656 5060S	<b>27205</b>  <b>28020</b>	
	Transit (Typ F)	all	<b>24205</b>	
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	2
<b>Honda</b>	Accord, Civic, CR-V, FR-V, HR-V, Integra, Jazz, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Excel, Getz, Matrix, Lantra, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Trajet, Tucson, Verna, XG25, XG30, XG250, XG300, XG350	all	<b>24157/24012</b>	2
<b>Jaguar</b>	X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Cherokee	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Cremos, Magentis, Opirus, Optima, Picanto, Rio (from '02), RS, Sephia, Shuma, Sportage	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Musso, Ypsilon	all	<b>27170/27216</b>	5
	Phedra, Zeta	all	<b>27181</b>	
	Thesis	all	<b>27169/27215</b>	5
<b>Lexus</b>	GS300, GS430, IS200, IS300, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX-8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (202, 203), CLK (208, 209), E-Class (124, 210) (till '01), SL (129), SLK (170, 171)	all	<b>27179</b>	
		except:		
		C6 859 4509	<b>27179/27112/ 27013/27014</b>	
		C6 959 4509	<b>27179/27112/ 27013/27014</b>	
		C8 809 4509	<b>27179/27112/ 27013/27014</b>	
		C8 959 4509	<b>27112</b>	
	A-Class (169), B-Class (245), M-Class (Type 164 for cone seat)	all	<b>27181</b>	
	CL (215), E-Class (211), M-Class (163, 164), S-Class (220, 221), SL (230), Sprinter, Vaneo (414), Viano (638, 639), Vito (638, 639)	all	<b>27205/27000</b>	5
		except:		
		C6 8520 4009	<b>27205/27183/ 27209</b>	
		C6 859 4509	<b>27205/27183/ 27209/27208</b>	
		C6 9520 4009	<b>27205/27183</b>	
		C6 959 4509	<b>27209</b>	
		C8 809 4509	<b>27205/27183/ 27209/27208</b>	
	R-Class	all	<b>28018/27205</b>	5
	M-Class (164 for radius seat)	all	<b>28025</b>	
<b>Mini</b>	Mini One (R50) (till 08/'06)	all	<b>27179</b>	
	Mini (from 04/'07)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, Almera, Maxima, Micra (K11), Primera, Qashqai, Serena, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12),	all	<b>27179</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Astra, Calibra, Combo, Corsa, Kadett E, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	<b>27179</b>	
	Movano, Vivaro	all	<b>27205</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Peugeot</b>	106, 205, 206, 306, 307, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27179</b>	
	806, 807, Evasion, Expert	all	<b>27181</b>	
<b>Proton</b>		all	<b>24157/24012</b>	2
<b>Renault</b>	Avantime, Espace, Laguna (B56/K56), Safrane, Vel Satis	all	<b>27181</b>	
	Clio, Espace, Kangoo, Laguna (B56, K56), Mégane, Modus, Safrane, Scénic, Twingo (all models with 4-hole-wheels)	all	<b>27207/27179</b>	5
	Laguna (G)	all	<b>27207/27179</b>	5
	Master, Trafic	all	<b>27205</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 8-series, Freelander	all	<b>24157/24012</b>	2
	75, MG ZT, MG ZT-T	all	<b>27181</b>	
<b>Saab</b>	900 S/SE (from 07/'93), 9.3, 9.5	all	<b>27179</b>	
	9000	all	<b>27181</b>	
<b>Seat</b>	Alhambra	all  except: C1 656 5060S	<b>27205</b>  <b>28018</b>	
	Altea, Cordoba, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27181/27183/28018</b>	3
	Arosa, Cordoba, Ibiza, Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Skoda</b>	Fabia, Felicia (all models with 4-hole-wheels)	all	<b>27179</b>	
	Fabia, Octavia, Roomster, Superb (all models with 5-hole-wheels)	all	<b>27181/27183/28018</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Legacy	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Ignis (FH), Liana, Swift (EA, MA), Wagon R (EM)	all	<b>24152/24013</b>	2
	Ignis (MH), Wagon R (MM)	all	<b>27179</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, Prius, RAV-4, Yaris	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# CMS

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Bora, Caddy, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Touran (all models with 5-hole-wheels)	all	<b>27181/27183/ 28018</b>	3
	Corrado, Golf, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	LT, Sharan, T4	all  except:  C1 656 5060S	<b>27205</b>  <b>28032</b>	
	T5, Touareg	all	<b>28032</b>	
<b>Volvo</b>	S40, V40, C70 (from '06)	all	<b>24157/24012</b>	2
	S60,S80, V70	all	<b>27181</b>	
	XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Acura</b>	Mdx	all	<b>24028</b>	
<b>Alfa Romeo</b>	147, 156, 166, GT, GTV, Spider (from '95 till '05)	all	<b>27169/27215</b>	5
	159	all	<b>27181</b>	
<b>Audi</b>	80, 90 (89, 89Q, B4), 100, 200 (C4), A2, A3, A4, A5, A6, A8, RS2, RS4, RS6, S2, S3, S4, S6, TT	all	<b>27181</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 7-series (till '01), Z3, Z4		<b>27179/27221</b>	3
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27181</b>	
	X5 ( from 01/'07)	all	<b>27226</b>	
<b>Buick</b>	Century, LaCrosse	all	<b>24028</b>	
<b>Cadillac</b>	CTS, Deville, STS	all	<b>24028</b>	
<b>Chevrolet</b>	Beretta, Camaro, Captiva, Cavalier, Corsica, Corvette, C/K 2WD, Epica, Evanda (from '03), Geo Tracker, Impala, Kalos, Lacetti, Leganza, Matiz, Montecarlo, Nubira (KLAJ) (from '99 till '03), Rezzo, Tacuma, Trailblazer, Trans Sport	all	<b>24028</b>	
	Espero (till '99), Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	<b>27179</b>	
<b>Chrysler</b>	300C	all	<b>24214/24018</b>	
	300M, Daytona, LeBaron, Neon, New Yorker, PT Cruiser, Saratoga, Sebring, Stratus, Vision, Voyager (from '96)	all	<b>24028</b>	
	Crossfire	all	<b>27221</b>	
<b>Citroën</b>	Berlingo, Picasso, Saxo, XM, Xsara, ZX	all	<b>27169</b>	
	C1	all	<b>27221</b>	
	C2, C3, C4, C5, C6	all	<b>27169/27215</b>	5
	C-Crosser	all	<b>24028</b>	
	Evasion, C8, Jumpy	all	<b>27181</b>	
<b>Dacia</b>	Logan	all	<b>27221</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Copen, Cuore, Feroza, Gran Move, Materia, Move, Rocky, Sirion, Terios, Trevis, YRV	all	<b>24028</b>	
<b>Dodge</b>	Caliber	all	<b>24028</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Coupé, Marea, Multipla, Palio, Panda (169), Punto, Weekend, Tempra	all	<b>27169</b>	
	Croma, Grande Punto, Sedici	all	<b>27221</b>	
	Panda (from '03), Punto, Stilo	all	<b>27215</b>	
	Ulysse	all	<b>27181</b>	
<b>Ford</b>	C-Max, Cougar, Escape, Escort, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Probe, Puma, Scorpio, Sierra, Taurus, Tourneo, TX5, Windstar	all	<b>24028</b>	
	Galaxy (till '05)	all	<b>27181</b>	
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	2
<b>Honda</b>	Accord, Civic, Concerto, Coupé, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Logo, Prelude, Shuttle, Stream	all	<b>24028</b>	
<b>Hyundai</b>	Accent, Atos, Avante, Coupé, Elantra, Excel, Getz, I30, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Tucson, XG 25, XG 30, XG 35	all	<b>24028</b>	
<b>Infiniti</b>	FX35, FX45, I30, J30, Q45	all	<b>24200</b>	
<b>Isuzu</b>	Trooper	all	<b>24028</b>	
<b>Jaguar</b>	S-Type, XJ (from '03), X-Type	all	<b>24028</b>	
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Credos, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage	all	<b>24028</b>	
	Rio (till '01)	all	<b>27179</b>	
<b>Lada</b>	Samara	all	<b>27169</b>	
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra	all	<b>27169</b>	5
	Phedra, Zeta	all	<b>27181</b>	5
	Thesis, Ypsilon	all	<b>27215</b>	5
<b>Land Rover</b>	Discovery 3	all	<b>24214/24019</b>	
	Freelander I		<b>24028</b>	
<b>Lexus</b>	ES300, GS/SC300, GS/SC400, IS200-300, RX330, LS300, LS400, LS430, RX300	all	<b>24028</b>	
<b>Mazda</b>	323, 626, 929, B 2500, CX7, Demio, E 2000, E 2200, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Pick up E 2000, Pick up 2200, RX-8, Tribute	all	<b>24028</b>	
<b>Mercedes-Benz</b>	190er (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	<b>27221</b>	
	A-Class (169), B-Class (245), C- Class (W204), CL (215), E-Class (211), G-Model (463), M-Class (163, 164), R-Class (W251), S-Class (140, 220, 221), SL (230), Vito (W639)	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mini</b>	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27179</b>	
	Mini Cooper (from 12/'06), Mini One (from 12/'06), Mini CooperS (from 12/'06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, I-Car, L200, L300, Lancer, Outlander, Pajero, Pinin, Sigma, SpaceGear, SpaceStar	all	<b>24028</b>	
<b>Nissan</b>	100NX, 200SX, 300ZX, 350Z, Almera, Bluebird, King Cfrom, Maxima, Micra (K11), Murano, Navara, Pathfinder, Patrol, Pick up, Prairie, Primera, Qashqai, Serena, Sunny, Terrano, X-Trail	all	<b>24200</b>	
	Micra (K12), Note	all	<b>27221</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24200</b>	
	Agila (from '04), Astra, Calibra, Corsa, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Antara, Frontera, Monterey, Sintra	all	<b>24028</b>	
	Vivaro	all	<b>27181</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 308, 307, 309, 405, 406, 605, 607	all	<b>27169</b>	5
	107	all	<b>27221</b>	
	407, 1007	all	<b>27215</b>	
	4007	all	<b>24028</b>	
	806, 807	all	<b>27181</b>	
<b>Pontiac</b>	Bonneville, Grand Prix	all	<b>24028</b>	
<b>Renault</b>	Avantime, Espace, Grandtour, Laguna, Safrane, Scénic, Trafic, Vel Satis	all	<b>27181</b>	
	Clio, Espace, Grandtour, Kangoo, Laguna, Mégane, Modus, Safrane, Twingo (all models with 4-hole-wheels)	all	<b>27221</b>	5
<b>Rover</b>	25, 45, 200-series, 400-series	all	<b>24028</b>	
	75	all	<b>27181</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27221</b>	
	9.7	all	<b>24200</b>	
<b>Seat</b>	Alhambra, Altea, Cordoba, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27181</b>	
	Arosa, Cordoba, Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27221</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb (all models with 5-hole-wheels)	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Fondmetal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Smart</b>	Forfour	all	<b>24028</b>	
<b>Ssangyong</b>	Rexton	all	<b>24028</b>	
	Kyron, Actyon, Rexton (RJ)	all	<b>24214/24019</b>	2
	Rodius	all	<b>27181</b>	
<b>Subaru</b>	Forester, Impreza, Justy, Legacy, Tribeca, Vivio	all	<b>24200</b>	
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Grand Vitara, Ignis (FH), Jimny, Liana, Sedan, Sidekick, Swift (EZ), SX4 (GY), Vitara, Wagon R (EM), X-90	all	<b>24200</b>	
	Ignis (MH), Swift (MZ), SX4 (EY)	all	<b>27221</b>	
<b>Toyota</b>	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, Harrier, Hiace, Hilux (N16/17), Landcruiser J12, Landcruiser J80, Landcruiser J90, MR2, Paseo, Picnic, Pick up, Previa, RAV4, Soarer, Starlet, Yaris	all	<b>24028</b>	
	Aygo	all	<b>27221</b>	
	Hilux (N25T), Landcruiser (J10)	all	<b>24214/24018</b>	2
	Landcruiser J12, J80, J90	all	<b>24028</b>	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo, Sharan, Tiguan, Touareg, Touran, Vento (all models with 5-hole-wheels)	all	<b>27181</b>	
	Golf, Jetta, Lupo, Polo, Vento (all models with 4-hole-wheels)	all	<b>27221</b>	
<b>Volvo</b>	740, 760, 780	all	<b>24028/24137</b>	3
	C30, S40, V40, V50, S90, V90	all	<b>24028</b>	
	S60, S80, V70, XC70, XC90	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 166	all	<b>27169/27215</b>	3
	159, Brera	all	<b>27222</b>	
<b>Audi</b>	A2, A3 (8L), S3 (8L), TT (8N)	all	<b>27181</b>	
	A3 (8P), A4, A5, A6, A8, S4, S5, S6, S8, TT (8J)	all	<b>27222</b>	
	Q7	all	<b>28032</b>	
<b>BMW</b>	1series, 3 series, 5 series, 6 series, 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	<b>27179/27221</b>	3
	1 series (from '02), X3, X5 (till 12/'06)	all	<b>27205/27000</b>	5
	X5 (from 01/'07), X6, 7-series (from 10/'08), GT-5	all	<b>27226</b>	
<b>Chevrolet/</b>	Evanda, Kalos (Klas), Lacetti (Klan), Nubira (Klan), Rezzo, Tacuma	all	<b>24157/24012</b>	2
<b>Chrysler</b>	Crossfire	all	<b>27179</b>	
	Pt Cruiser, Sebring, Stratus, Cabrio	all	<b>24157/24012</b>	2
<b>Citroën</b>	C1	all	<b>27179</b>	
	Berlingo, C2, C3, C3 Pluriel, C4, C4 Picasso, C5	all	<b>27169/27215</b>	3
<b>Dacia</b>	Logan	all	<b>27222</b>	
<b>Daihatsu</b>	Materia, Sirion, YRV	all	<b>24195/24012</b>	2
<b>Dodge</b>	Avenger, Caliber	all	<b>24157/24012</b>	2
<b>Fiat</b>	500, Brava (182), Bravo (182), Multipla, Palio Weekend, Panda (169), Punto (176,188), Strada	all	<b>27169/27215</b>	3
	Croma, Grande Punto, Sedici	all	<b>27179</b>	
<b>Ford</b>	Fiesta, Focus, Focus C-max, Ka (RBT), Maverick, Mondeo, Tourneo Connect,	all	<b>24157/24012</b>	2
	Galaxy I	all	<b>27205/27000</b>	5
	Galaxy II, S-max	all	<b>24214/24019</b>	2
<b>Honda</b>	Accord, Civic, CR-V, FR-V, HR-V, Jazz, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupe, i10, i30, Getz, Grandeur, Matrix, Sonata, Santa Fe, Trajet, Tucson, XG250, XG300, XG350	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, X-Type, XJ6, XJ8	all	<b>24195/24012</b>	2
<b>Jeep</b>	Compass, Patriot	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Magentis, Opirus, Picanto, Rio (from '02), Shuma, Sportage	all	<b>24195/24012</b>	2
	Rio (from '01)	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Lada</b>	1118, 1119	all	<b>27169/27215</b>	5
<b>Lancia</b>	Y, Lybra	all	<b>27169/27215</b>	3
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	all models	all	<b>24195/24012</b>	2
<b>Mazda</b>	Demio, 2, 3, 5, 626, 6, CX-7, MX-5, RX-8, MPV, Premacy, Tribute	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (168), C-Class (202, 203K, 203CL), CLK (208, 209), E-Class (210, 210K), SLK (170, 171), Vaneo (414)	all	<b>27179</b>	
	A-Class (169), B-Class (245), C-Class (204, 204K), CL (215), CLS (219), E-Class (211, 211K), M-Class (163, 164), R-Class, S-Class (220, 221), SL (230), Vito (639)	all	<b>27222</b>	
<b>Mini</b>	Cabriolet (R50 till 03/06), Mini Cooper (till 08/06), Mini Cooper S (till 08/06), Mini One (till 08/06)	all	<b>27179</b>	
	Cabriolet (R50 from 04/06), Clubman, Mini Cooper (R56 from 09/06), Mini Cooper S (R56 from 09/06), Mini One (R56 from 09/06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Colt, Grandis, Lancer, Outlander	all	<b>24195/24012</b>	2
<b>Nissan</b>	Almera, Almera Tino, Micro (K11), Murano, Primera, Qashqai, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27179</b>	
<b>Opel</b>	Astra, Combo C, Corsa, Meriva, Omega, Signum, Tigra Twin Top, Vectra (all models with 4-hole-wheels)	all	<b>27221</b>	
	Astra, Agila (from '08), Corsa, Meriva, Omega, Signum, Vectra, Zafira (all models with 5-hole wheels)	all	<b>27179</b>	
	Agila (till '07)	all	<b>24152/24013</b>	2
<b>Peugeot</b>	107, 1007, 206, 207, 307, 308, 407, 607, Partner	all	<b>27169/27215</b>	5
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Clio, Kangoo, Laguna (G), Megane, Modus, Scenic, Twingo, Vel Satis	all	<b>27179</b>	
	Espace, Vel Satis	all	<b>27222</b>	
	Laguna (T)	all	<b>27205/27000</b>	2
<b>Saab</b>	9.3, 9.5	all	<b>27179</b>	
		all		

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Magma

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra	all	<b>27000/27205</b>	5
	Altea	all	<b>27222</b>	
	Arosa	all	<b>27179</b>	
	Ibiza, Leon, Toledo	all	<b>27181/27222</b>	
<b>Skoda</b>	Fabia, Octavia, Praktik, Roomster, Superb	all	<b>27181/27222</b>	3
<b>Smart</b>	Forfour	all	<b>24195/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Legacy	all	<b>24152/24013</b>	2
<b>Suzuki</b>	Grand Vitara, Ignis (FH), Liana, Swift (EZ)	al	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), SX4	all	<b>27179</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Celica, Corolla, Rav4, Yaris,	all	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	
<b>Volkswagen</b>	Eos, Fox, Golf 4, Golf 5, Passat, Phaeton, Polo (9N), Tiguan, Touran, T4	all	<b>27222</b>	
	Lupo, Polo (6N)	all	<b>27179</b>	
	Sharan, T5	all	<b>27205/27000/ 28032</b>	3
	Touareg	all	<b>28044</b>	
<b>Volvo</b>	C30	all	<b>24195/24012</b>	2
	C70 (M), S40, V40, V50	all	<b>24157/24012</b>	2
	S60, V70 (S, T, J), XC90	all	<b>27222</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Mangels

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Audi</b>	80, 90 (89, Q, B4), 100, 200, A2, A3, A4, A5, A6, A8, S2, S3, S4, S6, S8, TT	all	<b>27181</b>	
<b>BMW</b>	3-series	all	<b>27179</b>	
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J)	all	<b>27207</b>	
<b>Chrysler</b>	Neon, PT Cruiser, Stratus	all	<b>24157/24012</b>	2
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Trevis, X-over	all	<b>24157/24012</b>	2
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma, Marea, Palio, Punto, Stilo, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
<b>Ford</b>	Cougar, Escort, Fiesta, Focus, Ka, Mondeo, Orion, Puma, Scorpio	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27205</b>	
<b>Honda</b>	Accord, Civic, CR-V, HR-V, Legend, Logo, Prelude	all	<b>24157/24012</b>	2
<b>Kia</b>	Carnival, Cee'd, Clarus, Sephia, Shuma	all	<b>24157/24012</b>	2
<b>Lancia</b>	Dedra, Delta, Lybra, Thema, Ypsilon	all	<b>27169/27215</b>	5
<b>Mazda</b>	121, 323, 626, CX7, Demio, MX3, MX5, Premacy, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (168) (till '04), C-Class (202, 203, H0), CLK (208), E-Class (124, 210)	all	<b>27179</b>	
<b>Mitsubishi</b>	Carisma, Colt, Galant, I-car, Lancer, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, Almera, Maxima, Micra (K11), Prairie, Primera, Sunny	all	<b>24157/24012</b>	2
<b>Opel</b>	Astra, Calibra, Corsa, Tigra, Vectra, Zafira	all	<b>27179</b>	
<b>Proton</b>	all models	all	<b>27169</b>	
<b>Renault</b>	Clio, Espace, Grandtour, Laguna, Mégane, R5, R19, Safrane, Twingo	all	<b>27207/27179</b>	5
<b>Rover</b>	75	all	<b>27181</b>	
	200-series, 400-series, 600-series, 800-series	all	<b>24157/24012</b>	2
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Arosa, Cordoba, Ibiza (6K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
	León, Toledo (all models with 5-hole-wheels)	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Mangels

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Skoda</b>	Fabia, Octavia (all models with 5-hole-wheels)	all	<b>27181</b>	
	Favorit, Felicia, Forman, Pick Up (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Subaru</b>	Forester, Impreza, Justy	all	<b>24152/24013</b>	2
<b>Suzuki</b>	Baleno, Swift (EA, MA), Wagon R (EM)	all	<b>24152/24013</b>	2
<b>Toyota</b>	Auris, Avensis, Carina, Celica, Corolla, MR2, Paseo, Starlet, Yaris	all	<b>24195/24012</b>	2
<b>Volkswagen</b>	Bora, Corrado, Eos, Golf, New Beetle, Passat, Vento (all models with 5-hole-wheels)	all	<b>27181</b>	
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Pickup, Polo, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	Sharan	all	<b>27205</b>	
<b>Volvo</b>	440, 460, 480	all	<b>27169</b>	
	C30, S40, V40	all	<b>24157/24012</b>	2; 3
	C70 (N), S80, V70 (B), XC60	all	<b>27000/27205</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Momo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145,146,147,155,156, Spider	all	<b>27169/27185/ 27562*</b>	3
<b>Audi</b>	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A2, A3, A4, A5, A6, A8, S2, S3, S4, S6, S8, TT, V8	all	<b>27222</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 7-series (till '01), 8-series, Z3, Z4	all	<b>27179/27221</b>	3
	7-series (from '02), X5 (till 12/'06)	all	<b>27181/27183</b>	3
<b>Chevrolet</b>	Espero, Lanos, Nexia, Nubira, Sertio	all	<b>27179/24157/ 24012</b>	3
<b>Chrysler</b>	300M, Neon, PT Cruiser, Stratus, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	C5, Picasso, Xantia, ZX	all	<b>27169/27215</b>	5
<b>Dacia</b>	Logan	all	<b>27179/27221</b>	3
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Charade, Copen, Gran Move, Justy, Materia, Sirion, Trevis, YRV	all	<b>24157/24012</b>	2; 3
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Coupé, Croma, Idea, Marea, Multipla, Musa, Palio, Punto, Stilo, Strada, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
	Croma (194), Grande Punto (199), Sedici	all	<b>27179/27221</b>	3
<b>Ford</b>	Cougar, Escort, Espace, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe, Puma, Tourneo	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27181</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Legend, Logo, Prelude, Shuttle	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Getz, Grandeur, i30, Lantra, Matrix, Pony, Santa Fé, S-Coupé, Sonata, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, X-Type	all	<b>24157/24012</b>	2
	X16, XJS, XK8, XKR	all	<b>24130</b>	
<b>Jeep</b>	Compass	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Cee'd, Clarus, Credos, Magentis, Picanto, Rio (from '02), Sephia, Shuma, Sportage	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Dedra, Delta, Prisma, Lybra, Thema, Ypsilon, Y10	all	<b>27169/27215</b>	5
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (DB from '91), 323, 626, 929, CX7, Demio, MX3, MX5, MX6, Premio, Protege, RX7, Tribute, Xedos	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Momo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	A-Class (168) (till '04), C-Class (201, 202, H0, 203), CLK (208, 209), E-Class (210, 124), SL (129), SLK (170, 171)	all	<b>27221/27179</b>	3
	A-Class (169), B-Class, C-Class (204), CL (215), E-Class (211), S-Class (140, 220)	all	<b>27222/27181</b>	3
<b>Mini</b>	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27221</b>	
	Mini Cabrio (R50) (from 04/'06), Mini Cooper (R50) (from 09/'06), Mini Cooper S (R50) (from 09/'06), Mini One (R50) (from 09/'06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, I-car, Lancer, Mirage, Pajero, Outlander, Sapporo, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	200SX, 300ZX, Almera, Bluebird, Cherry, Maxima, Micra (K11), Patrol, Pathfinder, Prairie, Primera, Qashqai, Serena, Stanza, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27221</b>	
<b>Opel</b>	Agila, Ascona C, Astra, Calibra, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27179/27204/27563*</b>	3
	Antara, Sintra	all	<b>24157/24012</b>	2
<b>Peugeot</b>	1007, 205, 206, 207, 306, 307, 308, 309, 405, 605, 607	all	<b>27169/27215</b>	5
	107	all	<b>27179</b>	
<b>Proton</b>	all models	all	<b>24157/24012</b>	2
<b>Renault</b>	Clio, Espace, Laguna, Logan, Mégane, R5, R19, R21, R25, Safrane, Twingo	all	<b>27221/27179</b>	3
	Espace, Laguna, Safrane (all models with 5-hole-wheels)	all	<b>27181</b>	
<b>Rover</b>	200-series, 400-series, 600-series, Concerto, Sreetwise	all	<b>24157/24012</b>	2
<b>Saab</b>	9.3, 9.5	all	<b>27204/27563*</b>	3
<b>Seat</b>	Altea, León, Toledo (all models with 5-hole-wheels)	all	<b>27222</b>	
	Arosa, Cordoba, Ibiza (6/K), Inca, Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
	Alhambra	all	<b>27000/27205</b>	5
<b>Skoda</b>	Fabia, Felicia, Octavia, Roomster (all models with 5-hole-wheels)	all	<b>27222</b>	
	Favorit, Felicia, Forman, Pick Up (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Subaru</b>	Justy	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Ignis (FH), Liana, Samurai, Swift (EA, MA), Vitara (JT)	all	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), SX4, Wagon R	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Momo

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Toyota</b>	Avensis, 4-Runner, Auris, Camry, Carina, Celica, Corolla, Corona, Landcruiser, MR2, Paseo, Prairie, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Golf, New Beetle, Passat 3B, Sharan, Touran (all models with 5-hole-wheels)	all	<b>27222</b>	
	Corrado, Golf, Jetta, Lupo, Passat, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	Sharan	all	<b>27000/27205</b>	3
<b>Volvo</b>	740, 760, 940, 960, 980, C30, C70, S40, V40, V50	all	<b>24157/24012</b>	2
	S60, S80, V70	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Oxigin

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	159, Brera, Spider (from '06)			3
		all	<b>27181/27222</b>	3
<b>Audi</b>	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A2 (15" + 16" wheels), A3, A4, A5, A6, A8, Cabrio, S2, S4, S6, S8, V8, TT, TT Roadster, Q5	all	<b>27181/27222</b>	3
<b>BMW</b>	1series, 3 series, 5 series, 6 series, 7 series (till '01), 8 series, X1, Z1, Z3, Z4, Z8	all	<b>27179</b>	
	7 series (from '02), X3, X5 (till 12/'06)	all	<b>27205</b>	
	X5 (from 01/'07), X6, 7 series (from 10/'08), 5 GT	all	<b>27226</b>	
<b>Chrysler</b>	300M, Cirrus, Concorde, Conquest, Eclipse, Grand Voyager, Horizon, Imperial, Laser, Le Baron (from '92), LHS, Neon, New Yorker (FWD), Omni, PT Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/T10Vison, Voyager	all		
		all	<b>24157/24012</b>	2
	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	Ax, Axel, Berlingo, C15, Saxo, Xantia, XM, Xsara, ZX, C2, C3, C4, C5, C6, Nemo	all	<b>27169/27215</b>	5
<b>Dacia</b>	Logan, Sandero	all	<b>27179</b>	
<b>Daewoo/</b>	Aranos, Cielo, Espero, Lanos, Leganza (till '99), Nexia, Nubira (till '99)	all	<b>27179</b>	
	Evanda, Kalos, Korrande, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Rezzo	all	<b>24157/24012</b>	2
<b>Daihatsu</b>	Applause, Charade, Charmant, Copen, Cuore, Domino, Feroza, Freeclimber, Gran Move, Materia, Move, Pioneer, Rocky, Sirion, Taft, Terios, Trevis, Wildcat (4x4), X-over, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	Croma (from '05), Grande Punto, Sedici	all	<b>27179</b>	
<b>Ford</b>	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort GAL, Fiesta GFJ, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Modeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27222/27205</b>	3
	Galaxy (from '06)	all	<b>24214/24019</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Oxigin

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Honda</b>	Acclaim, Accord (from '82), Aerodeck, Balleade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Getz, H1-Starex, i10, i30, Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	<b>24195/24012</b>	2
<b>Kia</b>	Carens, Carnival, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Picanto, Retona, Sephia, Shuma, Sorento, Sportage, Venga	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	<b>27179/27204</b>	3
	A-Class (from '05) (W169), B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C219), E-Class (from '02) (W211/S211, W212), E- Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	all	<b>27181/27222</b>	3
	Vito (638)	all	<b>27205/27222</b>	3
<b>MG Rover</b>	75, ZT, ZT-T	all	<b>27222</b>	
<b>Mini</b>	Cabrio (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	<b>27179</b>	
	Cabrio (R50 from 04/'06), Clubman, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06)	all	<b>27226</b>	
	Clubman	all	<b>27229</b>	
<b>Mitsubishi</b>	Celeste, Colt, Cordia, ESI-R, Galant, Grandis, I-car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, 300ZX, Bluebird, Cedric, Cefiro, Cherry, Fair-lady Z, Laurel, Leopard, Micra (till '02), Prairie, QX, Silvia, Stanza, Sunny, Turbo, 240SX, 300ZX (from '86), 350Z, Almera, Axxess, Maxima, Murano, Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai, Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	<b>24154/24013</b>	2
	Micra (from '03 = K12), Note	all	<b>27179</b>	
<b>Opel</b>	Ascona C, Astra (till '08), Calibra, Combo, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	<b>27179/27221</b>	3
<b>Peugeot</b>	106, 205, 205 GTI, 206, 207, 305 (from '82), 306, 307, 308, 309 GTI, 405, 405 MI16, 405 SRI, 406, 407, 506, 605, 607, CC	all	<b>27169/27215</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Oxigin

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Renault</b>	Clio, Clio II, Express, Fuego, Kangoo, Laguna (till '05), Mégane (till '05), Nevada, R5 (from '85), R9, R11, R18 D/TD, R19, R20 D, R21 RX, R25 (4-H), R30 TD, Safrane, Scénic (till '05)	all	<b>27179</b>	
	Clio III, Clio (from '08), Grand Scénic (from '05), Laguna (from '05-'07), Logan (from '05), Mégane (from '05), Modus (from '05), Scénic (from '05), Twingo II	all	<b>27179</b>	
	Avantime, Espace, Grand Espace, Laguna (ab 04/'08)	all	<b>27181/27222</b>	3
<b>Saab</b>	9.3, 9.5, 900 S, SE (from 07/'93)	all	<b>27179</b>	
<b>Seat</b>	Altea, Cordoba, Exeo, Ibiza, Leon, Toledo (all models with 5 hole wheels)	all	<b>27181/27222</b>	3
	Arosa Cordoba, Ibiza (6/K), Inca, Toledo all models with 4 hole wheels	all	<b>27179</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27222/27181</b>	3
<b>Subaru</b>	Impreza, Legacy	all	<b>24152/24013</b>	2
<b>Suzuki</b>	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Sprint, Swift (from '90), Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	all	<b>24152/24013</b>	2
<b>Toyota</b>	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	<b>24157/24012</b>	2
<b>Volkswagen</b>	Eos, Golf IV, Golf V, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Scirocco, Tiguan, Touran	all	<b>27181/27222/ 27205</b>	3
	Sharan, T5, Touareg	all	<b>27205/27222</b>	3
<b>Volvo</b>	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2
	C70 (from '00 till 12/'05), C80, S60, S80, V70 (from '00), XC60, XC70, XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146	all	<b>27170/27216</b>	5
	147, 155, 156, 164, 166, GT, Spider	all	<b>27169/27215</b>	
<b>Aston Martin</b>	DB7	all	<b>24138/24130</b>	5
<b>Audi</b>	A2 (8Z), A3 (8L), S3 (8L), TT (8N)	all	<b>27222</b>	
	A3 (8P), A4 (B5, 8E, 8H), A6 (4B, 4F), A8 (4E, D2), RS6, S4, S6, S8, TT (8J)	all	<b>28032/27205</b>	3
	A6 Allroad (4B), RS4 (B5)	all	<b>28032/27205</b>	3
		except: Canyon 8x18	<b>28042/27208</b>	3
		Canyon ST 8x20	<b>28042/27208</b>	3
		Palladio ST 8x20	<b>28042/27208</b>	3
		Sardegna 8x18	<b>28042/27208</b>	3
	Sardegna 8x20	<b>28042/27208</b>	3	
<b>Bentley</b>	Continental	all	<b>28042</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (7/1, 7/G), 8-series, Z3, Z4, Z8	all	<b>27179/27013</b>	3
		except: Botticelli 8x19	<b>27013</b>	
		Palladio 7 1/2x17	<b>27013</b>	
		Raffaello 8x19	<b>27013</b>	
	7-series (from '02)	all	<b>27205/27208</b>	3
X3	all	<b>27205</b>		
X5 (till 12/'06)	all	<b>27181</b>		
<b>Chevrolet</b>	Corvette, Epica (Klal) Kalos (Klas), Lacetti (Klan), Leganza (Klav, Supv), Nubira (KLAN) (from '00), Tacuma (Klau)	all	<b>24157/24012</b>	2
	Espero, Lanos ( Klat, Supt), Nexia (Kletn), Nubira (till '99)	all	<b>27179/27207</b>	
	Lanos, Nubira	all	<b>27221</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Chrysler</b>	Grand Voyager, Neon, PT Cruiser, Sebring, Stratus, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>28026/27015</b>	3
		except: Galileo III 9 1/2x19	<b>28038/27014</b>	3
		Superleggera III 9x19	<b>28023/27112</b>	3
<b>Citroën</b>	C2, C3, C4, C5, C6, Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27180/ 27216</b>	3; 5
	C1	all	<b>27179</b>	
	C8	all	<b>27181</b>	
<b>Dacia</b>	Logan	all	<b>27207</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Sirion, Terios	all	<b>24157/24012</b>	2
<b>Dodge</b>	Caliber, Neon	all	<b>24157/24012</b>	2
<b>Fiat</b>	Barchetta	all	<b>27169/27215</b>	5
	Brava (182), Bravo (182), Coupé (FA,175), Croma, Idea, Marea (185), Palio Weekend (178), Punto (176, 188)	all	<b>27170/27216</b>	5
		except: (7x15) W0162605161	<b>27169</b>	
	Grande Punto (199), Sedici (FY)	all	<b>27179</b>	
	Idea (350), Panda (169), Stilo (192)	all	<b>27180</b>	
	Multipla (186)	all	<b>27169</b>	
		except: (7x15) W0162605161	<b>27170</b>	
	Ulysse II	all	<b>27181</b>	
Croma (194)	all	<b>27204</b>		
	except: (8x18) W0174320751			

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	Cougar, Escape, Escort, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra	all	<b>24157/24012</b>	2
	S-Max	all	<b>24214/24019</b>	2
	Street-Ka	all	<b>27204</b>	
	Galaxy (WGR)	all	<b>28025</b>	
	Mustang	all	<b>24130/24138</b>	5
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream, S2000	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Getz, Lantra, Matrix, Santa Fe, Sonata, Tiburon, Tucson, Trajet, XG25, XG30	all	<b>24157/24012</b>	2
<b>Infiniti</b>	FX35, FX45, J30	all	<b>24152/24013</b>	
<b>Jaguar</b>	S-Type, XJ, XJR, X-Type	all	<b>24157/24012</b>	2
	XK8, XKR	all	<b>24193/24010</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Cremos, Magentis (from '06), Opirus (from '03), Picanto, Rio (from '02), Sephia, Shuma, Sportage	all	<b>24157/24012</b>	2
<b>Lamborghini</b>	Gallardo	all	<b>28025/27183</b>	3
	Murcielago	all	<b>27181</b>	
<b>Lancia</b>	Dedra, Musa, Ypsilon (840, 843)	all	<b>27170/27216</b>	5
	Delta, Lybra, Thema	all  except:  (7x15) W0162605161	<b>27169/27215</b>  <b>27169/27170</b>	5
<b>Land Rover</b>	Freelander I (LN, LND)	all	<b>24157/24012</b>	2
	Range Rover	all	<b>24214/24019</b>	2; 3
<b>Lexus</b>	ES300, GS300, GS430, GS450h, IS, IS200, IS300, LS400, LS430, RX, RX300, SC300, SC400, SC430	all	<b>24195/24012</b>	2
<b>Maserati</b>	Quattroporte	all	<b>27205</b>	
<b>Mazda</b>	121 (DB from '91), 323, 626, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	A-Class (169), B-Class (245), CL (216), S-Class (221), SL (230)	all	<b>28044</b>	
	CL (140C, 215), GL-Class (X164), M-Class (164), R-Class (251), S-Class (140, 220)	all	<b>28025/27183</b>	3
	A-Class (168), C-Class (202,203CL, HO, 203K, 203), CLK (208, 209), CLS (219), E-Class (124, 124T, 210, 210K, 211, 211K), SL (129), SLK (170, 171), Vaneo (414)	all	<b>28026/28023 Radius</b>  <b>27015/27013 taper</b>	3  3
<b>Mini</b>	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27179</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Lancer, Pajero, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, 300ZX, 350Z, Almera, Bluebird, Cima, Maxima, Micra (K11), Murano, Prairie, Primera, Pulsar, Serena, Teana, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27179</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Astra, Calibra, Corsa, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	<b>27204/27179</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Peugeot</b>	1007	all  except:  (7x16) W0162224061	<b>27216/27180</b>	5
	106, 206, 207	all  except:  (7x18) W0176925061  (7x18) W0176925161	<b>27169</b>  <b>27216</b>  <b>27216</b>	
	107	all	<b>27179</b>	
	306, 307, 406, 407, 605, 607	all  except:  (7x15) W0162624061  (7x15) W0165320207  (7x16) W0162224161  (7x16) W0165520107  (7x17) W0161724161  (7x17) W0161724261	<b>27169/27216</b>    <b>27180</b>  <b>27180</b>  <b>27180</b>  <b>27180</b>  <b>27180</b>	3
807	all	<b>27181</b>		
<b>Pontiac</b>	Solstice	all	<b>27179</b>	
<b>Renault</b>	Avantime, Espace, Laguna	all	<b>27181</b>	
	Clio, Espace, Grand Scénic II, Laguna (B56, G, K56), Mégane, Modus, Safrane, Scénic	all	<b>27207/27179</b>	5
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 800-series, Freelander	all	<b>24157/24012</b>	2
	75	all	<b>27222</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27204</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# OZ/MSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Alhambra	all	<b>28025/27183</b>	3
	Altea, Leon (1P)	all	<b>28032/27205</b>	3
	Arosa, Cordoba (6K), Ibiza (6/K), Inca, Toledo (1L) (all models with 4-hole-wheels)	all	<b>27179</b>	
	Cordoba (6L), Cupra (1M), Ibiza (6L), Leon (1M), Toledo (1L, 1M) (all models with 5-hole-wheels)	all	<b>27222</b>	
<b>Skoda</b>	Fabia (6Y), Felicia, Octavia (1U), Roomster (5J) (all models with 5-hole-wheels)	all	<b>27222</b>	
	Favorit, Felicia (791, 795, 797), Forman, Pick Up (all models with 4-hole-wheels)	all	<b>27179</b>	
	Octavia (1Z), Superb	all	<b>28032/27205</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Legacy, Outback	all	<b>24152/24013</b>	2
	Justy GX3	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Grand Vitara, Liana	all	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ), SX4	all	<b>27179</b>	
<b>Toyota</b>	Avensis, Camry, Carina, Celica, Celsior, Corolla, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Supra, Tercel, Yaris	all	<b>24195/24012</b>	2
	Aygo	all	<b>27179</b>	
<b>Volkswagen</b>	Bora (1J), Fox (5Z), Golf (1H,1HXO, 1HXOF, 1J, ) New Beetle, Polo (9N), Vento (1H,1HXO) (all models with 5-hole-wheels)	all	<b>27222</b>	
	Corrado (53L), Golf (1E, 1EXO, 1H, 1HXO, 1HXOF, 1HX1, 1E), Lupo (6E, 6ES, 6X), Passat (35L, 35L-299), Polo (6KV, 6N, 6NF), Vento (1H, 1HXO) (all models with 4-hole-wheels)	all	<b>27179</b>	
	Eos (1F), Golf V(1K, 1KP), Jetta (1KM), Passat (3B, 3BG, 3BS, 3C), Phaeton (3D), Touran (1T)	all	<b>28032/27205</b>	3
	Sharan (7M)	all	<b>28025/27183</b>	3
<b>Volvo</b>	C70 (M), S40 (M, V), V40 (V), V50 (M)	all	<b>24157/24012</b>	2
	S80 (A), XC90	all  except:  (8x18) W0166920182  (8x18) W0176320361	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Proline

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, GT, Spider	all	<b>27169/27215</b>	5
<b>Audi</b>	80, 90 (85, 89, Q, B4), 100, 200 (44, Q, C4), A2, A3, A4, A5, A6, A8, RS6, S2, S3, S4, S6, S8, TT	all	<b>27222/27181/ 27205</b>	3
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (7/I, 7/G), 8-series, Z3, Z4	all	<b>27179</b>	
	7-series (765)	all	<b>27181</b>	
	X3, X5 (till 12/06)	all	<b>27205</b>	
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Leganza, Matiz, Nexia, Nubira (till '99)	all	<b>27179</b>	
	Kalos, Lacetti, Lanos (KLAS), Leganza, Nubira (from '99), Rezzo	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300M, Neon, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	C2, C3, C4, C5, Saxo, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	C8, Evasion, Jumpy	all	<b>27181</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Trevis, X-over, YRV	all	<b>24157/24012</b>	2; 3
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquecento, Coupé, Croma, Doblo, Idea, Marea, Multipla, Palio Weekend, Panda, Punto, Regata, Ritmo, Seicento, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
	Stilo	all	<b>27170/27216</b>	5
	Ulysse II	all	<b>27181</b>	
<b>Ford</b>	Cougar, Escape, Escort/GAL, Fiesta/GFJ, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Transit	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27205</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, FR-V, HR-V, Integra, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Ascente, Atos, Coupé, Elantra, Excel, Getz, Joice, Lantra, Matrix, Santa Fe, Sonata, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Cremos, Joice, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Thema, Thesis, Ypsilon, Y10	all	<b>27169/27215</b>	5
	Phedra, Z	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Proline

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121 (DB from '91), 323, 626, 929, CX7, Demio, Mazda 2, Mazda 3, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX 8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SL (129,230), SLK (170, 171), Vaneo (414)	all	<b>27179</b>	
	A-Class (169), E-Class (211)	all	<b>27181</b>	
	CL (215), S-Class (140, 220)	all	<b>27181/27205</b>	3
	M-Class (163), Viano (639), Vito (638), V-Class (638)	all	<b>27205</b>	
<b>Mini</b>	Mini Cooper (R50) (till 08/'06)	all	<b>27179</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, Grandis, I-car, Lancer, Outlander, Pajero, Sigma, Space-Runner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, 350Z, Almera, Maxima, Micra (K11), Prairie, Primera, Serena, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12)	all	<b>27207</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Agila (from '04), Ascona, Astra, Calibra, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27179</b>	
<b>Peugeot</b>	106, 205, 206, 306, 307, 405, 406, 407, 605, 607, 807	all	<b>27169/27215</b>	5
	806, 807, Expert	all	<b>27181</b>	
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Avantime, Espace, Laguna (B56, K56), Safrane, Scénic, Vel Satis	all	<b>27181</b>	
	Clio, Espace, Laguna (B56, K56), Mégane, Modus, Safrane, Scénic, Twingo, Vel Satis		<b>27207/27179</b>	
	Laguna (G)	all	<b>27207/27179</b>	5
<b>Rover</b>	25, 45, 200series, 400series, 600series, 800series, MG ZR, MG ZS	all	<b>24157/24012</b>	2
	75	all	<b>27222</b>	
<b>Saab</b>	900 II, 9.3, 9.5	all	<b>27179</b>	
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Altea, Cordoba, Ibiza (6L), León, Toledo (all models with 5 hole wheels)	all	<b>27222/27181</b>	3
	Arosa, Cordoba, Ibiza, Inca, Toledo (all models with 4 hole wheels)	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Proline

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Skoda</b>	Fabia, Felicia, Octavia, Roomster, Superb (all models with 5 hole wheels)	all	<b>27222/27181</b>	3
	Favorit, Felicia, Forman, Pick Up (all models with 4 hole wheels)	all	<b>27179</b>	
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Legacy	all	<b>24154/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Ignis (FH), Liana, Wagon R (EM)	all	<b>24152/24013</b>	2
	Ignis (MH)	all	<b>27179</b>	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Tercel, Verso, Yaris	all	<b>24195/24012</b>	2
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, New Beetle, Passat, Phaeton, Polo, Touran, Vento (all models with 5 hole wheels)	all	<b>27222/27181</b>	3
	Corrado, Golf, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4 hole wheels)	all	<b>27179</b>	
	Sharan, VW-Bus T4	all	<b>27205</b>	
	T5, Touareg	all	<b>28032</b>	
<b>Volvo</b>	850, C70, S70 (L), V70 (L)	all	<b>27186</b>	
	940, 960, C30, S40, S90, V40, V90	all	<b>24157/24012</b>	2
	S60, S70 (J, JV, S), S80, V70 (J, JV, S), XC90	all	<b>27222/27205</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Rial / Viper

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, GT, GTV, Spider, Sport-wagon Q4	all	<b>27169/27215</b>	5
	159, Brera	all	<b>27181</b>	
<b>Audi</b>	100, A3 (8P), A4, A5, A6, A8, RS6, S6, S8	all	<b>27181/28018</b>	3
	A2, A3 (8L), TT, V8	all	<b>27181</b>	
	Q7	all	<b>28032</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 6-series, 7-series (7/L, 7/G), 8-series, Z3, Z4	all	<b>27221</b>	
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27205</b>	
	X5 (from '07)	all	<b>27226</b>	3
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99)	all	<b>27221</b>	
	Captiva (KLAC), Epica, Evanda, Kalos (KLAS), Korrando, Lacetti, Leganza, Musso, Nubira (from '00) , Rezzo	all	<b>24157/24012</b>	2; 3
<b>Chrysler</b>	PT Cruiser, Sebring	all	<b>24157/24012</b>	2; 3
	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	AX, Berlingo, BX, C2, C3, C4, C5, Pluriel, Saxo, Xantia, XM, Xsara, Xsara Picasso, ZX	all	<b>27169/27215</b>	5
	C1	all	<b>27221</b>	
	Evasion, Jumpy	all	<b>27181</b>	
<b>Dacia</b>	Logan	all	<b>27221</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Grand Move, Copen, Cuore, Sirion, YRV,	all	<b>24157/24012</b>	2; 4
<b>Fiat</b>	Barchetta, Brava, Bravo, Doblo, Marea, Multipla, Palio Weekend, Punto	all	<b>27169/27215</b>	5
	Croma (194), Grande Punto	all	<b>27221</b>	
	Idea, Panda, Stilo	all	<b>27170/27216</b>	
<b>Ford</b>	Cougar, Courier, C-Max, Escape, Escort, Fiesta, Focus, Fusion, Ka, Maverick, Mondeo, Orion, Probe, Puma, Scorpio, Sierra, Street Ka, Tourneo Connect, Transit Connect	all	<b>24157/24012</b>	2; 4
	Galaxy (till '05)	all	<b>27181</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CR-X, FR-V, HR-V, Integra, Jazz, Legend, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2; 4
<b>Hyundai</b>	Accent, Amica, Atos, Coupé, Elantra, Excel, Getz, Grandeur, Lantra, Matrix, Pony, Prime, Santa Fe, S-Coupé, Sonata, Trajet, Tucson, XG25, XG30	all	<b>24157/24012</b>	2; 4

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Rial / Viper

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2; 4
<b>Kia</b>	Carens, Carnival, Carstar, Cerato, Clarus, Credos, Magentis, Opirus, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sorento, Sportage	all	<b>24157/24012</b>	2; 4
	Rio (till '01)	all	<b>27221</b>	
<b>Lancia</b>	Dedra, Delta, Lybra, Y (843)	all	<b>27169/27215</b>	5
	Musa, Y (843)	all  except:  LeMans 706 LE70638A12	<b>27170/27216</b>  <b>27169/27215</b>	5
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2; 4
<b>Lexus</b>	GS300, GS430, GS450h, IS200, IS300, LS400, LS430, SC430, RX300	all	<b>24157/24012</b>	2; 4
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX3, MX5, MX6, Premacy, RX8, Trinité	all	<b>24157/24012</b>	2; 4
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SL (129), SLK (170, 171), Vaneo (414)	all	<b>27179</b>	
	A-Class (169), B-Class (245), CL (215, 216), CLS (219), E-Class (211), M-Class (163, 164), S-Class (140, 220, 221), SL (230), R-Class (251), Vito (638, 639), Viano (639), V-Class	all  except:  DV60544M81	<b>27181</b>  <b>28018</b>	
<b>Mini</b>	Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27221</b>	
<b>Mitsubishi</b>	Carisma, Colt, Galant, Grandis, Lancer, Outlander, Pajero Pinin, Space-Runner, SpaceStar, SpaceWagon	all	<b>24157/24012</b>	2; 4
<b>Nissan</b>	350Z, Almera, Maxima, Micra (K10, K11), Primera, Serena, Sunny, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27221</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Agila (from '04), Ascona C, Astra, Calibra, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra, Zafira	all	<b>27221</b>	
	Antara	all	<b>24157/24012</b>	2; 4
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 308, 309, 405, 406, 407, 607, 1007, Partner	all	<b>27169/27215</b>	5
	107	all	<b>27221</b>	
<b>Porsche</b>	Cayenne	all	<b>28032</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Rial / Viper

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Renault</b>	Clio, Kangoo, Laguna (B56, K56), Mégane, Modus, Scénic, Twingo	all	<b>27221</b>	
	Espace, Laguna (B56, K56), Vel Satis (from '03)	all	<b>27181</b>	
	Laguna (G), Vel Satis (till '02)	all	<b>27179</b>	
<b>Rover</b>	25, 45, 200-series, 400-series, MG-ZR, MG-ZS	all	<b>24157/24012</b>	2; 4
	75, MG ZT	all	<b>27181</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27221</b>	
<b>Seat</b>	Alhambra, Altea, Cupra, Cordoba, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27181/28018</b>	3
	Arosa, Ibiza, Inca, Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27181/28018</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2; 4
	Fortwo, Roadster	all	<b>28028</b>	
<b>Subaru</b>	Forester, Impreza, Justy, Legacy	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27221</b>	
<b>Suzuki</b>	Baleno, Ignis (FH), Liana, SX4, Wagon R (till '03)	all	<b>24152/24013</b>	2
	Ignis (MH), Swift (MZ)	all	<b>27221</b>	
<b>Toyota</b>	Avensis, Camry, Carina, Celica, Corolla, MR2, Paseo, Picnic, Previa, Prius, RAV4, Yaris	all	<b>24157/24012</b>	2; 4
	Aygo	all	<b>27221</b>	
<b>Volkswagen</b>	Bora, Caddy, Corrado, Eos, Fox, Golf, Jetta, New Beetle, Passat, Phaeton, Polo (9N), Sharan, T4, Touran, Vento (all models with 5-hole-wheels)	all	<b>27181/28018</b>	
	Caddy, Corrado, Golf, Jetta, Lupo, Passat, Pickup, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	Touareg, T5	all	<b>28032</b>	
<b>Volvo</b>	C70 (from '06), S80, S40, V40, V50,	all	<b>24157/24012</b>	2; 4
	S60, S80, V70, XC70,	all	<b>27181</b>	
	C70 (till '05), XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Ronald

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	147, 155, 156, 166 Crosswagon Q4 (932), GT	all	<b>27169/27185</b>	3; 5
	159, Brera (939), Spider (939)	all	<b>27181/27184</b>	3; 5
<b>Audi</b>	A2, A3 (8L, 8P), A4, A6	all  except: 38R6755.232 42R7805.372	<b>27184/27000/ 28018</b>  <b>27181</b>	3; 5
	A8	all	<b>28018/27184</b>	3
	Q7	all	<b>28032</b>	
	TT	all	<b>27184/27000/ 28032/28018</b>	3; 5
	A5	all	<b>28018/28032</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>BMW</b>	1-series, 3-series (E36, E46, E90)	all  except: 38R6755.111a13 39R6755.111a13 41R6755.111a13 42R6755.111a13 47R8805.111a13	<b>27221/27015/ 28026</b>  <b>28038</b> <b>28038</b> <b>28038</b> <b>28038</b> <b>28038</b>	3
	3-series (E30)	all  except: 10R5704.232	<b>27015</b>  <b>27179</b>	
	5-series, 6-series, 7-series (7/G), Z3, Z4	all  except: 42R6705.111 48R8855.311a17	<b>28026/28027</b>  <b>27179</b>	
	7-series (E65)	all  except: 38R77805.111a10	<b>28043/28032</b>  <b>28042</b>	5
	X3, X5 (till 12/06)	all	<b>28025/28020</b>	3
	8-series	all	<b>28027/28026</b>	3
<b>Chevrolet</b>	Aveo (Klas), Captiva, Epica, Espero, Evanda, Kalos (Klas), Lacetti (Klan), Leganza (Klav, Supv), Nubira (from '00), Rezzo	all	<b>24157/24012</b>	2
	Espero, Lanos, Nexia, Nubira (till '99)	all	<b>27179</b>	
	Matiz	all	<b>24154/24013</b>	5
<b>Chrysler</b>	300C	all	<b>24214/24018</b>	2; 5
	300M, Neon (PL), PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012/ 25000</b>	5; 3
	Crossfire	all	<b>28028/28172</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Ronald

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Citroën</b>	Berlingo, C2, C3, C4, C5, Xantia, XM, Xsara	all	<b>27180/27169/ 27185</b>	3; 5
	C1	all	<b>27221</b>	
	C8, Jumpy	all	<b>27184/27183/ 27209/27000</b>	3
	C5, C6	all	<b>26002</b>	
	C-Crosser	all	<b>28028/28172</b>	3
<b>Dacia</b>	Logan	all	<b>27179</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Copen, Cuore, Materia, Move, Sirion, Terios II, Trevis, YRV,	all	<b>24157/24012</b>	2
<b>Dodge</b>	Caliber	all	<b>24157/24012</b>	2
<b>Fiat</b>	Barchetta, Bravo (182, 198), Idea, Multipla, Musa, Panda, Punto (176, 188), Seicento, Stilo, Tempra, Tipo	all	<b>27169/27180/ 27185</b>	3; 5
	Croma (194)	all  except: 47R6755.060  7R6655.260	<b>27179</b>  <b>28037</b>	3
	Ducato	all	<b>27184/27000</b>	
	Croma, Grande Punto (199)	all	<b>27204</b>	
	Sedici	all	<b>27179</b>	3
	Doblo	all	<b>27180/27185</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	C-Max, Cougar, Escort, Explorer, Fiesta, Focus, Fusion, Ka (till '07), Kuga, Maverick, Mondeo, Orion, Scorpio, Sierra, Puma, Transit Connect	all	<b>24157/24012</b>	2
		except: 44R6655.087 44R6655.191	<b>24212</b> <b>24212</b>	
	Galaxy (till '05)	all except: 285.705.072 287.855.072 42R6755.372 42R7705.372 42R7805.372 44R6655.072 47R8805.272	<b>28032</b> <b>27181</b> <b>27181</b> <b>27205</b> <b>27205</b> <b>27205</b> <b>28020</b> <b>28018</b>	3
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, I10, I30, Integra, Jazz, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Grandeur, Getz, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Trajet, Tucson	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
<b>Jeep</b>	Grand Cherokee, Nitro	all	<b>24138/24010</b>	2
<b>Kia</b>	Carens, Carnival, Cee'd, Cerato, Clarus, Magentis, Opirus, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage	all	<b>24157/24012</b>	2
	Rio (till '01)	all	<b>27179</b>	
<b>Lancia</b>	Dedra, Delta, Lybra, Musa, Thema, Thesis, Ypsilon, Z	all	<b>27169/27180/ 27185/27215</b>	3; 5
	Phedra, Zeta	all	<b>27183/27209</b>	3
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	GS300, GS430, GSH450H, IS200, IS220, IS250, IS300, LS400, LS430, RX300, RX350, RX400, SC430	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 5, Mazda 6, MPV, MX-3, MX-5, MX-6, Premacy, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	A-Class (168), C-Class (202, HO, 203), CLK (208, 209), E-Class (210), SL-Class (129), SLK (170, 171), Vaneo	all	<b>28028/28172</b>	3
	A-Class (169), B-Class, CL-Class (215), E-Class (211, 211K, ML-Class (164), R-Class, S-Class, SL-Class (230)	all	<b>28018/27181</b>	3
	CLS (219), E55 AMG (211, 211K)	all	<b>28032/28044</b>	5
	V-Class, Viano, Vito	all	<b>28044/28018/ 27181</b>	
<b>Mini</b>	Cabriolet (R50 till 03/06), Mini Cooper (till 08/06), Mini Cooper S (till 08/06), Mini One (till 08/06)	all	<b>27221</b>	
	Cabriolet (R50 from 04/06), Mini Cooper (R56 from 09/06), Mini Cooper S (R56 from 09/06), Mini One (R56 from 09/06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Colt, Eclipse, Galant, Grandis, Lancer, Outlander, SpaceRunner, Space-Star, SpaceWagon	all	<b>24195/24012</b>	2
<b>Nissan</b>	100NX, 200SX, Almera, Maxima, Micra (K11), Murano, Prairie, Primera, Qashqai, Sunny, Terrano, Tiida, X-Trai	all	<b>24154/24013</b>	2
	Kubistar, Micra (K12), Note	all	<b>27179</b>	
	Primastar	all	<b>27181</b>	
<b>Opel</b>	Agila (till facelift (e/*98/14*0147*07))	all	<b>24154/24013</b>	2
	Agila (from facelift ell*98/14*0141*08), Astra, Calibra, Combo, Corsa, Kadett, Meriva, Omega, Signum, Tigra, Vectra, Zafira	all	<b>27179/27221</b>	3
	Antara	all	<b>24157/24012</b>	2
	Movano, Vivaro	all	<b>27181</b>	
<b>Peugeot</b>	106, 205, 206, 207, 306, 307, 308, 309, 405, 406, 407, 605, 607, 1007, Partner	all	<b>27180/27185/ 27169</b>	3
	107	all	<b>27179</b>	
	806, 807	all	<b>27183/27209</b>	3
	4007	all	<b>24157/24012</b>	2
<b>Porsche</b>	Cayenne	all	<b>28032</b>	
<b>Renault</b>	Avantime, Espace (JE, K), Laguna (T), Safrane, Scenic RX4 (JA), Vel Satis (6-Cylinder-model)	all	<b>27181/27184</b>	3
	Clio (B, R), Grand Scenic, Kangoo (FC, FCT, KC), Megane II, Modus, Scenic (JA, JM), Twingo (all models with 4-hole-wheels)	all	<b>27221/27015</b>	3
	Laguna(G), Vel Satis (4-Cylinder-Model)	all	<b>27179</b>	
<b>Rover</b>	25, 45, 200, 400, MG-ZR, MG-ZS	all	<b>24157/24012</b>	2
	74, MG-ZT	all	<b>27184/28018</b>	3
<b>Saab</b>	900 S/SE (from 07/93), 9.3, 9.5	all	<b>27179/27221</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Ronal

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Seat</b>	Altea, Cupra, Ibiza (6L), Leon, Toledo (1M) (all models with 5-hole-wheels)	all	<b>27184/28018/ 27000</b>	3
	Arosa (6H, 6HS), Cupra, Ibiza (6K), Inca (9KS), Toledo (all models with 4-hole-wheels)	all	<b>27179/27015</b>	3
<b>Skoda</b>	Fabia (5Y, 6Y), Sedan (6Y), Octavia (1U, 1Z), Roomster, Superb	all	<b>27184/28018/ 27000</b>	3
	Favorit, Felicia, Forman, Pick Up (from 01/93)	all	<b>27179/27015</b>	3
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester (SG, SGS), Impreza, Legacy, Outback	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Grand Vitara, Ignis (FH), Liana, Samurai, Swift (EZ), Vitara (4x4), Wagon R+ (EM)	all	<b>24152/24013</b>	2
	Ignis (MH), Splash, Swift (MZ), SX-4, Wagon R (MM)	all	<b>27179</b>	
	Sx-4, Wagon R (MM)	all	<b>24154/27179</b>	3
<b>Toyota</b>	Auris, Avensis, Celica	all	<b>24195/24012/ 25000</b>	2; 3
	Aygo	all	<b>27179</b>	
	Camry, Carina, Corolla, MR2 (4-hole-wheels), Paseo, Picnic, Previa, Prius, RAV4, Yaris	all  except:  7R5605.084	<b>24195/24012</b>	2
<b>Volkswagen</b>	Corrado, Cross Polo (9N), Eos, Fox, Golf III, Golf IV, Golf V, Jetta, New Beetle, Passat, Phaeton, Scirocco, Tiguan, Touran, Vento (all models with 5-hole-wheels)	all	<b>27184/28018/ 27000/27181</b>	3
	T4, Touareg	all	<b>28032/28020/ 27181</b>	
	Corrado, Golf I, Golf II, Golf III, Jetta, Lupo, Passat, Polo, Scirocco (6N, 6KV) (all models with 4-hole-wheels)	all	<b>27179/27015/ 28028</b>	
	T5	all	<b>28018/28032</b>	3
<b>Volvo</b>	C30, C70 (M), S40 (V, M), S90, V50	all	<b>24157/24012</b>	2
	C70 (till ´05), S60, S80, V70 (from ´00), XC70, XC90	all	<b>27000</b>	
	850	all	<b>27186</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Stilauto

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	33, 145, 146, 147, 155, 156, 164, 166, Crosswagon, GT, GTV, Spider	all	<b>27169/27215</b>	5
	159, Brera, Spider (from '06)	all	<b>27181</b>	
<b>Audi</b>	80, 90, 100, A2, A3, A4, A5, A6, A8, Allroad, RS6, S3, S4, S6, S8, TT, Q7	all	<b>27181</b>	
<b>BMW</b>	1-series, 3-series, 5-series, 7-series (till '01), 8-series, Z3, Z4	all	<b>27179</b>	
	7-series (from '02), X3, X5 (till 12/'06)	all	<b>27181</b>	
	X5 (from '07)	all	<b>27226</b>	
<b>Chevrolet</b>	Aranos, Cielo, Espero, Lanos (KLAT, SUPT), Nexia, Nubira (till '99), Racer	all	<b>27179</b>	
	Aveo, Beretta, Captiva, Cavalier, Corsica, Evanda, Kalos, Lacetti, Leganza, Magnus, Nubira (from '00), Rezzo, Tacuma	all	<b>24028</b>	
	Matiz	all	<b>24200</b>	
<b>Chrysler</b>	300M, Le Baron, Neon, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24028</b>	
<b>Citroën</b>	AX, Berlingo, BX, C2, C3, C4, C5, C6, Picasso, Saxo, Visa, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	C8, Evasion, Jumpy	all	<b>27181</b>	
	C1	all	<b>27179</b>	
	C-Crosser	all	<b>24028</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Cuore, Feroza, Gran Move, Materia, Move, Rocky, Sirion, Trevis, X-over, YRV	all	<b>24028</b>	
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Cinquecento, Coupé, Doblo, Idea, Marea, Multipla, Palio, Panda, Punto (till '05), Regata, Ritmo, Seicento, Stilo, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
	Scudo, Ulysse	all	<b>27181</b>	
	Croma (from '05), Grande Punto, Sedici	all	<b>27179/27563*</b>	3
<b>Ford</b>	Cougar, Escape, Escort, Fiesta, Focus, Fusion, Ka (till '08), Mondeo, Probe, Puma, Orion, Sierra, Taunus, Windstar, Zafira	all	<b>24028</b>	
	Escort III (till 6/'90), Fiesta I (till 3/'89), Orion I (till 6/'90)	all	<b>27015</b>	
	Galaxy (till '05)	all	<b>27181</b>	
<b>Honda</b>	Accord, Civic, Concerto, CR-V, CRX, FR-V, HR-V, Integra R, Jazz, Legend, Logo, Prelude, Shuttle, Stream	all	<b>24028</b>	
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Excel, Galloper, Getz, H1 Starex, Lantra, Matrix, Pony, Prime, Santa Fe, Santamo, S-Coupé, Sonata, Terracan, Trajet, Verna, XG25, XG30, XG35	all	<b>24028</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Stilauto

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Isuzu</b>	Amigo, Bighorn, Rodeo, Trooper	all	<b>24028</b>	
<b>Jaguar</b>	S-Type, XJ, X-Type	all	<b>24157/24012</b>	2
	XK8	all	<b>25154/24013</b>	2
<b>Jeep</b>	Cherokee, Liberty (from '01)	all	<b>24138/24010</b>	2
	Compass, Patriot	all	<b>24028</b>	
<b>Kia</b>	Carens, Carnival, Carstar, Cee'd, Cerato, Clarus, Credos, Joice, Magentis, Mentor, Picanto, Rio (from '02), Sephia, Shuma, Sorento, Sportage, Visto	all	<b>24028</b>	
	Pride, Rio (till '01)	all	<b>27179</b>	
<b>Lada</b>	Samara	all	<b>27169</b>	
<b>Lancia</b>	Dedra, Delta, K, Lybra, Musa, Prisma, Thema, Ypsilon, Y10	all	<b>27169/27215</b>	5
	Phedra, Thesis, Z	all	<b>27181</b>	
<b>Land Rover</b>	Discovery LT, Freelander I	all	<b>24028</b>	
	Freelander II	all	<b>24214/24019</b>	2
<b>Lexus</b>	GS300, GS430, IS200, IS300, LS400, LS430, RX300, SC430	all	<b>24022</b>	
<b>Mazda</b>	121, 323, 626, 929, Atenza, CX7, Demio, Mazda 2, Mazda 3, Mazda 6, Miata, MPV, MX3, MX5, MX6, Pickup, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2; 3
<b>Mercedes-Benz</b>	190, A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208, 209), E-Class (124, 210), SLK (170, 171), Vaneo (414)	all	<b>27179</b>	
	A-Class (169), CL (215), CLS (219), E-Class (211), M-Class (163), S-Class (140, 220), Viano (639), Vito, V-Class (638)	all	<b>27181</b>	
<b>Mini</b>	Mini Cooper (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27179</b>	
	Mini Cooper (from '07), Clubman	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Cordia, Eclipse, Galant, I-car, L200, Lancer, Mirage, Pajero, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon, Tredia	all	<b>24022</b>	
<b>Nissan</b>	100NX, 200SX, 300ZX, Almera, Bluebird, Cherry, Kuttitar, Maxima, Micra (K11), Murano, Patrol, Prairie, Primastar, Primera, Qashqai, Serena, Stanza, Sunny, Terrano, X-Trail	all	<b>24154/24013</b>	2
	Micra (K12), March (from '03)	all	<b>27207</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Agila (from '04), Ascona, Astra, Calibra, Combo, Corsa, Kadett, Meriva, Omega, Senator, Signum, Tigra, Vectra	all	<b>27179</b>	
	Antara, Campo, Frontera, Monterey, Sintra	all	<b>24157/24012</b>	2; 3
	Vivaro	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Stilauto

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Peugeot</b>	106, 205, 206, 305, 306, 307, 407, 309, 405, 406, 605, 607, Partner, Ranch	all	<b>27169/27215</b>	5
	806, 807, Expert	all	<b>27181</b>	
	107	all	<b>27179</b>	
	4007	all	<b>24028</b>	
<b>Porsche</b>	911 (996), Boxster, Cayenne	all	<b>27181</b>	
<b>Proton</b>	Persona	all	<b>24157/24012</b>	2
<b>Renault</b>	Avantime, Espace, Laguna, Safrane, Scénic 4x4, Trafic, Vel Satis	all	<b>27181</b>	
	Clio, Espace, Fuego, Kangoo, Laguna, Mégane, Modus, R5, R9, R11, R19, R21, R25, Safrane, Twingo	all	<b>27179/27207</b>	5
<b>Rover</b>	25, 45, 200-series, 400-series, 600-series, 800-series, Streetwise	all	<b>24028</b>	
	75	all	<b>27181</b>	
<b>Saab</b>	9.3, 9.5	all	<b>27179</b>	
	900 (till 05/'88)	all	<b>24130</b>	
	900 (from 06/'88 till 06/'93), 9000	all	<b>28020</b>	
<b>Seat</b>	Alhambra, Altea, Cordoba, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27181</b>	
	Arosa, Cordoba, Ibiza (6/K), Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
	Ibiza (021A), Malaga, Marbella, Ronda	all	<b>27169</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb	all	<b>27181</b>	
	Felicia	all	<b>27179</b>	
<b>Smart</b>	Forfour	all	<b>24157/24012</b>	2
<b>Ssangyong</b>	Korrando, Musso, Rexton	all	<b>24157/24012</b>	2
<b>Subaru</b>	Forester, Impreza, Justy, Legacy	all	<b>24152/24012</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Aerio, Alto, Baleno, Esteem, Ignis (till '02), Jimny, Liana, Samurai, Swift (till '03), Vitara, Wagon R (EM), X90	all	<b>24200</b>	2
	Ignis (from '03), Swift (from '04), Wagon R (from '04)	all	<b>27179</b>	
<b>Toyota</b>	4-Runner, Auris, Avensis, Camry, Carina, Celica, Corolla, Hilux, Landcruiser, MR2, Paseo, Picnic, Previa, RAV4, Starlet, Tercel, Yaris	all	<b>24022</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# Stilauto

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Bora, Caddy, Eos, Golf, New Beetle, Passat, Phaeton, Polo, Sharan, T4, T5, Tiguan, Touareg, Touran (all models with 5-hole-wheels)	all	<b>27181</b>	
	Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Volvo</b>	740, 760, 780, 940, 960, 980, C30, S40, S90, V40, V50, V90	all	<b>24028</b>	
	850, C70, S70, V70	all	<b>27186</b>	
	S60, S80, V70 (from '00), XC70, XC90	all	<b>27181</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145,146,147,155,156,164,166,Cross Wagon, GT, Mito, Spider (till '05), Sport Wagon, Sprint	all	<b>27170</b>	
	159, Brera, Spider (from '06)	all	<b>27222</b>	
	Guilletta	all	<b>24157/24012</b>	2
<b>Audi</b>	80, 90, 100, 200, A2, A3, A4, A5 ,A6 ,A8, Allroad, S3 ,S4, S5,S6, TT	all	<b>27181</b>	
<b>BMW</b>	1 series, 3 series, 5 series, 6 series, 7 series (till '01), 8er Reihe, X1, Z1, Z3, Z4, Z8	all	<b>27179</b>	
	7 series (from '02), X3, X5 (till 12/'06)	all	<b>27222</b>	
	X5 (from 01/'07), X6, 7 series (from 10/'08), 5-GT	all	<b>27226</b>	
<b>Chrysler</b>	Cirrus, Compass, Pt Cruiser, Saratoga, Sebring, Stratus, TC, Viper R/10 Vison, Voyager	all	<b>24157/24012</b>	2
	Crossfire	all	<b>27181</b>	
<b>Citroën</b>	AX, Berlingo, BX, C3, C4, C5, C6, Nemo 225L, Picasso, Saxo, Xantia, Xsara, ZX	all	<b>27170</b>	
	Berlingo II	all	<b>27216</b>	
	C-Crosser, C7	all	<b>24195/24012</b>	2
	C1	all	<b>27204</b>	
	C2	all	<b>27184</b>	
	XM	all	<b>27169</b>	
<b>Dacia</b>	Logan, Sandero	all	<b>27207</b>	
<b>Daewoo</b>	Evanda, Kalos, Lacetti, Leganza, Magnus, Nubira (from '03), Rezzo, Tacuma	all	<b>24195/24012</b>	2
	Nubira (till '02)	all	<b>27207</b>	
	Nubira (from '03), Rezzo, Tacuma	all	<b>24195/24012</b>	2
<b>Daihatsu</b>	Applause, Charade, Charmant, Cuore, Grand Move, Materia, Sirion, Terios, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	Barchetta, Brava, Bravo, Cinquento, Coupe, Doblo, Fiorino, Idea, Linea, Marea, Multipla, Palio, Panda, Punto (176, 188), Seicento, Stilo, Tempra, Tipo, 500	all	<b>27170</b>	
	Croma (from '05), Grande Punto	all	<b>27179</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

## Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Ford</b>	C-Max, Cougar, Contour, Explorer, Fiesta, Focus, Fusion, Ka (till '07), Kuga, Maverick, Mondeo, Puma, Probe, Scorpio, Sierra, Taurus, Tempo, Puma, Probe, Windstar	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27181</b>	
	Galaxy (from '06)	all	<b>24211</b>	
	Ka (from '09)	all	<b>27170</b>	
<b>Honda</b>	Accclaim, Accord (from '82), Aerodeck, Balleade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupe, Elantra, Excel, Getz, H1-Starex, i10, i30, Lantra, Matrix, Pony, S-Coupe, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	<b>24195/24012</b>	2
<b>Jaguar</b>	S-Type, X-Type, XJ, XKR	all	<b>24157/24012</b>	2
<b>Jeep</b>	Cherokee, Grand Cherokee, Wrangler	all	<b>24193</b>	
<b>Kia</b>	Carens, Ceed, Cerato, Clarus, Credos, Magentis, Mentor, Opirus, Picanto, Rio (from '02), Sedona, Sephia, Shuma, Sorento, Soul, Sportage	all	<b>24195/24012</b>	2
<b>Lancia</b>	Delta, Dedra, Lybra, Musa, Thesis, Ypsilon	all	<b>27170</b>	
<b>Land Rover</b>	Freelander I	all	<b>24157/24012</b>	2
<b>Lexus</b>	all models	all	<b>24195/24012</b>	2
<b>Mazda</b>	CX7, Demio, MPV, MX3, MX5, MX6, Premacy, RX7, RX8, Tribute, Xedos 6, Xedos 9, 121, 2, 3, 323, 5, 6, 626, 929	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (W168), CLK (208, 209), SLK, 190, Vaneo	all	<b>27179</b>	
	A-Class (W169), B-Class, C-Class (W202, W203), CL (215), CLS, E-Class (from '02), SLK, Sprinter II	all	<b>27181SU</b>	
	C-Class (W204), GL-Class, M-Class, R-Class, S-Class, V-Class	all	<b>27222/27184</b>	2
	SL (W230)	all	<b>27201</b>	
<b>MG Rover</b>	MGF, MG-TF, 25, 45, 1300, 200, 400, 800	all	<b>24157/24012</b>	2
<b>Mini</b>	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	<b>27179</b>	
	Cabriolet (R50 from 04/'06), Clubman, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06)	all	<b>27226</b>	
<b>Mitsubishi</b>	Carisma, Colt, Cordia, Diamante, Galant, Grandis, Eclipse, Lancer, Mirage, Outlander, Pajero, Precis, Sigma, Space Runner, Space Star, Space Wagon, Starion, Tredia	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Nissan</b>	Almera, Axxess, Bluebird, Cefiro, Laurel, Micra (K11), Murrano, Prairie, Primera, Qashqai, Sunny, Tiida, Vanette, X-Trail, 100Nx, 240SX, 300ZX,350Z	all	<b>24154/24013</b>	2
	Micra (K12), Note	all	<b>27207</b>	
<b>Opel</b>	Antara, GT, Meriva, Senator	all	<b>24157/24012</b>	2
	Astra, Calibra, Carlton, Corsa, Omega, Signum, Tigra, Zafira	all	<b>27179</b>	
	Rascal	all		
<b>Peugeot</b>	Expert, Partner II, 104, 106, 204, 206, 207, 304, 306, 307, 308, 404, 405, 406, 407, 604, 605, 607	all	<b>27170</b>	
	107	all	<b>27216</b>	
	608	all	<b>24195/24012</b>	2
<b>Renault</b>	19, Clio Express, Fuego, Kangoo, Laguna (till '05), Megane, Modus, Scenic (till '05), Twingo	all	<b>27207</b>	
	Espace	all	<b>27184</b>	
	Trafic	all	<b>27000</b>	
<b>Saab</b>	9-5,900 (from '96)	all	<b>27179</b>	
<b>Seat</b>	Alhambra	all	<b>27222</b>	
	Altea, Arosa, Cupra, Exeo, Ibiza (6I), Leon, Toledo (1M), (all models with 4 hole wheels)	all	<b>27204</b>	
	Altea, Arosa, Cupra, Exeo, Ibiza (6L), Leon, Toledo (1M) (all models with 5 hole wheels)	all	<b>27222</b>	
	Furu	all	<b>27170</b>	
	Inca, Vista	all	<b>27181</b>	
<b>Skoda</b>	Forman	all	<b>27181</b>	
	Octavia, Praktik, Superb, Roomster	all	<b>27222</b>	
	Pick up	all	<b>27181/27205</b>	3
<b>Smart</b>	Fortwo	all	<b>28028</b>	
	Forfour	all	<b>24195</b>	
<b>Subaru</b>	E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	<b>24152/24012</b>	
	Justy G3X	all	<b>27204</b>	
<b>Suzuki</b>	Alto, Baleno, GXI, Ignis (till '04), Jimny, Liana, Sprint, Swift (till '04), Vivo, Wagon R	all	<b>24152/24013</b>	2
	Ignis (from '05), Swift (from '05), Splash	all	<b>27204</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Team Dynamics

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Toyota</b>	4 Runner, Auris, Aygo, Blizzard, Avensis, Camry, Carina, Celica, Corolla, IQ, Lite Ace, MR2, Paseo, Picnic, Previa, M3, RAV4, Space Cruiser, Starlet, Supra, V8, Yaris	all	<b>24195/24012</b>	2
<b>Volkswagen</b>	Caddy, Golf, Jetta, Polo (4-hole-wheels)	all	<b>27204</b>	
	Caddy, Derby, Phaeton, Santana (5-hole-wheels)	all	<b>27181</b>	
	Eos	all	<b>27222</b>	
<b>Volvo</b>	C30, C70 (from '06), S90, V90	all	<b>24157/24012</b>	2
	S70, V70, XC70, XC90	all	<b>27000</b>	

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Audi</b>	80, 90 (89, Q, B4), 100, 200 (44, Q, C4), A2 (15" + 16" wheels), A3, A4, A5, A6, A8, Cabrio, S2, S4, S6, S8, V8, TT, TT Roadster, Q5	all	<b>27181/27222/ 27205</b>	3
<b>BMW</b>	1-series, 3-series, 5-series (till '09), 6-series, 7-series (till '01), 8-series, X1, Z1, Z3, Z4, Z8,	all	<b>27221/27015</b>	3
<b>Chrysler</b>	Crossfire	all	<b>27179</b>	
<b>Citroën</b>	AX, Axel, Berlingo, C2, C3, C4, C5, C6, C15, Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	3
<b>Dacia</b>	Logan, Sandero	all	<b>27179</b>	
<b>Daewoo/</b>	Aranos, Cielo, Espero, Lanos, Leganza (till '99), Nexia, Nubira (till '99), Prince, Tico	all	<b>27179</b>	
	Evanda, Kalos, Korrandoo, Lacetti, Leganza (from '00), Musso, Nubira (from '00), Rezzo	all	<b>24157/24012</b>	2
<b>Fiat</b>	Grande Punto	all	<b>27179</b>	
<b>Ford</b>	Calypso, Capri, C-Max, Cougar, Courier, Escort I/II, Escort/GAL, Fiesta/GFJ, Fiesta, Focus, Fusion, Granada, Ka (till '08), Kuga, Mondeo, Orion II, Probe, Puma, RS, Scorpio, Sierra, Transit Connect	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27000/27205</b>	3
	Galaxy (from '06), S-Max	all	<b>24214/24019</b>	2
<b>Honda</b>	Acclaim, Accord (from '82), Aerodeck, Ballade, City, Civic (from '82), Concerto, CR-V, CRX, FR-V, HR-V, Insight, Integra, Jazz, Logo, NS-X, Prelude (from '83), Quintet, S2000, Sedan, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Ascente, Atos, Confiro, Coupé, Elantra, Excel, Getz, H1-Starex, I10, I30 Lantra, Matrix, Pony, S-Coupé, Santa Fe, Sonata, Stellar, Tennis, Terracan, Trajet, Tucson, XG-30	all	<b>24195/24137/ 24012</b>	2, 3
<b>Jaguar</b>	E-Type, S-Type, X-Type	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Pro Cee'd, Cerato, Clarus, Credos, Leo, Magentis, Opirus, Picanto, Retona, Rio (from '02), Sephia, Shuma, Sorento, Sportage, Venga	all	<b>24195/24012</b>	2
<b>Land Rover</b>	Freelander I	alle	<b>24157/24012</b>	3
<b>Mazda</b>	121 (DB from '91), 323 (from '86), 626 (from '83), 929 (from '88), B2300, 3000, 4000, CX7, Demio, GLC (from '80), Kombi, Mazda 3, Mazda 5, Mazda 6, Miata, MPV, MX3, MX5, MX6 (from '88), Navajo (4x4), Pickup (from '79), Premacy, Protege, RX7 GSL/SE (from '85), RX7 Turbo (from '86), RX8, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2
<b>Mercedes-Benz</b>	A-Class (till '04) (W107, W116, W123, W124, W126, W129, W168), C-Class (W201, W202, W203, W203CL, S203, S210), E-Class (till '01) (W203K, W210), SLK (R129, R170), Vaneo (414)	all	<b>27179/27204</b>	3
	A-Class (from '05) (W169), B-Class (T245), C-Class (S204 from 04/'07), CLC, CLS (C219), E-Class (from '02) (W211/S211, W212), E- Class Coupe, GL-Class, R-Class (W/V251), SL (from '02) (R230), Viano, Vito (639)	all	<b>27181/27205</b>	3

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mini</b>	Cabriolet (R50 till 03/'06), Mini Cooper (till 08/'06), Mini Cooper S (till 08/'06), Mini One (till 08/'06)	all	<b>27179</b>	
	Cabriolet (R50 from 04/'06), Clubman, Mini Cooper (R56 from 09/'06), Mini Cooper S (R56 from 09/'06), Mini One (R56 from 09/'06)	all	<b>27226/27229</b>	3
<b>Mitsubishi</b>	Celeste, Colt, Cordia, ESI-R, Galant, Grandis, I-car, Lancer, Laser, Mirage, Outlander, Precis, Sapporo, Sigma, SpaceGear, SpaceRunner, SpaceWagon, Starion, Tredia	all	<b>24195/24012</b>	2
<b>Nissan</b>	240SX, 300ZX (from '86), 350Z, Almera, Axxess, Bluebird, Cedric, Cefiro, Cherry, Fair-lady, Maxima, Micra (till '02), Murano, Pathfinder (from '88), Patrol (from '02), Pixo, Primera, Pulsar, Qashqai, Serena, Sentra, Stanza (from '86), Sunny (from '90), Terrano (4x4; from '88), Tiida, Tino, X-Trail	all	<b>24154/24013</b>	2
	Micra (from '03 = K12), Note	all	<b>27179</b>	
	Primastar	all	<b>27222</b>	
<b>Peugeot</b>	106, 205, 205 GTi, 206, 207, 305 (from '82), 306, 307, 308, 309 GTi, 405, 405, 407, 405 SRi, 406, 506, 605, 607	all	<b>27215/27169</b>	3
<b>Renault</b>	Avantime, Laguna (from 04/'08), Vel Satis,	all	<b>27222</b>	
	Clio, Clio II, Clio III, Express, Fuego, Kangoo, Laguna (till '07), Mégane, Nevada, Modus, R5 (from '85), R9, R11, R18 D/TD, R19, R20 D, R21 RX, R25 (4-H), R30 TD, Safrane, Scénic (till '05)	all	<b>27179</b>	
	Espace, Grand Espace	all	<b>27222</b>	
<b>Seat</b>	Altea, Cordoba, Exeo, Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27181/27205</b>	3
<b>Skoda</b>	105 L/LS, 120 L, 130 LX, 135 GL, 130/135 Coupé	all	<b>24157</b>	
	Fabia, Octavia, Roomster, Superb	all	<b>27181/27222/27205</b>	
<b>Subaru</b>	Brat, E10, Forester, Impreza, Jumbo, Justy, L1800, Legacy, Leone, Libero, Loyale, Outback, Sedan, Station, SRX, SVX, Turismo, Tribeca, Vivo, XT	all	<b>24152/24013</b>	2
	Justy G3X	all	<b>27179</b>	
<b>Suzuki</b>	Alto, Baleno, Carry, Escudo, GTi, Gxi, Ignis (till '04), Impreza, Jimmy, Liana, LJ80, Samurai, Santana, Sidekick, SJ 410, 413, Sprint, Swift from '90, Swift 1.3, Swift 1.6, Vitara, Vivo, Wagon R+	all	<b>24152/24013</b>	2
	Ignis (from '05), Swift (from '05)	all	<b>27179</b>	
<b>Toyota</b>	4 Runner (4x4), Auris, Avensis, Blizzard, Camry, Carina, Celica, Corolla, Corona, Cressida, Crown, FX16, Hiace, Hilux, IQ, Landcruiser, Lite Ace, M3, MR2, Paseo, Previa, Prius, RAV4, Soarer, Starlet, Supra, Tercel, Verso, V8, Yaris	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# Tomason

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Volkswagen</b>	Bora, Corrado VR6, Eos, Golf III GTi, Golf III VR6, Golf IV, Golf V, Jetta (from '05), New Beetle, Passat, Passat VR6, Phaeton, Polo (from '02), Tiguan, Touran (all models with 5-hole-wheels)	all	<b>27222/27181</b>	3
	Caddy, Corrado, Derby, Golf, Jetta, Lupo, Passat, Polo, Santana, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Volvo</b>	740, 750, 760, 765, 780, 940, 960, C30, C70 (from '06), S40, S90, V40, V50, V90	all	<b>24157/24012</b>	2
	C70 (from '00 till 12/'05), C80, S60, S80, V70 (from '00), XC70, XC90	all	<b>27205/27181</b>	3
<b>Opel/Vauxhall</b>	Ascona C, Astra (till '08), Calibra, Combo, Corsa, Kadett D/E, Meriva, Omega A/B, Senator B, Signum, Speedster, Tigra, Vectra, Zafira	all	<b>27179</b>	3
	Antara, Astra (from 11/'09), Sintra	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle



# TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Alfa Romeo</b>	145, 146, 147, 155, 156, 164, 166, Spider	all	<b>27169/27215</b>	5
<b>Audi</b>	80 (89, B4), 90 (85), 100 (44), A2, A3, S3, TT	all	<b>27184</b>	
	100 (C4), A4, A5, A6, A8, S2, S4, S6, S8, V8	all	<b>27205</b>	
<b>BMW</b>	3-series, Z3	all	<b>27179</b>	
	5-series, 7-series (till '01), 8-series	all	<b>27015</b>	
	7-series (from '02)	all	<b>27181/27183</b>	3
<b>Chevrolet</b>	Espero, Lanos (KLAT, SUPT), Nexia, Nubira (SUPJ, UU6J), Sertio	all	<b>27179</b>	
	Leganza	all	<b>24157/24012</b>	2
<b>Chrysler</b>	300M, Grand Cherokee Z, Neon, New Yorker, PT Cruiser, Sebring, Stratus, Vision, Voyager	all	<b>24157/24012</b>	2
<b>Citroën</b>	AX, BX, Berlingo, C3, C5, Picasso, Saxo, Xantia, XM, Xsara, ZX	all	<b>27169/27215</b>	5
	Evasion	all	<b>27184</b>	
<b>Daewoo</b>	see Chevrolet			
<b>Daihatsu</b>	Applause, Charade, Cuore, Grand Move, Materia, Move, Sirion, Trevis, X-over, YRV	all	<b>24157/24012</b>	2
<b>Fiat</b>	500, Barchetta, Brava, Bravo, Coupé, Croma, Marea, Multipla, Palio, Punto, Stilo, Tempra, Tipo, Uno	all	<b>27169/27215</b>	5
	Ulysse	all	<b>27184</b>	
<b>Ford</b>	Cougar, Escort, Fiesta, Focus, Fusion, Ka, Mondeo, Probe, Puma, Sierra, Scorpio, Windstar	all	<b>24157/24012</b>	2
	Galaxy (till '05)	all	<b>27205</b>	
<b>Honda</b>	Accord, Civic, Coupé, CR-V, HR-V, Integra, Jazz, Prelude, Shuttle, Stream	all	<b>24157/24012</b>	2
<b>Hyundai</b>	Accent, Atos, Coupé, Elantra, Getz, Lantra, Matrix, Pony, Santa Fe, Santamo, S-Coupé, Sonata, Trajet, Verna, XG25/30	all	<b>24157/24012</b>	2
<b>Jaguar</b>	S-Type, X-Type	all	<b>24157/24012</b>	2
<b>Kia</b>	Carens, Carnival, Clarus, Cee'd, Credos, Rio (from '02), Sephia, Shuma	all	<b>24157/24012</b>	2
<b>Lancia</b>	Dedra, Delta, Kappa, Lybra, Thema, Thesis, Ypsilon	all	<b>27169/27215</b>	5
	Zeta	all	<b>27184</b>	
<b>Lexus</b>	IS200, IS300, LS200, LS400	all	<b>24195/24012</b>	2
<b>Mazda</b>	121, 323, 626, CX7, Demio, Mazda 2, Mazda 3, Mazda 6, MPV, MX3, MX5, MX6, Premacy, Tribute, Xedos 6, Xedos 9	all	<b>24195/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Mercedes-Benz</b>	190 (201), A-Class (168) (till '04), C-Class (H0, 202, 203), CLK (208), E-Class (124, 210), SL (129), SLK (170)	all	<b>27179</b>	
	CL (215), E-Class (211), M-Class, S-Class (140, 220), SL (230), Vito, V-Class	all	<b>27181</b>	
<b>Mini</b>	Mini Cabriolet (R50) (till 03/'06), Mini Cooper (R50) (till 08/'06), Mini Cooper S (R50) (till 08/'06), Mini One (R50) (till 08/'06)	all	<b>27179</b>	
<b>Mitsubishi</b>	Carisma, Colt, Eclipse, Galant, I-car, Lancer, Pajero Pinin, Sapporo, Sigma, SpaceRunner, SpaceStar, SpaceWagon	all	<b>24195/24012</b>	2; 3
<b>Nissan</b>	100 NX, 200SX, Almera, Bluebird, Maxima, Micra (K11), Prairie, Primera, Qashqai, Stanza, Sunny, X-Trail	all	<b>24154/24013</b>	2; 3
	Micra (K12)	all	<b>27207</b>	
<b>Opel</b>	Agila (till '03)	all	<b>24154/24013</b>	2
	Ascona C, Astra, Calibra, Corsa, Coupé, Kadett, Meriva, Tigra, Vectra (all models with 4-hole-wheels)	all	<b>27101</b>	
	Astra, Calibra, Coupé, Meriva, Omega, Signum, Vectra, Zafira (all models with 5-hole-wheels)	all	<b>27204</b>	
	Antara, Sintra	all	<b>24157/24012</b>	2; 3
<b>Peugeot</b>	106, 205, 206, 306, 307, 309, 405, 406, 605, 607, Partner	all	<b>27170/27216</b>	5
	806	all	<b>27184</b>	
<b>Proton</b>	300, 400, 415, 416, Persona	all	<b>24157/24012</b>	2
<b>Renault</b>	Avantime, Espace, Laguna, Safrane, Vel Satis	all	<b>27184</b>	
	Clio, Espace, Kangoo, Laguna, Mégane, R5, R11, R19, R21, Safrane, Scénic, Twingo	all	<b>27207/27179</b>	5
<b>Rover</b>	25, 45, 200, 400, 600, X20, X30	all	<b>24157/24012</b>	2
	75, X10	all	<b>27184</b>	
<b>Saab</b>	900, 9.3, 9.5	all	<b>27179</b>	
<b>Seat</b>	Alhambra	all	<b>27205</b>	
	Arosa, Cordoba, Ibiza, Inca, Toledo (all models with 4-hole-wheels)	all	<b>27179</b>	
	Ibiza, León, Toledo (all models with 5-hole-wheels)	all	<b>27184</b>	
	Ibiza (021A), Malaga (PCD 4 x 98), Ronda	all	<b>27169</b>	
<b>Skoda</b>	Fabia, Octavia, Roomster, Superb (all models with 5-hole-wheels)	all	<b>27184</b>	
	Favorit, Felicia, Forman, Pickup (all models with 4-hole-wheels)	all	<b>27179</b>	
<b>Suzuki</b>	Baleno, Ignis (FH), Liana, Swift (EA, MA), Wagon R (EM)	all	<b>24152/24013</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle

# TSW

Car Manufacturer	Model	Wheel Type	Wheel Lock	
<b>Toyota</b>	Auris, Avensis, Camry, Carina, Celica, Corolla, MR 2, Paseo, Picnic, Previa, RAV4, Starlet, Tercel, Verso, Yaris	all	<b>24195/24012</b>	2; 3
<b>Volkswagen</b>	Bora, Corrado, Eos, Golf III/IV, New Beetle, Passat (all models with 5-hole-wheels)	all	<b>27184</b>	
	Caddy, Corrado, Golf I/II/III, Jetta, Lupo, Passat, Polo, Scirocco, Vento (all models with 4-hole-wheels)	all	<b>27179</b>	
	Passat 3B, Sharan, T4	all	<b>27205</b>	
<b>Volvo</b>	850, 940, C70, S60, S80, V70, V90	all	<b>27000</b>	
	S40, V40	all	<b>24157/24012</b>	2

2) Please use for wheels with hub caps.

3) Please check shaft length/overall length, thread size, seating surface!

4) Attention! Please be aware that the McGard wheel locks have a different key hex size than the original fasteners!

5) Please check key hex size!

\* PCD wheel locks with a flexible cone seat for reduction of the hole circle